

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
1 April 2004 (01.04.2004)


PCT

(10) International Publication Number  
WO 2004/026888 A2

- (51) International Patent Classification<sup>7</sup>: C07H (72) Inventors; and  
(75) Inventors/Applicants (for US only): LIPFORD, Grayson, B. [US/US]; 38 Bates Road, Watertown, MA 02472 (US). MOOKHERJEE, Neeloffer [IN/CA]; Apt 408, 2233 Allison Road., Vancouver, BC V6T 1T7 (CA). BABIUK, Lorne [CA/CA]; 245 East Place, Saskatoon, Saskatchewan S7J 2Y1 (CA). BROWNLIE, Robert [CA/CA]; 123 O'Brien Crescent, Saskatoon, Saskatchewan S7K 5K3 (CA). GRIEBEL, Philip [CA/CA]; Box 36, RR5, Saskatoon, Saskatchewan S7K 3J8 (CA). MUTWIRI, George [CA/CA]; 569 Nordstrum Road, Saskatoon, Saskatchewan S7K 7X6 (CA). HECKER, Rolf [DE/DE]; Benrodestr. 60, 40597 Düsseldorf (DE).
- (21) International Application Number: PCT/US2003/029577
- (22) International Filing Date:  
19 September 2003 (19.09.2003)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:  
60/412,479 19 September 2002 (19.09.2002) US
- (71) Applicants (for all designated States except US): COLEY PHARMACEUTICAL GMBH [DE/DE]; Elisabeth-Selbert-Strasse 9, 40764 Langenfeld (DE). UNIVERSITY OF SASKATCHEWAN [CA/CA]; Kirk Hall, 117 Science Place, Saskatoon, Saskatchewan S7N 5C8 (CA). QIAGEN GMBH [DE/DE]; Max-Volmer-Strasse 4, 40724 Hilden (DE).
- (74) Agent: STEELE, Alan, W.; Wolf, Greenfield & Sacks, P.C., 600 Atlantic Avenue, Boston, MA 02210 (US).
- (81) Designated States (national): AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX,

[Continued on next page]

(54) Title: TOLL-LIKE RECEPTOR 9 (TLR9) FROM VARIOUS MAMMALIAN SPECIES



(57) Abstract: Novel amino acid and nucleotide sequences for rat, pig (porcine), cow (bovine), horse (equine), and sheep (ovine) Toll-like receptor 9 (TLR9) are provided. Also provided are amino acid and nucleotide sequences for dog (canine), cat (feline), mouse (murine), and human TLR9. Comparison of these sequences, especially in combination with functional assessment for species-specific CpG motif preferences, permits identification of specific regions and amino acid residues of interest in TLR9 ligand interaction. Novel chimeric TLR9 receptor molecules, cells expressing these molecules, and methods for their use in screening assays for TLR9 ligands are also provided.



MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

**Published:**

— without international search report and to be republished upon receipt of that report

(84) **Designated States (regional):** ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO,

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

## TOLL-LIKE RECEPTOR 9 (TLR9) FROM VARIOUS MAMMALIAN SPECIES

### Background of the Invention

Synthetic oligodeoxynucleotides (ODN) and DNA containing immunostimulatory  
5 CpG motifs (CpG DNA) function as potent adjuvants and activators of the innate immune  
system. Heeg K et al. (2000) *Int Arch Allergy Immunol* 121:87-97; Krieg AM (2001)  
*Vaccine* 19:618-22. A wide variety of CpG-containing sequences have been screened for  
biological activity and it is reported that optimal CpG DNA sequences can vary among  
species. Rankin R et al. (2001) *Antisense Nucleic Acid Drug Dev* 11:333-40.  
10 Toll-like receptor 9 (TLR9) has recently been identified as a receptor for CpG ODN.  
Hemmi H et al. (2000) *Nature* 408:740-5. The molecular mechanism by which TLR9  
recognizes CpG DNA is not understood.

### Summary of the Invention

15 Toll-like receptor 9 (TLR9) is known to be involved in innate immunity and to signal  
in response to CpG DNA. To date, the amino acid sequences only of human and murine  
TLR9 have been reported, and, interestingly, these two species are known to prefer different  
CpG motifs. The structural basis for this species-specific CpG motif preference has not yet  
been fully elucidated. The instant invention provides, in part, novel amino acid and  
20 nucleotide sequences of rat, pig, cow, and horse TLR9. These novel TLR9 sequences are  
useful for elucidating certain key structural features of TLR9. Specifically, comparison of  
sequences of murine, human, and these novel TLR9 sequences permits identification of areas  
of highly conserved sequence, areas of group conservation, and areas of hypervariability. In  
addition, such comparisons permit an assessment of evolutionary relatedness among TLR9  
25 molecules of the various species, as well as an assessment of inter-species homologies.  
Importantly, such comparisons permit a rational basis for identifying amino acids in TLR9  
that may be involved in the CpG binding site, as well as amino acids involved in conferring  
species specificity for particular CpG motifs. Such information may be used to design and  
construct novel TLR9 molecules which incorporate specific point or regional mutations and  
30 which possess desired ligand binding characteristics. Such information may also be useful in  
designing and identifying novel ligands for TLR9 of a given species.

- 2 -

In one aspect, the invention provides isolated polypeptides having amino acid sequences for rat, pig (porcine), cow (bovine), horse (equine), and sheep (ovine) TLR9 polypeptides. These amino acid sequences correspond to SEQ ID NOs 1, 5, 9, 13, and 17, respectively. Each of these sequences is believed to include at least a majority of an  
5 extracellular domain, as well as a transmembrane region and at least part of a TLR/IL-1 receptor (TIR) domain. To the extent any such sequence may lack an amino-terminal and/or carboxy-terminal sequence, such sequence is ascertainable, without undue experimentation, using conventional molecular biology techniques and the sequence information provided herein.

10 In another aspect the invention provides isolated polypeptides having amino acid sequences for essentially the whole extracellular domain, optionally including a signal peptide, of each of rat, porcine, bovine, equine, and ovine TLR9. These amino acid sequences correspond to SEQ ID NOs 2, 6, 10, 14, and 18, respectively. Such extracellular domains are believed to include sequence specifically involved in binding to TLR9 ligand,  
15 such as CpG DNA. In addition, such extracellular domains are believed to include sequence that confers species specificity for particular CpG motifs.

Isolated nucleic acid molecules encoding the polypeptides just described above are also provided according to further aspects of the invention. Such nucleic acid molecules include, but are not limited to, nucleic acid molecules having sequences provided by SEQ ID  
20 NOs 3, 7, 11, 15, 19; and 4, 8, 12, 16, and 20, respectively. Isolated nucleic acid molecules encoding the TLR9 polypeptides of SEQ ID NOs 1, 5, 9, 13, 17; and 2, 6, 10, 14, and 18 also include nucleic acid molecules that differ in sequence from SEQ ID NOs 3, 7, 11, 15, 19; and 4, 8, 12, 16, and 20, respectively, due to degeneracy of the genetic code. Such nucleic acid molecules will hybridize, under stringent conditions, with suitably selected nucleic acid  
25 molecules having sequences selected from SEQ ID NOs 3, 4, 7, 8, 11, 12, 15, 16, 19, and 20.

In another aspect the invention provides a vector which includes an isolated nucleic acid molecule of the invention. In one embodiment the vector is an expression vector and the isolated nucleic acid molecule of the invention is operably linked to a regulatory sequence in the vector. When present within a cell, an expression vector according to this aspect of the  
30 invention causes the cell to express a polypeptide of the invention.

The invention according to another aspect provides a cell in which a vector of the invention is present. In one embodiment the cell containing the vector expresses a

- 3 -

polypeptide of the invention. In certain embodiments the cell also contains a reporter construct that transduces a TLR9-mediated signal in response to contact of the polypeptide of the invention or a TLR9 with a suitable TLR9 ligand. The cell containing the vector, and optionally containing the reporter construct, can be used in screening methods also provided  
5 by the invention.

In yet another aspect the invention provides an antibody or antibody fragment that binds specifically to an isolated polypeptide of the invention. In certain embodiments the antibody or antibody fragment binds uniquely to one of rat, porcine, bovine, equine, or ovine TLR9 polypeptide. More specifically, the antibody or antibody fragment binds uniquely to  
10 one of the isolated polypeptides of the invention. In one embodiment the antibody or antibody fragment that binds uniquely to one of rat, porcine, bovine, equine, or ovine TLR9 polypeptide also binds to either mouse or human TLR9. In another embodiment the antibody or antibody fragment that binds uniquely to one of rat, porcine, bovine, equine, or ovine TLR9 polypeptide does not also bind to either mouse or human TLR9. In some embodiments  
15 the antibody or antibody fragment binds selectively to a chimeric TLR9 polypeptide of the invention. In certain embodiments the antibody or antibody fragment of the invention is a monoclonal antibody or fragment of a monoclonal antibody.

In one aspect the invention provides a method for identifying key amino acids in a TLR9 of a first species which confer specificity for CpG DNA optimized for TLR9 of the  
20 first species. The method involves aligning protein sequences of TLR9 of a first species, TLR9 of a second species, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for TLR9 of the first species rather than when contacted with a CpG DNA optimized for TLR9 of the second species; generating an initial set of candidate amino acids in the TLR9 of the  
25 first species by excluding each amino acid in the TLR9 of the first species which (a) is identical with the TLR9 of the second species or (b) differs from the TLR9 of the second species only by conservative amino acid substitution; generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in the TLR9 of the first species which (a) is identical with the TLR9 of the third species or (b)  
30 differs from the TLR9 of the third species only by conservative amino acid substitution; and identifying as key amino acids in the TLR9 of the first species each amino acid in the refined set of candidate amino acids.

- 4 -

In another aspect the invention provides a method for identifying key amino acids in human TLR9 which confer specificity for CpG DNA optimized for human TLR9. The method according to this aspect of the invention involves aligning protein sequences of human TLR9, murine TLR9, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for human TLR9 rather than when contacted with a CpG DNA optimized for murine TLR9; generating an initial set of candidate amino acids in human TLR9 by excluding each amino acid in human TLR9 which (a) is identical with murine TLR9 or (b) differs from murine TLR9 only by conservative amino acid substitution; generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in human TLR9 which (a) is identical with the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and identifying as key amino acids in human TLR9 each amino acid in the refined set of candidate amino acids. In one embodiment the method according to this aspect of the invention is performed iteratively with a plurality of TLR9s derived from different species other than human and mouse, wherein for each TLR9 the refined set of candidate amino acids is assigned a weight corresponding to a ratio equal to (responsiveness to human-preferred CpG DNA)/(responsiveness to murine-preferred CpG DNA).

In another aspect the invention also provides an isolated polypeptide having an amino acid sequence identical to SEQ ID NO:30 (extracellular domain (ECD) of murine TLR9) except for substitution of at least one key amino acid identified according to the method above. The polypeptide according to this aspect of the invention is a chimeric TLR9 polypeptide. Preferably the polypeptide according to this aspect of the invention binds to CpG DNA optimized for human TLR9 better than does the isolated polypeptide having an amino acid sequence identical to SEQ ID NO:30 (ECD of murine TLR9). In one embodiment the polypeptide includes only one substituted amino acid. The isolated polypeptide according to this aspect of the invention may further include sequence involved in TLR/IL-1R signal transduction, e.g., intracellular domain of TLR9 as provided in SEQ ID NOs 29 and 33. For example, in one embodiment a polypeptide according to this aspect of the invention is an isolated polypeptide having an amino acid sequence identical to SEQ ID NO:29 (full length murine TLR9) except for substitution of at least one key amino acid identified according to the method above.

- 5 -

In another aspect the invention provides an isolated nucleic acid molecule including a nucleic acid sequence encoding a chimeric TLR9 polypeptide just described. In one embodiment the isolated nucleic acid molecule has a nucleic acid sequence encoding a chimeric TLR9 polypeptide just described.

5 In yet another aspect, the invention provides a screening method to identify a TLR9 ligand. The method involves contacting a polypeptide (including a chimeric TLR9 polypeptide) of the invention with a candidate TLR9 ligand; measuring a signal in response to the contacting; and identifying the candidate TLR9 ligand as a TLR9 ligand when the signal in response to the contacting is consistent with TLR9 signaling. In one embodiment  
10 the candidate TLR9 ligand is an immunostimulatory nucleic acid. In one embodiment the candidate TLR9 ligand is a CpG DNA.

The invention also provides, in yet a further aspect, a screening method to identify species-specific CpG-motif preference of an isolated polypeptide of the invention. The method according to this aspect of the invention involves contacting an isolated polypeptide  
15 of the invention with a CpG DNA including a hexamer sequence selected from the group consisting of GACGTT, AACGTT, CACGTT, TACGTT, GCGGTT, GCCGTT, GTCGTT, GATGTT, GAAGTT, GAGGTT, GACATT, GACCTT, GACTTT, GACGCT, GACGAT, GACGGT, GACGTC, GACGTA, and GACGTG; measuring a signal in response to the contacting; and identifying a species-specific CpG-motif preference when the signal in  
20 response to the contacting is consistent with TLR9 signaling. In one embodiment the CpG DNA is an oligodeoxynucleotide having a sequence selected from the group consisting of

	TCCATGACGTTTTTGATGTT	(SEQ ID NO:39),
	TCCATAACGTTTTTGATGTT	(SEQ ID NO:40),
	TCCATCACGTTTTTGATGTT	(SEQ ID NO:41),
25	TCCATTACGTTTTTGATGTT	(SEQ ID NO:42),
	TCCATGGCGTTTTTGATGTT	(SEQ ID NO:43),
	TCCATGCCGTTTTTGATGTT	(SEQ ID NO:44),
	TCCATGTCGTTTTTGATGTT	(SEQ ID NO:45),
	TCCATGATGTTTTTGATGTT	(SEQ ID NO:46),
30	TCCATGAAGTTTTTGATGTT	(SEQ ID NO:47),
	TCCATGAGGTTTTTGATGTT	(SEQ ID NO:48),
	TCCATGACATTTTTTGATGTT	(SEQ ID NO:49),
	TCCATGACCTTTTTTGATGTT	(SEQ ID NO:50),
	TCCATGACTTTTTTGATGTT	(SEQ ID NO:51),
35	TCCATGACGCTTTTGATGTT	(SEQ ID NO:52),
	TCCATGACGATTTTGATGTT	(SEQ ID NO:53),
	TCCATGACGGTTTTTGATGTT	(SEQ ID NO:54),

- 6 -

TCCATGACGTCTTTGATGTT (SEQ ID NO:55),  
 TCCATGACGTATTTGATGTT (SEQ ID NO:56), and  
 TCCATGACGTGTTTGATGTT (SEQ ID NO:57).

5 In certain embodiments of the screening methods of the invention, the signal includes expression of a reporter gene responsive to TLR/IL-1R signal transduction pathway. In one embodiment the reporter gene is operatively linked to a promoter sensitive to NF- $\kappa$ B. In one embodiment the signal in response to contacting is binding of the candidate TLR9 ligand or CpG DNA to the polypeptide of the invention.

10 In one embodiment the screening method is performed on a plurality of test compounds. In one embodiment the response mediated by the TLR9 signal transduction pathway is measured quantitatively and the response mediated by the TLR9 signal transduction pathway associated with each of the plurality of test compounds is compared with a response arising as a result of an interaction between the functional TLR9 and a reference immunostimulatory compound.

15

### Brief Description of the Figures

Figure 1 depicts a Clustal W multiple sequence alignment of deduced amino acid sequences for cat (feline), dog (canine), cow (bovine), mouse (murine), sheep (ovine), pig (porcine), horse (equine), human, and rat TLR9 polypeptides. The deduced amino acid sequences for feline, canine, bovine, murine, ovine, porcine, equine, human, and rat TLR9 polypeptides shown in the figure correspond to SEQ ID NOs 25, 21, 9, 29, 17, 5, 13, 33, and 1, respectively. Lines labeled "multiple" refer to the multiple sequence alignment of all six sequences shown. Lines labeled "mo/hu" refer to a paired sequence alignment of mouse and human TLR9 sequences alone.

25 Figure 2 is a cladogram depicting an evolutionary relatedness tree for rat, murine, porcine, bovine, equine, and human TLR9 polypeptides in Figure 1.

Figure 3 is a graph depicting species specificity of TLR9 signaling with selected oligonucleotides having strong specificity for human (2006), mouse (5890), or neither (1982).

30

### Detailed Description of the Invention

The present invention provides novel amino acid and nucleotide sequences for TLR9 derived from rat, pig, cow, horse, and sheep. These sequences can be used to identify key features of the primary sequences of these and related TLR molecules, including previously



- 7 -

known primary sequences of human and mouse (murine) TLR9. Such key features include binding site information and species specificity toward particular CpG motifs. Native and novel chimeric TLR9 polypeptides designed with the aid of this information can be expressed in vitro or in vivo and used in screening assays to identify and to design novel TLR9 ligands.

5 Additionally, the native and novel chimeric TLR9 polypeptides designed with the aid of this information can be expressed in vitro or in vivo and used in screening assays to compare various TLR9 ligands, including CpG DNA.

In one aspect the invention provides isolated TLR9 polypeptides, and isolated nucleic acid molecules encoding them, from rat, pig, cow, horse, and sheep. The term "isolated" as  
10 used herein with reference to a nucleic acid molecule or polypeptide means substantially free of or separated from components with which it is normally associated in nature, e.g., other nucleic acids, proteins, lipids, carbohydrates or *in vivo* systems to an extent practical and appropriate for its intended use. In particular, the nucleic acids or polypeptides are sufficiently pure and are sufficiently free from other biological constituents of host cells so as  
15 to be useful in, for example, producing pharmaceutical preparations. Because an isolated nucleic acid or polypeptide of the invention may be admixed with a pharmaceutically acceptable carrier in a pharmaceutical preparation, the nucleic acid or polypeptide may represent only a small percentage by weight of such a preparation. The nucleic acid or polypeptide is nonetheless substantially pure in that it has been substantially separated from  
20 the substances with which it may be associated in living systems.

An amino acid sequence of rat TLR9 is provided as SEQ ID NO:1. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:1 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of rat TLR9 (See  
25 Figure 1). Amino acids numbered 1-821 of SEQ ID NO:1 are presumptively extracellular domain and correspond to SEQ ID NO:2. SEQ ID NO:3 is a nucleotide sequence of rat TLR9 cDNA having an open reading frame corresponding to nucleotides 1-3096. SEQ ID NO:4 is a nucleotide sequence of rat cDNA encoding amino acids 1-821 of SEQ ID NO:1.

An amino acid sequence of porcine TLR9 is provided as SEQ ID NO:5. Based on  
30 comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:5 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of porcine TLR9

- 8 -

(See Figure 1). Amino acids numbered 1-819 of SEQ ID NO:5 are presumptively extracellular domain and correspond to SEQ ID NO:6. SEQ ID NO:7 is a nucleotide sequence of porcine TLR9 cDNA having an open reading frame corresponding to nucleotides 77-3166. SEQ ID NO:8 is a nucleotide sequence of porcine cDNA encoding amino acids 1-819 of SEQ ID NO:5.

An amino acid sequence of bovine TLR9 is provided as SEQ ID NO:9. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:9 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of bovine TLR9 (See Figure 1). Amino acids numbered 1-818 of SEQ ID NO:9 are presumptively extracellular domain and correspond to SEQ ID NO:10. SEQ ID NO:11 is a nucleotide sequence of bovine TLR9 cDNA having an open reading frame corresponding to nucleotides 84-3170. SEQ ID NO:12 is a nucleotide sequence of bovine cDNA encoding amino acids 1-818 of SEQ ID NO:9.

An amino acid sequence of equine TLR9 is provided as SEQ ID NO:13. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:13 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of equine TLR9 (See Figure 1). Amino acids numbered 1-820 of SEQ ID NO:13 are presumptively extracellular domain and correspond to SEQ ID NO:14. SEQ ID NO:15 is a nucleotide sequence of equine TLR9 cDNA having an open reading frame corresponding to nucleotides 115-3207. SEQ ID NO:16 is a nucleotide sequence of equine cDNA encoding amino acids 1-820 of SEQ ID NO:13.

An amino acid sequence of ovine TLR9 is provided as SEQ ID NO:17. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:17 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of ovine TLR9 (See Figure 1). Amino acids numbered 1-818 of SEQ ID NO:17 are presumptively extracellular domain and correspond to SEQ ID NO:18. SEQ ID NO:19 is a nucleotide sequence of ovine TLR9 cDNA having an open reading frame corresponding to nucleotides 92-3178. SEQ ID NO:20 is a nucleotide sequence of ovine cDNA encoding amino acids 1-818 of SEQ ID NO:17.

- 9 -

## SEQ ID NO:1 (Rat TLR9)

MVLCRRTLHPLSLLVQAAVLAEALALGTLPAFLPCELKPHGLVDCNWLFLKSVPHFSAAEPRSNITSLSLIANRI  
 HHLHNLDVHLPNVRQLNLKWNCPFPGLSPLHFSCRMTIEPKTFLAMRMLEELNLSYNGITTVPRLPSSLTNLSL  
 5 SHTNILVLDASSLAGLHSLRVLFMDGNCYYKNPCNGAVNVTDAFLGLSNLTHLSLKYNLLETEVPRQLPPSLEYL  
 LLSYNLIVKLGAEDLANLTSLRMLDVGGNCRRCDHAPDLCTECRQKSLDLHPQTFHHLHSHLEGLVLKDSLSLSLN  
 SKWFQGLANLSVLDLSENFLYESINKTSAFQNLTRLRKLDSLFSNYCKKVSFARLHLASSFKSLVSLQELNMNGIF  
 FRLLNKNTLRWLAGLPKLHTLHLQMNFINQAQLSVFSTFRALRFVDLSNNRISGPPTLSRVAPEKADEAEKGVPW  
 PASLTPALPSTPVSKNFMVRCKNLRFTMDLSRNNQVTIKPEMFVNLSHLQCLSLSHNCIAQAVNGSQFLPLTNLK  
 10 VLDLSYNKLDLYHSKSFSELPQLQALDLSYNSQPFMSQIGHNFSFLANLSRLQNLSLAHNDIHSRVSSRLYSTS  
 VEYLDGSGNGVGRMWDEEDLYLYFFQDLRSLIHLDSLQNKHLILRPQNLNLYLPKSLTKLSFRDNHLSFFNWSSLA  
 FLPNLRDLDLAGNLLKALTNGTLPNGTLLQKLDVSSNSIVFVVPFAFFALAVELKEVNLSHNILKTVDRSWFGPIV  
 MNLTVLDVSSNPLHCACGAPFVDLLEVQTKVPGLANGVKCGSPRQLQGRSIFAQDLRLCLDDVLSRDCFGLSLL  
 AVAVGTVLPLLQHLGWDVWYCFHLCLAWLPLLTRGRRSAQALPYDAFVVDKAQSAVADWVYNELRVRLEERRG  
 15 RRALRLCLEDRDWLPGQTLFENLWASIYGSRKTLFVLAHTDKVSGLLRTSFLAQORLLEDKRDVVLVILRPDA  
 HRSRYVRLRQRLCRQSVLFWPHQPNGQGSFWAQLSTALTRDNHHFYNRNFCRGPTAE

## SEQ ID NO:2 (Rat TLR9)

MVLCRRTLHPLSLLVQAAVLAEALALGTLPAFLPCELKPHGLVDCNWLFLKSVPHFSAAEPRSNITSLSLIANRI  
 20 HHLHNLDVHLPNVRQLNLKWNCPFPGLSPLHFSCRMTIEPKTFLAMRMLEELNLSYNGITTVPRLPSSLTNLSL  
 SHTNILVLDASSLAGLHSLRVLFMDGNCYYKNPCNGAVNVTDAFLGLSNLTHLSLKYNLLETEVPRQLPPSLEYL  
 LLSYNLIVKLGAEDLANLTSLRMLDVGGNCRRCDHAPDLCTECRQKSLDLHPQTFHHLHSHLEGLVLKDSLSLSLN  
 SKWFQGLANLSVLDLSENFLYESINKTSAFQNLTRLRKLDSLFSNYCKKVSFARLHLASSFKSLVSLQELNMNGIF  
 FRLLNKNTLRWLAGLPKLHTLHLQMNFINQAQLSVFSTFRALRFVDLSNNRISGPPTLSRVAPEKADEAEKGVPW  
 25 PASLTPALPSTPVSKNFMVRCKNLRFTMDLSRNNQVTIKPEMFVNLSHLQCLSLSHNCIAQAVNGSQFLPLTNLK  
 VLDLSYNKLDLYHSKSFSELPQLQALDLSYNSQPFMSQIGHNFSFLANLSRLQNLSLAHNDIHSRVSSRLYSTS  
 VEYLDGSGNGVGRMWDEEDLYLYFFQDLRSLIHLDSLQNKHLILRPQNLNLYLPKSLTKLSFRDNHLSFFNWSSLA  
 FLPNLRDLDLAGNLLKALTNGTLPNGTLLQKLDVSSNSIVFVVPFAFFALAVELKEVNLSHNILKTVDRSWFGPIV  
 MNLTVLDVSSNPLHCACGAPFVDLLEVQTKVPGLANGVKCGSPRQLQGRSIFAQDLRLCLDDVLSRDCFG  
 30

## SEQ ID NO:3 (Rat TLR9)

atgggtctctgtcgaggaccctgcaccccttgctctctcctggtagacggccgcagtgctggctgaggtctctggcc  
 ctgggtaccctgcctgccttccctaccctgtgaactgaagcctcatggcctggtagactgcaactggctcttccctg  
 aagtctgtgcctcacttctctgcgcagaccccggtccaacatcaccagccttcccttgatcgccaaccgcac  
 35 caccacctgcacaacctcgacttctccacctgcccacgtgcgacagctgaacctcaagtggaaactgtccgccc  
 cctggcctcagcccttgcacttctcctgcgcacatgaccattgagcccaaaccttctggctatgcgcacgtg  
 gaagagctgaacctgagctataacggtatcaccactgtgccccgcctgccagctccctgacgaatctgagccta  
 agccacaccaacatcctggtagctgacgacgacgctcgctggcctgcacagcctgcgagttctcttcatggac  
 gggaaactgctactacaagaacccctgcaacggggcggtgaacgtgaccccggaacgcttcttgggcttgagcaac  
 40 ctacccacttgtcccttaagtataacaacctcacagaggtgccccgccaactgccccccagcctggagtagctc  
 ctgctgtcctataacctcatcgtcaagctgggggcccgaagacctagccaacctgacctcccttcgaatgcttgat  
 gtgggtgggaattgcgctgctgtgatcacgccccgacctctgtacagaatgcgggcagaagtcccttgatctg  
 caccctcagacttccatcacctgagccacctgaaggcctggtgctgaaggacagttctctccactcgctgaac  
 tccaagtgggtccagggtctggcgcaacctctcggtgctggacctgaagcgagaacttctctacgagagcatcaac  
 45 aaaaccagcgcccttcagaacctgaccgctctgcgcaagctcgacctgtccttcaattactgcaagaaggtatcg  
 ttccgcccgcctccacctggcaagttcttcaagagcctggtgtcgtgcaggtgagctgaacatgaacggcatcttc  
 ttccgcttactcaacaagaacacgctcaggtggctggctggtctgcccgaagctccacacgctgcaccttcaaatg  
 aatttcatcaaccaggcgcagctcagcgtcttagtagaccttccgagcccttcgcttctgtggacctgtccaataat  
 50 cgcatcagcgggctccaacgctgtccagagtcgccccgaaaaggcagacgaggcggaagggggttccatgg  
 cctgcaagtctcaccctagctctcccagcactcccgctctcaagaacttcatggtcaggtgtaagaacctcaga  
 ttccatggaacctgtctcggaacaaccaggtgactatcaagccagagatgttcgtcaacctctcccatctccag  
 tgtctgagcctgagccacaactgcatcgcgaggctgtcaatggctctcagttcctgcccgtgaccaacctgaag  
 gtgctggacctgtcctataacaagctggacctgtaccattcgaaatcgttcagtgagctcccacagttgcaggcc

- 10 -

ctggacctgagctacaacagccagccattcagcatgcaggggataggccacaacttcagttttctggccaatctg  
tccagggtacagaaccttagcctggcacacaatgacattcacagccgcgtgtcctcacgcctctacagcacctca  
gtggagtatctggacttcagcggcaacgggtgtgggcccgcgtgtgggacgaggaggacctttacctctatttcttc  
caagacctgagaagcctgattcatctggacctgtctcagaataagctgcacatcctccggccccagaacctcaac  
5 tacctccccaagagcctgacgaagctgagtttccgtgacaatcacctctcttctttaactggagcagctctggcc  
ttcctgccccaatctgcgagacctggacctggcaggcaatctactaaaggccctgaccaacggcaccctgccta  
ggcagctcctccagaaactggatgtcagtagcaacagtatcgtcttctgtggtcccagccttcttctgtctggcg  
gtagagctaaaagaggtcaacctcagccataaacctcctcaagactgtggatcgctcctgggttgggcccattgtg  
atgaacctgacgggtctagacgtgagcagcaacctctgcattgtgcctgcgggtgcacccttctgtagacttactg  
10 ctggaagtgcagaccaaggtgcctggcctggctaacgggtgtgaagtgtggcagtcctccgcccagctgcaggggccgc  
agcatcttctgcgaagacctgcggctgtgcctggatgacgtccttctcgggactgcttggccttctactcctg  
gctgtggcctggtggcagcgtgttgccttactgcagcatctctgcggctgggagctctggtactgttccatctg  
tgcttggcatggctaccttctgctgacctggcggcgagcgcccaagctctcctctatgatgccttctgtggtg  
ttcgataaggcgagagcgcggttctgactgggtgtataacgagcttcgagtgcggttagaggagcggcgcggt  
15 cgcgagcctcctacgttctgtctgagcagatgtgctgcctggccagacactcttcgagaacctctggggc  
tccatctatggcagccgcaagactctgttctgtgctggccacacggacaaggtcagtgccctctgcgcaccagc  
ttcctgctggctcagcagcgcctgctggaggaccgcaaggacgtggtggtgttggtgatctgcgcctgatgcc  
caccgctcccgtactgctgactgcgcagcgcctctgcgcagagtgctcttctggccccatcagcccaac  
gggcaggggcagcttctggggccagctgagtacagccctgactagggacaaccaccacttctataaccggaacttc  
20 tgccggggacctacagcagaatag

## SEQ ID NO:4 (Rat TLR9)

atgggtctctgtcgcaggacctgcacccttctgtctctcctgggtacaggccgcagtgctggctgaggctctggcc  
ctgggtacctgcctgccttctacctgtgaactgaagcctcatggcctggtagactgcaactggctcttctctg  
25 aagctgtgctcctcaactctctgcgcgagaacccgttccaaacatcaccagccttctcttgatcgccaacgcac  
caccacctgcacaacctcgacttctgtccacctgccccacgtgcgacagctgaacctcaagtggaaactgtccgccc  
cctggcctcagcccccttgacttctcctgcgcgtatgaccattgagcccaaaccttctctggctatgcgcgtgctg  
gaagagctgaacctgagctataacgggtatcaccactgtgccccgcctgcccagctccttgacgaatctgagccta  
agccacaccaacatcctgggtactcgatgccagcagcctcgctggcctgcacagcctgcgagttctcttcatggac  
30 gggaaactgctactacaagaacctctgcaacggggcggtgaacgtgaccccgagcgccttctctgggcttgagcaac  
ctcaccacttgtcccttaagtataacaacctcacagaggtgccccgccaactgccccccagcctggagtacctc  
ctgctgtcctataacactcaagctggggggcgaagacctagccaaacctgacctccttctgaatgtcttgat  
gtgggtgggaattgcgctgcgtgtgatcacgccccgcacctctgtacagaatgcgggcagaaagctccttgatctg  
caccctcagacttctcatcacctgagccacctgaaggcctggtgctgaaggacagttctctccactcgtgaac  
35 tccaagtgggttccagggctctggcgaacctctcgtgctggacctgaagcagaacttctctacgagagcatcaac  
aaaaccagcgccttctcagaacctgacctgctgcgcaagctcgacctgtccttcaattactgcaagaaggatctg  
ttcggccgcctccacctggcaagttccttcaagagcctgggtgctgcgtgcaggagctgaacctgaacggcatcttc  
ttccgcttactcaacaagaacacgctcaggtggctggctggctgtgcccagctccacacgctgcaccttcaaatg  
aatcttcatcaaccaggcgagctcagcgtctttagtaccttccagccttctgcttctgtggacctgtccaataat  
40 cgcatcagcgggctccaacgctgtccagagctgcgcccgaaaaggcagacgaggcgagaaaggggttccatgg  
cctgcaagttctaccccagctctcccgagcactccgctctcaaagaacttcatggctcaggtgtaagaacctcaga  
ttcaccatggacctgtctcggaacaaccaggtgactatcaagccagagatgttcgtcaacctctcccatctccag  
tgtctgagcctgagccacaactgcatcgcgaggtgtcaatggctctcagttcctgcccgtgaccaacctgaag  
gtgctggacctgtctataacaagctggacctgtaccattcgaaatcgttcagtgagctccacagttgcaggcc  
45 ctggacctgagctacaacagccagccattcagcatgcaggggataggccacaacttcagtttctggccaatctg  
tccaggttacagaaccttagcctggcacacaatgacattcacagccgcgtgtcctcacgcctctacagcacctca  
gtggagtatctggacttcagcggcaacgggtgtgggcccgcgtgtgggacgaggaggacctttacctctatttcttc  
caagacctgagaagcctgattcatctggacctgtctcagaataagctgcacatcctccggccccagaacctcaac  
tacctccccaagagcctgacgaagctgagtttccgtgacaatcacctctcttctttaactggagcagctctggcc  
50 ttctgccccaatctgcgagacctggacctggcaggcaatctactaaaggccctgaccaacggcaccctgccta  
ggcagctcctccagaaactggatgtcagtagcaacagtatcgtcttctgtggtcccagccttcttctgtctggcg  
gtagagctaaaagaggtcaacctcagccataaacctcctcaagactgtggatcgctcctgggttgggcccattgtg  
atgaacctgacgggtctagacgtgagcagcaacctctgcattgtgcctgcgggtgcaccttctgtagacttactg  
ctggaagtgcagaccaggtgcctggcctaacgggtgtgaagtgtggcagtcctccgcagctgcaggggcgc  
55 agcatcttctgcgaagacctgcggctgtgcctggatgacgtccttctcgggactgcttggc

SEQ ID NO:6 (Porcine TLR9)

30 SEQ ID NO:7 (Porcine TLR9)

gagcacgaacatccttcaactgtagctgctgcccggtctgccagccagaccctttggagaagaccccactccctgt  
catggggcccccgctgcacctgcacccctttctctcctggtgagggtgacagcgctggctgcggctctggcca  
gggcagggtgctgccttctgcctgtgagctccagccccacggcctggtgaactgcaactggctcttctctgaa  
gtccgtgccccacttctcggggcgcagcgccccgggccaacgtcaccagcctctccttactctccaaccgcatcca  
35 ccacctgcacgactccgacttcgtccacctgtccagcctacgaactctcaacctcaagtggaaactgcccgcggc  
tggcctgagcccccagctgcacttccccctgccacatgaccatcgagcccaacaccttctctggcgtgcccaccctgga  
ggagctgaacctgagctacaacagcatcacgacgctgctgcctgcctgcagactccctcgtgtccctgtcgctgag  
cgctaccaacatcctggtgctagaccccaaccacctcacttggcctacatgcctgcgctacctgtacatggatgg  
caactgctactacaagaacccctgccagggggcgctggagggtggtgccgggtgccctcctcggcctgggcaacct  
40 cacacatctctcactcaagtacaacaatctcacggagggtgcccgcgagcctgccccccagcctggagacctgct  
gttgtctacaaccacattgtcaccctgacgcctgaggactggccaatctgactgccctgcgctgcttgatgt  
gggggggaactgccgcccgtgtgaccatgcccgcaacccctgcagggagtgcccaaaggaccacccaagctgca  
ctctgacaccttcagccacctgagccgctcgaaggcctggtgtgaaagacagtctctctacaacctggacac  
caggtgggttcggaggcctggacaggctccaagtgtgacctgagtgagaacttctctacgactgcatcacaa  
45 gaccacggccttcacggcctggccgactgcgcagctcaacctgtcctctaattaccacaagaagggtgtcctt  
tgcccaacctgcacctggcaacctcctttgggcacctccggtccctgaaggagctggacatgcaggcatctctt  
ccgctcgctcagtgagaccagctccaacctctgggtccaactgcctatgctccagacctgcgctgcagatgaa  
cttcattaaaccaggcccagctcagcatctttggggccttccctggcctgctgtacgtggacctatcggacaaccg  
catcagcggagctgcaaggccagtgccattactagggaagggtggatggtagggagagggtctggctgccttcag  
50 gaacctcgctccacgtccactggacactctccgctcagaggacttcatgccaaactgcaaggccttcagcttcac  
cttggacctgtctcggaacaacctggtgacaatccagtcggagatggttggctcgctctcacgcctcgagtgct  
gcgctgagccacaacagcatctccaggcgggtcaatggcctcagtttgtgcccgtgaccagcctgcggggtgct  
ggacctgtcccacaacaggctggacctgtatcacggcgctcggttcacggagctgcgcgcctggaagcatcggga  
cctcagctacaatatgccagcctttaccatgcagggtgtggccacaacctcagcttcgtggcccaagctgcccgc

- 12 -

cctgcgctacctcagcctggcgcaaatgacatccatagccgagtggtccagcagctctgtagcgccctactgtg  
 cgccctggacttttagcggaacgatctgagccgatgtgggctgagggagacctctatctccgcttcttccaagg  
 cctaagaagcctagtctggctggacctgtcccagaaccacctgcacacctcctgccacgtgccctggacaacct  
 ccccaaaagcctgaagcatctgcatctccgtgacaataacctggccttcttcaactggagcagcctgacctcct  
 5 gccaagctggaaacctggacttggctggaaaccagctgaaggccctaagcaatggcagcctgccatctggcac  
 ccagctgcgaggctggacctcagtggaacagcatcggtttgtgaacctggcttcttggccctggccaagca  
 gttagaagagctcaacctcagcgccaatgcccacaagacagtgaggccctcctgggttggctcgatgggtgggcaa  
 cctgaaagtcttagacgtgagcgccaacctctgcatctgacctgtgctggggcgaccttctggttctctgtgga  
 10 ggtacaggctgccgtgctgggctgccagccgctcaagtgtggcagtcgggggcagctccaggccatagcat  
 ctttgcgaagacctgcccctctgctggatgagacctctcggtgaactgttttggcatctcgctgctggccat  
 ggccctgggctggttctgcccctgctgcaccacctctcggtggtggacctctggtactgcttccacctgtgct  
 ggctggtgccccaccgagggcagcgggcgagagccctgttctatgatgccttctggttcttggacaa  
 agctcagagtgtgtggcgactgggtgtacaacgagctgcggtgacgtggaggagcgccgtggggcgcgcg  
 aactgcgctgtgacctggaggagcagactggttacctggcaagacgctctcgagaacctgtgggctcagtc  
 15 cagcagccgcaagacctgttctgtgctggccacacgtgacctgtcagcgccctcttgcgtgccagtttctgt  
 ggccagcagcgctgctggaggaccgaaggacgtttagtgctggtgatcctgcgccccgatgcctaccgctc  
 ccgtacgtgcggtgcgcccagcgctctgcgcccagagtgtcctcctctggccccaccagccccgtgggaggg  
 cagcttctgggcccagctgggacagccctgaccagggaacaccaccttctataaccggaacttctgcggggg  
 cccacgacagccgaatagcactgagtacagccagcttgcggccagccccctggatttgcctctctgctgggg  
 20 tgcaccaacctgttctgctcagccacaccactgctctgctcctgttccccacccccccccagcctggcatgt  
 aacatgtgccaataaatgctaccggagggccaagaaaaaaaaaaaaaaaaaaaaa

## SEQ ID NO:8 (Porcine TLR9)

atgggccccgctgcacctgcaccccttctctcctggtgcaggtgacagcgctggctgcggtcttggccag  
 25 ggaggtgctgcttcttctgacctgtgagctccagccccagggcctggtgaactgcaactggtcttctctgaag  
 tccgtgccccacttctcgccggcagcgccccgggccaacgtcaccagcctctccttactctccaaccgcatccac  
 cacctgcacgactccgacttctgctccacctgtccagcctacgaactctcaacctcaagtggaaactgcccccggt  
 ggctcagccccatgcaacttcccctgccacatgacctcgagcccaacaccttcttggccgtgcccacctggag  
 30 gactgaacctgagctacaacagcatcacgacctgctgcccctgcccagactccctcgtgtccctgtcgtgagc  
 cgcaccaacatctggtgctagacccccaccacctcactggcctacatgcccctgcgtacctgtacatggatggc  
 aactgctactacaagaacccctgcagggggcgctggaggtggtgcccgggtgcccctcctcgccctgggcaacctc  
 acacatctctcactcaagtacaacaatctcacggaggtgccccgcagctgccccccagcctggagacctgtctg  
 ttgtcctacaaccacattgtcacctgacgctgaggacctggccaatctgactgcccctgcgctgcttgatgtg  
 35 ggggggaactgcccgcgtgtgacctgcccgaacccctgcagggagtgcacaaaggaccaccccaagctgcac  
 tctgacaccttcagccacctgagccgctcgaaggctggtgttgaagacagttctcttacaacctggacacc  
 aggtggttccgagggcctggacaggctccaagtgtggacctgagtgagaacttctctacgactgcatcaccaag  
 accacggccttccagggcctggcccagctgcccagcctcaacctgtccttcaattaccacaagaaggtgtcctt  
 40 gcccacctgcacctggcacctccttgggcacctccggctcctgaaggagctggacatgcatggcatcttctt  
 cgctcgctcagtgagaccagctccaacctctggtccaactgcttccagacctgcccctgcagatgaac  
 ttcatataaccaggccagctcagcatcttggggccttccctggcctgctgtacgtggacctatcggaacaacgc  
 atcagcggagctgcaaggccagtgccattactaggagggtggatggtagggagagggctggtgctgcttccagg  
 aacctcgctccacgtccactggacactctccgctcagaggacttcatgcccactgcaaggccttcagcttacc  
 ttggacctgtctcggaacaacctgggtgacaatccagtcggagatgttgcctgcctctcacgcctcgagtgcctg  
 45 cgctgagccacaacagcatctcccaggcggtcaatggctctcagtttgtgcccgtgaccagcctgcgggtgctg  
 gacctgtcccacaacaagctggacctgtatcacggcgctcggttcacggagctgcccgcctggaagcactggac  
 ctgactacaatagccagcccttaccatgcagggtgtggggccacaacctcagcttctggtggccagctgcccgc  
 ctgcccctacctcagcctggcgcaaatgacatccatagccgagtgctccagcagctctgtagcgcctcactgtgc  
 gccctggactttagcggcaacgatctgagccgatgtgggctgagggagacctctatctccgcttcttccaaggc  
 50 ctaagaagcctagtctggctggacctgtcccagaaccacctgcacacctcctgccacgtgccctggacaacctc  
 cccaaagcctgaagcatctgcatctccgtgacaataacctggccttcttcaactggagcagcctgacctcctg  
 cccaagctggaaacctggacttggctggaaaccagctgaaggccctaagcaatggcagcctgccatctggcacc  
 cagctgaggagctggacctcagtggaacagcatcggtttgtgaacctggcttcttggccctggccaagcag  
 ttagaagctcaacctcagcgccaatgcccctcaagacagtgaggccctcctgggttggctcgatgggtgggcaag  
 55 ctgaaagtcttagacgtgagcgccaacctctgcatctgctgctggtggggcgaccttctggtggcttctgctgag  
 gtacaggctgcccgtgctgggctgcccagccgctcaagtgtggcagtcgggggcagctccaggccatagcatc  
 tttgcgcaagacctgcgctctgctggatgagacctctcgtggaactgttttggc

- 13 -

## SEQ ID NO:9 (Bovine TLR9)

MGPYCAPHPLSLLVQAAALAAALAEGLTLPALPCELPQPHGQVDCNWLFLKSVPHFSAGAPRANVTSLSLISNRIH  
 HLHSDDFVHLSNLRVLNLKWNCPAGLSPMHFPCRMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLSLSLS  
 5 HTSILVLGPTHFTGLHALRFLYMDGNCYYMNPCPRALEVAPGALLGLGNLTHLSLKYNLLEVPRLPPSLDITLL  
 LSYNHIVTLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKNFPKLHPDTFSLSRLEGLVLKDSLSYKLEK  
 DWFRGLGRLQVLDLSENFYDYITKTTIFNDLTQLRRLNLSFNYHKKVSFAHLHLASSFGSLVSLEKLDMHGIF  
 RSLTNTITLQSLTRLPKLQSLHLQLNFINQAQLSIFGAFPSLLFVDLSDNRISGAATPAAALGEVDSRVEVWRLPR  
 GLAPGPLDAVSSKDFMPSCNLFNTLDLSRNNLVTIQQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTSLRVLD  
 10 LSHNKLDLYHGSRFTLPEALDLSYNSQPFMSQGVGHNLFSVAQLPSRLRYLSLAHNGIHSRVSQKLSSASLRA  
 LDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSENHLHTLLPRHLDNLPKSLRQLRLRDNNLAFFNWSSLTVLP  
 RLEALDLAGNQLKALSNGSLPPGIRLQKLDVSSNSIGFVPIPGFFVRATRLIELNLSANALKTVDPWSWFGSLAGTL  
 KILDVSANPLHCACGAAFVDFLLERQEAVPGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETSLDCLGSLLMVA  
 LGLAVPMLHHLGWDLWYCFHLCLAHLPRLRRQRGEDTLLYDAVVVFDKVQSAVADWVYNELRVQLEERRRRAL  
 15 RLCLEERDWPGLKTLFENLWASVYSSRKTMTFVLDHTDRVSGLLRASFLAQQRLLDRKDVVVLVILRPAAYRSR  
 YVRLRQLRCLQSVLLWHPQSGQGSFWANLGIALTDRNRHFYNRNFCRGPTTAE

## SEQ ID NO:10 (Bovine TLR9)

MGPYCAPHPLSLLVQAAALAAALAEGLTLPALPCELPQPHGQVDCNWLFLKSVPHFSAGAPRANVTSLSLISNRIH  
 HLHSDDFVHLSNLRVLNLKWNCPAGLSPMHFPCRMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLSLSLS  
 20 HTSILVLGPTHFTGLHALRFLYMDGNCYYMNPCPRALEVAPGALLGLGNLTHLSLKYNLLEVPRLPPSLDITLL  
 LSYNHIVTLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKNFPKLHPDTFSLSRLEGLVLKDSLSYKLEK  
 DWFRGLGRLQVLDLSENFYDYITKTTIFNDLTQLRRLNLSFNYHKKVSFAHLHLASSFGSLVSLEKLDMHGIF  
 RSLTNTITLQSLTRLPKLQSLHLQLNFINQAQLSIFGAFPSLLFVDLSDNRISGAATPAAALGEVDSRVEVWRLPR  
 25 GLAPGPLDAVSSKDFMPSCNLFNTLDLSRNNLVTIQQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTSLRVLD  
 LSHNKLDLYHGSRFTLPEALDLSYNSQPFMSQGVGHNLFSVAQLPSRLRYLSLAHNGIHSRVSQKLSSASLRA  
 LDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSENHLHTLLPRHLDNLPKSLRQLRLRDNNLAFFNWSSLTVLP  
 RLEALDLAGNQLKALSNGSLPPGIRLQKLDVSSNSIGFVPIPGFFVRATRLIELNLSANALKTVDPWSWFGSLAGTL  
 KILDVSANPLHCACGAAFVDFLLERQEAVPGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETSLDCLGSLLMVA

30

## SEQ ID NO:11 (Bovine TLR9)

ggggaagtggcgcccaagcatccttccctgcagctgcctcccaacctgcccgcagaccctctggagaagccgcat  
 tccctgtcatgggcccctactgtgcccgcaccccttctctcctggtgcaggcggcgccactggcagcgccc  
 tggccgagggcaccctgcctgccttccctgcctgtgagctccagcccatggtcaggtggactgcaactggctgt  
 35 tccctgaagtctgtgcccgcacttctcggtgagcccccgggccaatgtcaccagcctctccttaatctccaacc  
 gcatccaccacttgcatgactctgacttcgtccacctgtccaaacctgcccggctcctcaacctcaagtggactgcc  
 cgccggcggcctcagcccatgcaacttccctgcctgatgaccatcgagcccaacaccttccctggctgtgccc  
 ccctggaggagctgaacctgagctacaacggcatcacgacctgcctgcccagctccctcgtgtccctgt  
 cgctgagccacaccagcatcctggtgctaggccccaccacttcaccggcctgcagccctgcgcttctgtaca  
 40 tggacggcaactgctactacatgaacccctgcccggggccctggaggtggccccaggcgccctcctcgccctgg  
 gcaacctcacgcaactgtcgtcaagtaacaacacctcacggaggtgccccggcgcctgccccccagcctggaca  
 ccctgctgtgtcctacaaccacattgtcaccctggcaccggaggacctggccaacctgactgcccctgcccgtgc  
 ttgacgtgggtgggaactgcccgcctgcgaccatgcccgaacccctgcagggagtgcccaagaacttcccca  
 agctgcacctgacaccttcagtcacctgagccgctcgaaggcctggtgtgaaggacagttctctctacaac  
 45 tagagaaagattggttccgcggcctgggcaggctccaagtgctcgacctgagtgagaacttccctctatgactaca  
 tcaccaagcaccacttcaacgacctgaccagctcagtcagactcaacctgtccttcaattaccacaagaagg  
 tgtccttcgcccacctgcacctagcgtcctccttgggagcttggtgtccctggagaagctggacatgcacggca  
 tcttcttcgctccctcaccacatcacgctccagtcgctgaccggctgcccgaagctccagagctctgcatctgc  
 agctgaacttcatcaaccaggcccagctcagcatcttggggccttcccagagcctgctctcgtggacctgtcgg  
 50 acaaccgcatcagcggagccgcgacgcccagcggcggcctgggggaggtggacagcagggtggaagtctggcgat  
 tgcccaggggctcgctccaggccgctggacggcgtcagctcaaaggacttcatgccaagctgcaacctcaact  
 tcaccttgacctgtcacggaacaacctggtgacaatccagcaagagatgtttaccgcctctccgcctccagt  
 gcctgcccctgagccacaacagcatctcgaggcggttaatggctcccagttcgtgcccgtgaccagcctgcgag

- 14 -

tgctcgacctgtcccacaacaagctggacctgtaccatggcgctcattcacggagctgcccagctggaggcac  
tggaacctcagctacaacagccagcccttcagcatgcaggcgctgggccacaacctcagcttcgtggccagctgc  
cctccctgcgctacctcagccttgcgcacaatggcatccacagccgctgtcacagaagctcagcagcgctcgt  
5 tgccgcccctggacttcagcggcaactccctgagccagatgtgggcccaggaggacctctatctctgctttttca  
aaggcttgaggaacctggctccagctggacctgtccgagaacctatctgcacacctcctgcctcgtcacctggaca  
acctgcccagagcctgcggcagctgcgtctccgggacaataacctggccttcttcaactggagcagcctgaccg  
tcctgccccggctggaagccctggatctggcaggaaccagctgaaggccctgagcaacggcagcctgcccgtg  
gcattccggctccagaagctggacgtgagcagcaacagcatcggtctcgtgatccccggcttcttcgtccgcgcga  
10 ctccgctgatagagcttaacctcagcgccaatgcctgaagacagtggatccctcctggttcgttcccttagcag  
ggacctgaaaatcctagacgtgagcgccaacccgctccactgcgcctgcggggcgcccttcttggaacttctgc  
tgagagacagaggcgctgcccgggctgtccaggcgctcacatgtggcagtcggggccagctccaggggccgca  
gcatcttcacacaggacctgcgcctctgctggatgagacctctccttggaactgctttggcctctcactgctaa  
tggtggcgctgggctggcagtgcccatgctgcaccacctctgtggctgggacctctggtactgcttccacctgt  
15 gctggcccatttgccccgacggcgggcagcgggggcagggacacctgctctatgatgccgtcgtggtcttcg  
ctaaggtgcagagtcagtggtgatgggtgtacaacagctccgcgtgcagctggaggagcgccggggcgcc  
ggcgctccgcctctgctggaggagcgagactggctccctggtaagacgctcttcgagaacctgtgggctcctgcg  
tctacagcagcgcaagacctgttcgtgctggaccacagggacgggtcagcgccctcctgcgcgcagcttcc  
tgctggccagcagcgctgttgaggaccgcaaggacgtcgtagtgtggtgatcctgcgccccgcgcctatc  
20 ggtcccgctacgtgcggctgcgcagcgctctgcgcagagcgctcctcctctggccccaccagccagtgggc  
agggtagtttctgggccaacctgggcatagccctgaccagggaacacgtcacttctataaccggaacttctgcc  
ggggccccacgacagccgaatagcacagagtgactgcccag

## SEQ ID NO:12 (Bovine TLR9)

atggggccctactgtgccccgcacccccctttctcctcgttgaggcgccggaactggcagcgccctggccgag  
25 ggcacctgcctgcctcctgccctgtgagctccagcccatggtcaggtggactgcaactggctgttctgaag  
tctgtgcgcacttttcggctggagcccccgggccaatgtcaccagcctcctcctaatctccaaccgcatccac  
cacttgcatgactctgacttcgtccacctgtccaacctgcgggtcctcaacctcaagtggaaactgccgcggcc  
ggcctcagccccatgcacttcccctgcccgtatgaccatcgagcccaacaccttccctggctgtgcccacctggag  
30 gagctgaacctgagctacaacggcatcacgacctgacctgcccagttccctcgtgtcctgtcgtgagc  
cacaccagcatcctggtgctaggccccaccacttcaccggcctgcacgcctgcgcttctgtacatggacggc  
aactgtactacatgaacccctgcccgcgggcccctggaggtggccccaggcgccctcctcggcctgggcaacctc  
acgcacctgtcgtcctcaagtacaacaacctcacggaggtgccccgcgctgccccccagcctggacacctgctg  
ctgtcctacaaccacatgtcacctggcaccgaggacctggccaacctgactgcccctgcgctgcttgacgtg  
35 ggtgggaactgccgcgctgacacctgcccgaaccttcgagggagtgcacaaagaacttcccaagctgcac  
cctgacaccttcagtcacctgagccgctcgaaggcctgggtgtgaaggacagtctctctacaaactagagaaa  
gattggttcgcggcctgggaggtccaagtgtcgcacctgagtgagaacttccctctatgactacatcaccaag  
accaccatcttcaacgacctgaccagctgcgcagactcaacctgtccttcaattaccacaagaagggtgtccttc  
gccacctgcacctagcgtcctccttgggagtctggtgtccttgagaagctggacatgcacggcatcttcttc  
cgctccctcaccacatcacgctccagtcgctgaccggctgccaagctccagagtctgcatctgcagctgaac  
40 ttcatcaaccaggcccagctcagcatcttggggccttcccagacctgctcttcgtggacctgtcggaacacgc  
atcagcggagccgcgacgccagcgccgcccctgggggaggtggacagcagggtggaagtctggcgattgccagg  
ggcctcgctccaggcccgctggacgcccgtcagctcaaaggacttcagccaagctgcaacctcaacttcaccttg  
gacctgtcacggaacaacctgggtgacaatccagcaagagatgtttaccgcctctcccgctccagtgctgcgc  
ctgagccacaacagcatctcgaggcggttaatggctcccagttcgtgcccgtgaccagcctgcgagtgctcgac  
45 ctgtcccacaacaagctggacctgtaccatgggcgctcattcacggagctgcccagctggaggcactggacctc  
agctacaacagcagcccttcagcatgcaggcgctgggccacaacctcagcttcgtggccagctgcccctccctg  
cgctacctcagccttgcgcacaatggcatccacagcgcgctgtcacagaagctcagcagcgccctgctgcgcgc  
ctggacttcagcggcaactccctgagccagatgtgggcccaggaggacctctatctctgctttttcaaaggcttg  
aggaacctgggtccagctggacctgtccgagaacctctgcacacctcctgcctcgtcacctggacaacctgccc  
50 aagagcctgcggcagctgcgtctccgggacaataacctggccttcttcaactggagcagcctgaccgtcctgcc  
cggctggaagccctggatctggcaggaaccagctgaaggccctgagcaacggcagcctgcccgtgcatccgg  
ctccagaagctggagctgagcagcaacagcatcggttcgtgatccccggcttcttcgtccgcgcgactcggtg  
atagagcttaacctcagcgccaatgcctgaagacagtggatccctcctgggttcggttccttagcagggaacctg  
aaaatcctagacgtgagcgccaacctcctcactgcgctgcccggcgcccttcttggaacttctcgtggagaga  
55 caggaggccgtgcccgggctgtccaggcgctcacatgtggcagtcggggccagctccaggggcgagcatcttc  
acacaggacctgcgcctctgcctggatgagacctctccttggaactgctttggc



- 15 -

## SEQ ID NO:13 (Equine TLR9)

MGPCGHALQPLSLLVQAAMLAVALAQGTLPFPCELOPHGLVNCNWFLKSVPHFSAAAPRDNVTSLSLLSNRI  
HHLHDSDFQAQLSNLQKLNKWNCPAGLSPMHFPCHMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLVSLIL  
5 SRTNIIQLDPTSLTGLHALRFLYMDGNCYYKNPCGRALEVAPGALLGLGNLTHLSLKYNNTTVPRSLPPSLEYL  
LLSYNHIVTLAPEDLANLTALRVLDVGGNCRRCDHARNPCVECPHKFPQLHSDTFSHLSRLEGLVLKDSSLYQLN  
PRWFRGLGNLTVLDLSENFLYDCITKTKAFQGLAQLRRLNLSFNYHKKVSFAHLTLAPSFGLSLLSLQELDMHGIF  
FRSLSQKTLQPLARLPMQLRLLYLMNFINQAQLGIFKDFPGLRYIDLSDNRISGAVEPVATTGEVDGGKKVWLTS  
RDLTPGPLDTPSSEDFMPSCKNLSFTLDLSRNNLVTVQPEMFAQLSRLQCLRLSHNSISQAVNGSQFVPLTSLQV  
10 LDLSHNKLDLYHGRSFTELPRLALDLSYNSQPFSSMRGVGHNLFSVAQLPTLRYLSLAHNGIHSRVSQQLCSTSL  
WALDFSGNSLSQMWAEGDLYLRFFQGLRSLIRLDLSQNRLLHTLLPCTLGNLPKSLQLLRLRNNYLAFFNWSSLT  
LPNLETLDLAGNQLKALSNGSLPSGTQLQRLDVSRSNIIIFVVPGFALATRLRELNLSANALRTEEPSWFGFLAG  
SLEVLDVSANPLHCACGAADFVDFLLQVQAAVPGPLSRVKCGSPGQLQGRSIFAQDLRLCLDKSLSWDCFGLSLLV  
VALGLAMPMLHHLGWDLYCFHLGLAWLPRRGWQRGADALSYDAFVFDKAQSAVADWVYNELRVRLERRRR  
15 ALRLCLEERDWPGLTKLFENLWASVYSSRKMFLVLAHTDQVSGLLRASFLLAQQRLLLEDKDVVVLVILSPDARR  
SRYVRLRQLRCQSVLFWPHQPSGQRSFWAQLGMALTRDNRHFYNQNFRCRGPMAE

## SEQ ID NO:14 (Equine TLR9)

MGPCGHALQPLSLLVQAAMLAVALAQGTLPFPCELOPHGLVNCNWFLKSVPHFSAAAPRDNVTSLSLLSNRI  
HHLHDSDFQAQLSNLQKLNKWNCPAGLSPMHFPCHMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLVSLIL  
20 SRTNIIQLDPTSLTGLHALRFLYMDGNCYYKNPCGRALEVAPGALLGLGNLTHLSLKYNNTTVPRSLPPSLEYL  
LLSYNHIVTLAPEDLANLTALRVLDVGGNCRRCDHARNPCVECPHKFPQLHSDTFSHLSRLEGLVLKDSSLYQLN  
PRWFRGLGNLTVLDLSENFLYDCITKTKAFQGLAQLRRLNLSFNYHKKVSFAHLTLAPSFGLSLLSLQELDMHGIF  
FRSLSQKTLQPLARLPMQLRLLYLMNFINQAQLGIFKDFPGLRYIDLSDNRISGAVEPVATTGEVDGGKKVWLTS  
25 RDLTPGPLDTPSSEDFMPSCKNLSFTLDLSRNNLVTVQPEMFAQLSRLQCLRLSHNSISQAVNGSQFVPLTSLQV  
LDLSHNKLDLYHGRSFTELPRLALDLSYNSQPFSSMRGVGHNLFSVAQLPTLRYLSLAHNGIHSRVSQQLCSTSL  
WALDFSGNSLSQMWAEGDLYLRFFQGLRSLIRLDLSQNRLLHTLLPCTLGNLPKSLQLLRLRNNYLAFFNWSSLT  
LPNLETLDLAGNQLKALSNGSLPSGTQLQRLDVSRSNIIIFVVPGFALATRLRELNLSANALRTEEPSWFGFLAG  
SLEVLDVSANPLHCACGAADFVDFLLQVQAAVPGPLSRVKCGSPGQLQGRSIFAQDLRLCLDKSLSWDCFG  
30

## SEQ ID NO:15 (Equine TLR9)

ctctgttctctgagctgttgccgctgaaggactgagcagcacaagcatcctcctctgagctgctgccagtg  
tgccagctggaccctctggatcatctccactcctgtcatgggccccttgccatggtgcccctgagcccctgtct  
ctcctggtgagggcgccatgctggccgtggctctggcccaaggcaccctgcctccctcctgcccctgtgagctc  
35 cagccccacggcctggtgaactgcaactggctgttccctgaagtccgtgccccacttctcagcagcagcaccg  
gacaatgtcaccagccttctctgtctctccaaccgcatccaccacctccagactccgactttgcccactgtcc  
aacctgcagaaactcaacctcaaatggaactgcccgcagccgctcagccccatgacttcccctggcacatg  
accatcgagcccaacacttctctggctgtaccacccctggaggagctgaacctgagctacaacggcatcacgact  
gtgcccctgcccagctccctcgtgtccctgatcctgagccgaccaacatcctgcagctagacccccaccagc  
40 ctcacgggctgcatgccctgcgcttctctatacatggatggcaactgctactacaagaaccccctgcgggccc  
ctggaggtggccccaggcgcctccttgccctgggcaacctcaccacctgtcactcaagtacaacaacctcaca  
acgggtgccccgcagcctgccccctagcctggagtacctgctgtgtgctcctacaaccacattgtcacccctggcact  
gaggacctggccaatctgactgccctgctgtgctcgatgtgggtggaaactgcccgcctgtgacctgacgc  
aaccctgctggtgagtgcccacataaattccccagctgacactccgacaccttcagccacctaaagccgctagaa  
45 ggcctcgtgttgaggtatgttctctctacagctgaacccacagatgggtccgctggcctgggcaacctcacagt  
ctcgacctgagtgagaacttctctacgactgcacaccaaagcattccagggcctggccagctgcga  
agactcaactgtccttcaattaccataagaaggtgtccttcgcccacctgacgctggcaccctccttcgggagc  
ctgctctccctgcaggaaactggacatgcatggcatcttcttcgctcactcagccagaagacgctccagccactg  
gcccgcctgcccctgctccagcgtctgtatctgcagatgaacttcatcaaccaggcccagctcggcatcttcaag  
gacttccctggtctgcgctacatagacctgtcagacaaccgcatcagtgagctgtggagccggtggccaccaca  
50 ggggaggtggatgggtgggaaggtctggctgacatccaggaacctcactccagggccactggacacccccagc  
tctgaggacttcatgccaaagctgcaagaacctcagcttcccttgacctgtcacggaacaacctggtaacagtc  
cagccagagatgtttgccagctctcgcgcctccagtgctcgcctgagccacaacagcatctcgaggcggtc

- 16 -

aatgggctcacagttcgtgccactgaccagcctgcaggtgctggacctgtcccataacaaactggacctgtaccat  
 gggcgctcgtttacggagctgccgcgactggaggccttgacctcagctacaacagccagcccttcagcatgcgg  
 ggtgtggggccacaacctcagctttgtggccagctgccaccctgcgctacctcagcctggcacacaatggcatc  
 cacagccgtgtgtcccagcagctctgcagcacctcgctgtggggcctggacttcagcggcaattccctgagccag  
 5 atgtgggctgagggagacctctatctccgcttcttccaaggcctgagaagcctaataccggctagacctgtcccag  
 aatcgtctgcataccctcctgccatgcacccctgggcaacctccccaaagagcttgacgtgctgcgtctccgtaac  
 aattacctggccttcttcaattggagcagcctgacctcctgcccaacctggaaacctggacctggctggaaac  
 cagctgaaggctctgagcaatggcagcctgccttcttgccaccagctccagaggctggacgtcagcaggaacagc  
 atcatcttcgtggtccctggcttcttctgctctggccagaggctgcgagagctcaacctcagtgccaacgcctc  
 10 aggcagagaggagccctcctgggtttgggttctctagcaggtcccttgaagtccctagatgtgagcgccaacctctg  
 cactgcgcctgtggggcagcctttgtggacttctgctgcaggttcaggctgcctgctggctgtgcccagccgc  
 gtcaagtgtggcagtcggggccagctccagggccgcagcatcttcgcacaagacctgcgctctgacctggacaag  
 tccctctcctgggactgttttggctctctcattgctggttgtggccctgggctggccatgcctatgttgaccac  
 ctctgcggtgggacctctggtactgcttccacctgggctggcctggctgccccggcggggtggcagcggggc  
 15 gcggtgacctgagctatgatgccttctggtgcttcgacaaggcacagagcgcagtgccgactgggtgtacaat  
 gaactgcgggtgagcgtagaggagcgccgtggggcgccggcgctccgcctgtgtctggaggagcgtgacctga  
 cctggcaagacgctgttcgaaaacctgtgggcctcagctctacagcagccgcaagatgctgtttgtgctggccac  
 acggaccaggtcagtgccctcttgctgcccagcttctgctggcccagcagcgtctgctggaggaccgcaaggac  
 gttgtggtgctggtaatcctgagccctgacgcccgcctgtcccggtacgtgcggtgcgccagcgccctctgcgc  
 20 cagagtgctcctctctggccccaccagcctagtggccagcgcagcttctggggccagctaggcatggccctgacc  
 agggacaaccgcccacttctataaccagaacttctgcccggggcccgacgatggctgagtagcacagagtgcagcc  
 tggcatgtacaacccccagcctgaccttgccctctgctatgatgcccagctgacctcactctgtgacgcccc  
 tgcctgcctccgccacctcaccctgggcatacagcaggcactcaataaatgccactggcaggccaaacagcca  
 aaaaaaaaaaaaaaaaaa  
 25

## SEQ ID NO:16 (Equine TLR9)

atggggccttgccatgggtgccctgcagccctgtctctcctgggtgcaggcgcccatgctggcggtggctctggcc  
 caaggcaccctgcctcccttctgcctgtgagctccagccccacggcctgggaactgcaactggctgttctctg  
 30 aagtccgtgccccacttctcagcagcagcaccgggacaatgtcaccagcctttccttgcctctccaaccgcac  
 caccacctccagcactccgactttgcccactgtccaacctgcagaaactcaacctcaaatggaactgcccgcca  
 gccggcctcagccccatgcacttcccctgccacatgaccatcgagcccaacacttctcctggctgtaccaccctg  
 gaggagctgaacctgagctacaacggcatcagcactgtgcctggcctggccagctccctcgtgtccctgatcctg  
 agccgcaccaacatcctgcagctagacccccaccagcctcacgggctgcagcctgcctgcgcttctatacatggat  
 35 ggcaactgctactacaagaacctctgcggggcgccctggagggtggccccagggcgcctccttggcctgggcaac  
 ctacccacctgtcactcaagtacaacaacctcacaacgggtgccccgcagcctgccccctagcctggagtacctg  
 ctggtgtcctacaaccacattgtcacctggcacctgaggacctggccaatctgactgcctgcgtgtgctcgat  
 gtgggtggaaactgccgcgctgtgacctgcacgcaacccctgcgtggagtggccacataaatccccagctg  
 cactccgacaccttcagccacctaaagccgcttagaaggcctcgtgtgaaggatagtctctctaccagctgaac  
 ccagatgggttcctggtggcgaacctcacagctgcagctgagtgagaacttctctacgactgcatcacc  
 40 aaaaccaaggcatccagggcctggccagctgcgaagactcaacttgccttcaattaccataagaagggtgtcc  
 ttccgccacctgacgctggcaccctccttcgggagcctgctctcctgcaggaactggacatgcatggcatcttc  
 ttccgctcactcagccagaagacgctccagccactggcccgctgcccatgctccagcgtctgtatctgcagatg  
 aacttcatcaaccaggccagctcgcatcttcaaggacttccctggctgcgctacatagacctgtcagacaac  
 cgcatcagtgaggctgtggagccggtggccaccacaggggaggtggatgggtgggaagaaggctcggctgacatcc  
 45 agggacctcactccaggccactggacacccccagctctgaggacttcatgccaagctgcaagaacctcagcttc  
 accttggacctgtcacggaacaacctggtaacagctccagccagagatgtttgccagctctcgcgctccagtg  
 ctgcgctgagccacaacagcatctcgaggcggtcaatgggtcacagttcgtgccactgaccagcctgcagggtg  
 ctggacctgtcccataacaaactggacctgtacctggcgctcgtttacggagctgccgcgactggaggccctg  
 gacctcagctacaacagccagcccttcagcatgccccgtgtggggccacaacctcagctttgtggcccagctgccc  
 50 accctgcgctacctcagcctggcacacaatggcatccacagccgtgtgtcccagcagctctgcagcactcgctg  
 tggggcctggacttcagcggcaattccctgagccagatgtgggctgagggagacctctatctccgcttcttccaa  
 ggctgagaagcctaataccggtagacctgtccagaatcgtctgcataacctcctgccatgcacctgggcaac  
 ctccccaaagacttgacgtgctgcgtctccgtaacaattacctggccttcttcaattggagcagcctgaccttc  
 ctgccccaaactggaaacctggacctggctgggaacctggaaggctctgagcaatggcagcctgctctggc  
 55 acccagctccagaggctggacgtcagcaggaacagcatcatctcgtggtccctggcttcttctgctctggccacg  
 aggtgcgagagctcaacctcagtgccaacgcctcaggacagaggagccctcctgggttgggttctctagcaggc  
 tcccttgaagtctagatgtgagcgccaacctctgcactgcgcctgtggggcagccttctgtggacttctgctg

- 17 -

cagggttcagggtgccgtgcctggtctgccagccgcgtcaagtgtggcagtcggggccagctccagggccgcagc  
atcttcgcacaagacctgcgcctctgcctggacaagtcctctcctgggactgttttggt

## SEQ ID NO:17 (Ovine TLR9)

5 MGPYCAPHPLSLLVQAAALAAALAQGTLP AFLPCELQPRGKVCNWLFLKSVPRFSAGAPRANVTSLSLISNRIH  
HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCRMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSSLVLSLS  
RTSILVLGPTHFTGLHALRFLYMDGNCYYKNPCQQA VEVAPGALLGLGNLTHLSLKYNNLTEVPRRLPPSLDTLL  
LSYNHIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKNF PKLHPDTFSHLSRLEGLVLKDS SLYKLEK  
10 DWFRGLGRLQVLDLSENFLYDYITKTTIFRNLTLQRLRLNLSFNYHKKVSFAHLQLAPSF GGLVLSLEKLD MHGIF F  
RSLTNTTLRPLTQLPKLQSLSLQLNF INQAELSIFGAFPSLLFVDLSDNRISGAARPVAALGEVDSGVEVWRWPR  
GLAPGPLAAVSAKDFMPSCNLNFTLDLSRNNLVTIQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTRLRLVLD  
LSYNKLDLYHGRSFTELPQLEALDLSYNSQPFMSQGVGHNLSFVAQLPSLRYLSLAHNGIHSRVSQKLSSASLRA  
LDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSKNHLHTLLPRHLNLPKSLRQLRLRDNNAFFNWSSSLTVLP  
15 QLEALDLAGNQLKALSNGSLPPGTRLQKLDVSSNSIGFVTPGFFVLANRLKELNLSANALKTVDPFWFGRLTETL  
NILDV SANPLHCACGA AFVDFLEMQAAVPGLSRRVTCGSPGQLQGRSIFAQDLRLCLDETLSDLCFGFSLLMVA  
LGLAVPMLHHL CGWDLWYCFHLCLAHLP RRRRQRGEDTLLYDAFVVDKAQSAVADWVYNELRVQLEERRGRRAL  
RLCLEERDWLP GKTLFENLWASVYSSRKT MFVLDHTDRVSGLLRASFLLAQQRLLLED RKDVVLVILRPAAYRSR  
YVRLRQRLCRQSVLLWPHQPSGQGSFWANLGMALTRDNRHFYNRNFCRGPTTAE

## 20 SEQ ID NO:18 (Ovine TLR9)

MGPYCAPHPLSLLVQAAALAAALAQGTLP AFLPCELQPRGKVCNWLFLKSVPRFSAGAPRANVTSLSLISNRIH  
HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCRMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSSLVLSLS  
RTSILVLGPTHFTGLHALRFLYMDGNCYYKNPCQQA VEVAPGALLGLGNLTHLSLKYNNLTEVPRRLPPSLDTLL  
LSYNHIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKNF PKLHPDTFSHLSRLEGLVLKDS SLYKLEK  
25 DWFRGLGRLQVLDLSENFLYDYITKTTIFRNLTLQRLRLNLSFNYHKKVSFAHLQLAPSF GGLVLSLEKLD MHGIF F  
RSLTNTTLRPLTQLPKLQSLSLQLNF INQAELSIFGAFPSLLFVDLSDNRISGAARPVAALGEVDSGVEVWRWPR  
GLAPGPLAAVSAKDFMPSCNLNFTLDLSRNNLVTIQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTRLRLVLD  
LSYNKLDLYHGRSFTELPQLEALDLSYNSQPFMSQGVGHNLSFVAQLPSLRYLSLAHNGIHSRVSQKLSSASLRA  
LDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSKNHLHTLLPRHLNLPKSLRQLRLRDNNAFFNWSSSLTVLP  
30 QLEALDLAGNQLKALSNGSLPPGTRLQKLDVSSNSIGFVTPGFFVLANRLKELNLSANALKTVDPFWFGRLTETL  
NILDV SANPLHCACGA AFVDFLEMQAAVPGLSRRVTCGSPGQLQGRSIFAQDLRLCLDETLSDLCFG

## SEQ ID NO:19 (Ovine TLR9)

gtcggcacgggaagtgcgcgccaagcatccttccctgcagctgccgcccacttgcccgcagaccctctggaga  
35 agccgcattccctgccatgggcccctactgtgccccgcacccccttctctcctggtgcaggcgccggcgctggc  
agcagccctggcccagggcaccctgcctgcttccctgcccgtgtagctccagccccgggtaaggtgaactgcaa  
ctggctgttccctgaagtctgtgcgcgcttttcggccggagccccccgggccaatgtcaccagcctctccttaat  
ctccaaccgcacccaccacttgcaagcactctgacttcgtccacctgtccaacctgcgggtcctcaacctcaagt  
gaactgcccgcggcgccgctcagccccatgcacttccctgcccgcagcagcccaacaccttccctggc  
40 tgtgcccaccctggaggagctgaacctgagctacaatggcatcacgaccgtgctgcccagttctctcgt  
atccctgtcgtgagccgcaccagcatcctggtgtagggccccaccacttcaccggcctgcacgcccctgcgctt  
tctgtacatggacggcaactgctactataagaaccttgccagcaggccgtggaggtggccccaggcgccctcct  
tgccctgggcaacctcacgcacctgtcgtcaagtacaacaacctcacggagggtgccccgcgctgccccccag  
cctggacacctgtgctgtcctacaaccacatcaccttgccacccgaggacctggccaatctgactgccct  
45 gcgtgtgctgtgtggcggaactgcccgcgtgcgacacgcccgaacctgcaggagtgcccaagtgcccaagaa  
cttccccaaagtgcaccctgacaccttcagccacctgagccgctcgaaggcctggtgtgaaggacagtctctct  
ctacaaactagagaaagactgggtccgcccgtgggcaggctccaagtgtcgacctgagtgaagaacttctcta  
tgactacatcaccaagaccacatcttcaggaacctgaccagctgcgagactcaacctgtccttcaattacca  
caagaaggtgtccttcgcccacctgcaactggcaccctcctttggggcctggtgtcctggagaagctggacat  
50 gcacggcatcttctccgctccctcaccaacaccacgctccggccgctgacccagctgccaagctccagagtct  
gagctgtcagctgaacttcatcaaccaggccgagctcagcatcttggggccttcccagacctgctcttctgtgga  
cctgtcggacaaccgcacagcggagctgcgagccgggtggccgcctcggggaggtggacagcgggggtggaagt  
ctggcgggtggcccaggggcctcgtccaggcccgctggccgcccgtcagcgcaaggacttcatgccaagctgcaa

- 18 -

cctcaacttcaccttggacctgtcacggaacaacctggtagcatccagcaggagatgtttaccgcctctcccg  
 cctccagtgcctgcgctgagccacaacagcatctcgaggcggttaatggctcgagttcgtgcgctgaccgc  
 cctgagtgctcgacctgtcctacaacaagctggacctgtaccatgggctcgttcacggagctgcgcagct  
 ggaggcaactggacctcagctacaacagccagcccttcagcatgcagggcgctgggcccacaacctcagcttcgtggc  
 5 ccagctgccgtccctgcgtacctcagccttgcgcacaacggcatccacagccgctgtcacagaagctcagcag  
 cgcctcgctgcgcgccctggacttcagcggcaacctccctgagccagatgtgggcccaggagacctctatctctg  
 cttcttcaaagcttgaggaaacctggctcagctggacctgtccaagaaccacctgcacacctcctgcctcgtca  
 cctggataacctgcccagacctgcccagctgcgtctccgggacaataacctggccttcttcaactggagcag  
 cctgactgttctgccccagctggaagccctggatctggcgggaaaccagctgaaggccctgagcaacggcagcct  
 10 gccacctggcaccggctccagaagctggagctgagcagcaacagcatcggtttgtgaccttggcttcttctgt  
 ccttgccaacggctgaaagagcttaacctcagcgccaacggcctgaagacagtggtatcccttctggttcggctcg  
 cttacagagacctgaatatcctagacgtgagcgccaacccgctccactgtgcctgcgggcgcccttctgtgga  
 cttcctgctggagatgcaggcgccgctgcctgggctgtccaggcgctcagctgtggcagctccgggcccagctcca  
 gggcgagcagctcttcgcacaggacctgcgctctgcctggatgagacctctccttggactgcttggcttctc  
 15 gctgttaatgggtggcgctgggctggcgctgcccactgcaccacctctgtggctgggacctgtggtactgctt  
 ccacctgtgtctggcccatttgccccagcgccggcgaggcgggcgaggacacctgctctacagccttctgt  
 ggtcttcgacaaggcgagagtgagtgaggcgactgggtgtacaacagagctccgctgcagctggaggagcgccg  
 cggcgccggcgctccgctctgcctggaggagcgagactggctccctggcaagacgctcttcgagaacctgtg  
 ggctcggtctacagcagccgtaagacctgttctgtgctggaccacacggaccgggtcagtgccctcctgcgcg  
 20 cagcttctgctggcccagcagcgctgttggaggaccgcaaggatgtcgtgggtgctgggtgactcctgccccgc  
 cgctaccggctccgctacgtgcggtctgcgcagcgctctgcgcagagcgtcctcctctggccccaccagcc  
 cagtgggccaggttagcttctgggccaacctggcgatggcctgaccagggaacaacggccacttctataaccggaa  
 cttctgccccggggcccaacgacagccgaatagcacagagtgtactgcccag

25 SEQ ID NO:20 (Ovine TLR9)

atggggccctactgtgccccgcaccccccttctctcctggtagcaggcgccggcgctggcagcagccctggcccag  
 ggcacctgctgcttctgcccctgtgagctccagccccgggtaagggtgaactgcaactggctgttctgaag  
 tctgtgcgcgcttctcgccggagcccccgggccaatgtcaccagcctctccttaatctccaaccgcatccac  
 30 cacttgacgactctgacttcgtccacctgtccaacctgcgggtcctcaacctcaagtggaaactgcccgcggcc  
 ggctcagccccatgcaactccctgcccagatgacctcgagcccaacaccttccctggctgtgcccacctggag  
 gactgaaacctgagctacaatggcatcacgacctgcctgcctgcccagttctctcgtatccctgtcgtgagc  
 cgcaccagcatcctggtgctagggccccaccacttcacggcctgcacgcccctgcgcttctgtacatggagggc  
 aactgctactataagaacccctgccagcaggccgtggaggtggccccagggcgccctccttggcctggcaacctc  
 35 acgacctgtcgtcaagtacaacaacctcacggaggtgccccgcgctgccccccagcctggacacctgctg  
 ctgtcctacaaccacatcatcaccctggcaccggagacctggccaatctgactgcccctgcgtgtgcttgatgtg  
 ggcgggaactgcccgcgtgagaccagcccgcaacctctgcagggagtgcccaagaacttccccagctgcac  
 cctgacaccttcagccacctgagcgcctcgaaggcctgggtgtgaaggacagttctctctacaaactagagaaa  
 gactggttccgcgctgggaggtcgaagtgtcgacctgagtgagaacttctctatgactacatcaccaag  
 40 accaccatcttcaggaacctgaccagctgcgcagactcaacctgtccttcaattaccacaagaaggtgtccttc  
 gccacctgcaactggcaccctccttgggggctggtgtccctggagaagctggacatgacggcatcttcttc  
 cgctccctcaccaacaccacgctccggcgctgaccagctgcccagctccagagctgtgagctgtcagctgaac  
 tcatcaaccaggccgagctcagcatcttggggccttcccagcctgctcttctgtggacctgtcggaacaaccgc  
 atcagcggagctgcgaggccggtggccgcccctcggggaggtggacagcggggtggaagtctggcggtggcccagg  
 45 ggctcgctccaggcccgctggccgcccgtcagcgcaaggacttcatgccaagctgcaacctcaacttcaccttg  
 gacctgtcacggaacaacctggtgacgatccagcaggagatgtttaccgcctctcccgccctcagtgccctgcgc  
 ctgagccacaacagcatctcgaggcggttaatggctcgagttcgtgcccgtgaccgcctgagtgctcgac  
 ctgtcctacaacaagctggacctgtacctggcgctcgttcacggagctgcccagctggaggcactggacctc  
 agctacaacagccagcccttcagcatgcagggcggtggccacaacctcagcttcgtggcccagctgcccctctg  
 50 cgctacctcagccttgcgcacaacggcatccacagccgctgtcacagaagctcagcagcgccctcgctgcgcgccc  
 ctggacttcagcggcaactccctgagccagatgtgggcccaggaggacctctatctctgcttcttcaaaggcttg  
 aggaacctggctccagctggacctgtccaagaaccacctgcacacctcctgcctcgtcacctggataacctgccc  
 aagagcctgcccagctgcttccgggacaataacctggccttcttcaactggagcagcctgactgttctgccc  
 cagctggaagcctggatctggcggaaccagctgaaggccctgagcaacggcagcctgcccactggcaccggctg  
 55 ctccagaagctggagctgagcagcaacagcatcggttctgtgaccttggcttcttctgcttcccaaccggctg  
 aaagagcttaacctcagcgccaacggcctgaagacagtggtatccctctggttcggtcgttaacagagacctg  
 aatatcctagacgtgagcgccaacccgctccactgtgcctgccccggcgcccttctgtggacttctgctggagatg

- 19 -

caggcgccgctgctgggctgtccagggcgctcacgtgtggcagtcggggccagctccagggccgcagcatcttc  
gcacaggacctgcgcctctgctggatgagacctctccttggaactgctttggc

Complete nucleotide and amino acid sequences for canine and feline TLR9 are  
publicly available. For example, an amino acid sequence for canine TLR9 is available as  
GenBank accession number BAC65192 and its corresponding nucleotide sequence is  
available as GenBank accession number AB104899. An amino acid sequence for feline  
TLR9 is available as GenBank accession number AAN15751 and its corresponding  
nucleotide sequence is available as GenBank accession number AY137581.

Complete nucleotide and amino acid sequences for canine and feline TLR9 were also  
determined independently from those available from public databases.

An amino acid sequence of canine TLR9 is provided as SEQ ID NO:21. Based on  
comparison with known amino acid sequences of human and murine TLR9, it appears that  
SEQ ID NO:21 includes sequence for at least a majority of the extracellular domain, all of the  
transmembrane domain, and at least a portion of the intracellular domain of canine TLR9  
(See Figure 1). Amino acids numbered 1-822 of SEQ ID NO:21 are presumptively  
extracellular domain and correspond to SEQ ID NO:22. SEQ ID NO:23 is a nucleotide  
sequence of canine TLR9 cDNA having an open reading frame corresponding to nucleotides  
91-3186. SEQ ID NO:24 is a nucleotide sequence of canine cDNA encoding amino acids 1-  
822 of SEQ ID NO:21.

An amino acid sequence of feline TLR9 is provided as SEQ ID NO:25. Based on  
comparison with known amino acid sequences of human and murine TLR9, it appears that  
SEQ ID NO:25 includes sequence for at least a majority of the extracellular domain, all of the  
transmembrane domain, and at least a portion of the intracellular domain of feline TLR9 (See  
Figure 1). Amino acids numbered 1-820 of SEQ ID NO:25 are presumptively extracellular  
domain and correspond to SEQ ID NO:26. SEQ ID NO:27 is a nucleotide sequence of feline  
TLR9 cDNA having an open reading frame corresponding to nucleotides 87-3179. SEQ ID  
NO:28 is a nucleotide sequence of feline cDNA encoding amino acids 1-820 of SEQ ID  
NO:25.

#### SEQ ID NO:21 (Canine TLR9)

MGPCRGALHPLSLVQAAALALALAQGTLPALPCELOPHGLVNCNWLFLNVEESAAADPGNVTSLI  
HHLHDYDFVHFVHLRRLNLKWNCPASLSPMHFPCHMTIEPNTFLAVPTLEDLNLNSYNSITV  
PALPSSLSVLSLSRTNILLVDPATLAGLYALRFLFDGNCYYKNPCQALQVAPGALLGLGNLTHLSLKYNNLT  
TVVPRGLPPSLEYL

- 20 -

LLSYNHIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKGFQPLHPNTFGHLSHLEGLVLRDSSLYSLD  
 PRWFHGLGNLMVLDLSENFLYDCITKTKAFYGLARLRLNLSFNYHKKVSPAHLHLASSFGSLLSLQELDIHGIF  
 FRSLSKTTLQSLAHLPLQLHLQLNFIQAQLSIFGAFPLRYVDLSDNRISGAAPAAATGEVEADCGERVWP  
 QSRDLALGPLGTPGSEAFMPSCRTLNFTLDLSRNNLVTVPQEMFVRLARLQCLGLSHNSISQAVNGSQFVPLSNL  
 5 RVLDSLHNKLDLYHGRSFTELPRLEALDLSYNSQPFMRGVGHNL SFVAQLPALRYLSLAHNGIHSRVSQQLRSA  
 SLRALDFSGNTLSQMWAEGDLYLRFFQGLRSLVQLDLSQNLHTLLPRNLDNLPKSLRLLRLRDNYLAFFNWSSL  
 ALLPKLEALDLAGNQLKALSNGSLPNGTQLQRLDLSGNSIGFVVPSPFALAVRLRELNLSANALKTVEPSWFGSL  
 AGALKVLDVTANPLHCACGATFVDFLLEVQAAVPGLP SRVKCGSPGQLQGRSIFAQDLRLCLDEALSWVCFSL  
 LAVALSLAVPMLHQLCGWDLWYCFHLCLAWLPRRGRRRGVDALAYDAFVVDKAQSSVADWVYNELRVQLEERRG  
 10 RRALRLCLEERDWPVKTLFENLWASVYSSRKTFLVLARTDRVSGLLRASFLLAQQRLEDRKDVVVLVILCPDA  
 HRSRYVRLRQLCRQSVLLWPHQPSGQRSFVAQLGTALTRDNHRHFNQNFRCGPPTA

## SEQ ID NO:22 (Canine TLR9)

MGPCRGALHPLSLLVQAAALALALAQGTLPALPCELQPHGLVNCNWLFLKSVPRFSAAAPRGNVTSLSLYSNRI  
 15 HHLHDYDFVHFVHLRRLNLKWNCPASLSPMHFPCMTIEPNTFLAVPTLEDLNLNSYNISITVPALPSSLSLSL  
 SRTNILLVDPATLAGLYALRFLFDGNCYKNPCQQALQVAPGALLGLNLTHLSLKYNNTLVVPRGLPPSLEYL  
 LLSYNHIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKGFQPLHPNTFGHLSHLEGLVLRDSSLYSLD  
 PRWFHGLGNLMVLDLSENFLYDCITKTKAFYGLARLRLNLSFNYHKKVSPAHLHLASSFGSLLSLQELDIHGIF  
 20 FRSLSKTTLQSLAHLPLQLHLQLNFIQAQLSIFGAFPLRYVDLSDNRISGAAPAAATGEVEADCGERVWP  
 QSRDLALGPLGTPGSEAFMPSCRTLNFTLDLSRNNLVTVPQEMFVRLARLQCLGLSHNSISQAVNGSQFVPLSNL  
 RVLDSLHNKLDLYHGRSFTELPRLEALDLSYNSQPFMRGVGHNL SFVAQLPALRYLSLAHNGIHSRVSQQLRSA  
 SLRALDFSGNTLSQMWAEGDLYLRFFQGLRSLVQLDLSQNLHTLLPRNLDNLPKSLRLLRLRDNYLAFFNWSSL  
 ALLPKLEALDLAGNQLKALSNGSLPNGTQLQRLDLSGNSIGFVVPSPFALAVRLRELNLSANALKTVEPSWFGSL  
 25 AGALKVLDVTANPLHCACGATFVDFLLEVQAAVPGLP SRVKCGSPGQLQGRSIFAQDLRLCLDEALSWVCF

## SEQ ID NO:23 (Canine TLR9)

aggaaggggctgtgagctccaagcatcctttcctgcagctgctgccagcctgccagccagaccctctggagaag  
 ccccgctccctgtcatgggccccctgccgtggcgccctgcacccccctgtctcctggtgcaggctgccgcgcta  
 30 gccctggccctggccagggcaccctgcctgccttctcctgcctgtgagctccagcccatggcctggtgaactgc  
 aactggctgttctcaagtccgtgcccgcttctcctgcagctgcaccccgcggtaacgtcaccagccttctccttg  
 tactccaaccgcatccaccacctccatgactatgactttgtccacttcgtccactgcggcgctctcaatctcaag  
 tggaaactgcccggccgcagcctcagcccatgcaacttccctgtcacatgacctgagcccaacaccttccctg  
 gctgtgcccaccctagaggacctgaatctgagctataacagcatcacgactgtgcccggccctgccagttcgctt  
 35 gtgtccctgtccctgagccgcaccaacatcctggtgctggaccctgccaccctggcaggcctttatgcctgcgc  
 ttccctgttccctggatggcaactgtactacaagaacccctgccagcaggcctgcagggtggcccgaggtgccttc  
 ctgggctgggcaacctcacacacctgtcactcaagtacaacaacctcaccgtggtgcgcggcgccctgcccccc  
 agcctggagtagctgtcttctcctacaaccacatcatcaccctggcacctgaggacctggccaatctgactgcc  
 ctgctgtcctcgatgtgggtgggaactgtgcgcgctgtgacctgcccgtaacccctgcaggagtgcccaag  
 40 ggcttccccagctgcaccccaacaccttggccacctgagccacctcgaaggcctggtgtgaggagacagctct  
 ctctacagcctggacccaggtggttccatggcctgggcaacctcatggtgctggacctgagtgagaacttccctg  
 tatgactgcatcaccaaaacaaagccttctacggcctggccggctgcgcagactcaacctgtccttcaattat  
 cataagaaggtgtcctttgccacctgcacatcctcctcctcgaggacctactgtcctgcaggagctggac  
 atacatggcatcttcttcgctcgctcagcaagaccagctccagtcgctggccacctgcccctgctccagcgt  
 45 ctgcatctgcagttgaactttatcagccaggccagctcagcatcttcggcgcttccctggactgcggtagctg  
 gactgtcagacaaccgcatcagtgagctgcagagcccgcggtgccacaggggaggtagaggcagactgtggg  
 gagagagtctggccacagctcccgggacctgtctggtggccacctgggcacccccggctcagaggccttcatgccg  
 agctgcaggacctcaacttcaccttggacctgtctcggaacaacctagtgtgctcagccggagatgtttgtc  
 50 cggctggcgccctcagtgctggcctgagccacaacagcatctcgaggcggtcaatggctcgcagttcgtg  
 cctctgagcaacctgcgggtgctggacctgtccataacaagctggacctgtaccacggcgctcgttcacggag  
 ctgcccgggctggaggccttggacctcagctacaacagccagccctcagcatgcggggcggtggccacaacttc  
 agctttgtggcacagctgccagccctgcgctacctcagcctggcgcaaatggcatccacagccgctgtcccag  
 cagctccgcagcgccctcgtccgggccccctgagctgacacacacacacacacacacacacacacacacacac  
 55 cctac  
 aactggagcagcctggccctcctaccacagctggaagcctggacctggcgggaaaccagctgaaggccctgagc

- 21 -

aatggcagcttgcceaacggcaccagctccagaggtggacctcagcggcaacagcatcggttctgtgggtcccc  
 agcttttttgccttggcgtgaggtctcgagagctcaacctcagcgccaacgccttcaagacgggtggagccctcc  
 tgggttgggttccctggcgggtgcctgaaagtcttagagtgaccgccaaccccttgcatctgcgttgcggcgca  
 accttctgtggaacttcttgcgtggaggtgcaggtgcgggtgcccggcctgcttagcgtgtcaagtgcggcagcccg  
 5 ggccagctccagggccgcagcatcttcgcacaggacctggcctctgcctggacgaagcgtctcctgggtctgt  
 ttcagcctctcgctggctgtggcctgagcctggctgtgcccattgctgcaccagctctgtggctgggacctc  
 tggtagcttccacctgtgcctggcctggcctggcggggcgggcggggtgtggatggcctggcctat  
 gacgccttctgtgtcttcgacaaggcgagagctcggtggcggaactgggtgtacaatgagctgcgggtacagcta  
 gaggagcgccgtggggcgccggcgctacgcctgtgtctggaggaacgtgactgggtaccgggcaaaacccctcttc  
 10 gagaacctctgggctcagtttacagcagccgcaagacgctgtttgtgctggccgcacggacagagtcagcggc  
 ctctgctgctgacgcttccctgtggcccaacagcgctgctggaggaccgcaaggacgtcgtgggtgctgggtatc  
 ctgtgccccgacgcccaccgctcccgctatgtgcggtgcgcccagcgcctctgcggcagagtgctcctcctctgg  
 cccaccagcccagtgccagcgcagcttctgggcccagctgggacggccctgaccagggacaaccggccacttc  
 tacaaccagaacttctgcggggcccaagacagcctgataggcagacagcccagcaccttcgcgccccctacacc  
 15 ctgcctgtctgtctgggatgcccagcctgctggctctacaccgcccgtctgtctcccctacaccagccctggca  
 taaagcgaccgctcaataaatgctgctggtagac

## SEQ ID NO:24 (Canine TLR9)

atgggccccctgcgtggcgccctgcacccccctgtctctcctgggtgcaggtgcgcgctagccctggcctggcc  
 20 cagggcaccttgcctgccttctcctgcctgtgagctccagccccatggcctgggtgaactgcaactggctgttcttc  
 aagtcctgtgccccgcttctcggcagctgcacccccgggtaacgtcaccagccttctcctgtactccaaccgcac  
 caccacctccatgactatgactttgtccacttctgcacctgcggcgtctcaatctcaagtggaaactgcccggcc  
 gccagcctcagccccatgcacttccctgtcacatgaccattgagcccaacaccttccctggctgtgcccaccccta  
 gaggagcgaactctgagctataaacagcatcacgactgtgcccgccttgcaggttcgctgtgtcctgtcctctg  
 25 agccgcaccaacatcctgggtgctggacctgcacccctggcaggccttctatgcctgcgcttccctgttccctggat  
 ggcaactgctactacaagaacccctgccagcaggccctgcaggtggccccaggtgcccctcctgggctgggcaac  
 ctcacacacctgtcactcaagtacaacaacctcacctgggtgcgcggggcctgccccccagcctggagtacctg  
 ctcttgtcctacaaccacatcatcaccctggcacctgaggacctggccaatctgactgcccctgcgtgtcctcgat  
 gtgggtgggaaactgtgcgcgctgtgacctgcccgttaacccctgcaggagtgcccccaagggttccccccagctg  
 30 caccccaacaccttgggcccactgagccacctcgaaaggcctgggtgttgaggagacagctctctctacagcctggac  
 ccaggttggttccctggcctgggcaacctcatggtgtgctggacctgagtgagaacttctgtatgactgcatcacc  
 aaaaccacaaccttctacggcctggcccgctgcgcgagactcaacctgtccttcaattatcataagaagggtgtcc  
 tttgccacctgcatctggcatctccttccgggagcctactgtcctgcaggagctggacatacatggcatcttc  
 ttcgctcgcctcagcaagaccagctccagtcgctggcccacctgcccattgctccagcgtctgcatctgcagttg  
 35 aactttatcagccaggcccagctcagcatcttcggcgcccttccctggactgcgggtacgtggacttgtcagacaac  
 cgcacagtgaggctgcagagcccgcggctgccacaggggaggttagaggcagactgtggggagagagctctggcca  
 cagtcccgggaccttgccttgggcccactgggacccccggctcagaggccttcatgcccagctgcaggaccttc  
 aacttcaccttggacctgtctcggaacaacctagtgcaggttgcagccggagatgtttgtccggctggcgcgccctc  
 cagtgctggcgctgagccacacagcatctcgagcgtgtcaatggctcgagttcgtgcctctgagcacaacctg  
 40 cgggtgctggacctgtccataacaagctggacctgtaccacgggcgctcgttcacggagctgcccgcgctggag  
 gccttggacctcagctacaacagccagcccttcagcatgcggggcggtgggcccacaatctcagcttctgtggcacag  
 ctgccagccctgcgtacctcagcctggcgacaaatggcatccacagccgctgtcccagcagctccgcagcggc  
 tcgctccgggcccctggacttgcagtggaataacctgagccagatgtgggcccaggaggacctctatctccgcttc  
 ttccaaggcctgagaagcctgggtcagctggacctgtccagaatgcctgcataacctcctgccacgcaacctg  
 45 gacaacctccccaaagcctgcggctcctgcggctccgtgacaattacctggcttcttcaactggagcagcctg  
 gccctcctacccaagctggaagcctggacctggcgggaaaccagctgaaggccctgagcaatggcagcttgccc  
 aacggcacccagctccagaggctggacctcagcggcaacagcagcagccttcgtgggtcccagcttttttgcctg  
 gccgtgaggcttcagagctcaacctcagcgccaacgcctcaagacgggtggagccctcctgggttgggttccctg  
 50 gcggtgacctgaaagtcttagagctgaccgccaaccccttgcatctgcgttgcggcgcaaccttctgtggaacttc  
 ttgctggaggtgcaggtgcgggtgcccggcctgcctagccgtgtcaagtgcggcagcccgggccagctccagggc  
 cgcagcatcttcgcacaggacctgcgcctctgcctggacgaagcgtctcctgggtctgtttcagc

## SEQ ID NO:25 (Feline TLR9)

MGPCHGALHPLSLLVQAAALAVLAQGTLPAPFLPCELQRHGLVNCDWLFLKSVPHFSAAAAPRGNVTSLSLYSNRI  
 55 HHLHDSDFVHLSSLRLNLKWNCPASLSPMHFPCHMTIEPHTFLAVPTLEELNLSYNSITTVPALPSSLVLSLSL

- 22 -

SRTNIVLDPANLAGLSLRFLLDGNCCYKNPCQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYL  
 LLSYNHIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLHPDTFSLNHLLEGLVLKDSSLYNLN  
 PRWFHALGNLMVLDLSENFLYDCITKTTAFQGLAQLRRLNLSFNYHKKVSFAHLHLAPSFGLSLSLQQLDMHGIF  
 5 FRSLSETTLRLSLVHLPMLQSLHLQMNFINQAQLSIFGAFPGRLRYVDLSDNRISGAMELAAATGEVDGGERVRLPS  
 GDALGPPGTPSSEGFMPGCKTLNFTLDLSRNNLVTIQPEMFARLSRLQCLLSRNSISQAVNGSQFMPLTSLQV  
 LDLSHNKLDLYHGRSFTELPRLEALDLSYNSQPFMSQGVGHNLFSVAQLPALRYLSLAHNDIHSRVSQQLCSASL  
 RALDFSGNALSRMWAEGDLYLHFFRGLRSLVRLDLSQNLRLHTLLPRTLDNLPKSLRLRLRDLNYLAFFNWSSLV  
 LPRLEALDLAGNQLKALSNGSLPNGTQLQRLDLSNSISFVASSFFALATRLRELNLNANALKTVEPSWFGSLAG  
 10 TLKVLVDVTGNPLHCACGAAFVDFLLEVQAAPGLPGHVKCGSPGQLQGRSIFAQDLRLCLDEALSWDGFLSLLT  
 VALGLAVPMLHHLGWDLWYCFHLCLAWLPRRGRRRGADALPYDAFVVDKAQSAVADWVYNELRVLEERRGR  
 ALRLCLEERDWLPGKTLFENLWASVYSSRKMLFVLAHTDRVSGLLRASFLLAQQLLEDKDVVVLVILRPDAHR  
 SRYVRLRQLRQLCRQSVLLWPHQPSGQRSFWAQLGTALTRDNQHFYNQNFRCGPTTAE

## SEQ ID NO:26 (Feline TLR9)

15 MGPCHGALHPLSLVQAALAVALAQGTLPAPFLPCELQRHGLVNCDWLFLKSVPHFSAAAPRGNVTSLSLYSNRI  
 HHLHDSDFVHLSSLRRLNLKWNCPASLSPMHFPCHMTIEPHTFLAVPTLEELNLSYNSITTPALPSSSLVSLSL  
 SRTNIVLDPANLAGLSLRFLLDGNCCYKNPCQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYL  
 LLSYNHIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLHPDTFSLNHLLEGLVLKDSSLYNLN  
 20 PRWFHALGNLMVLDLSENFLYDCITKTTAFQGLAQLRRLNLSFNYHKKVSFAHLHLAPSFGLSLSLQQLDMHGIF  
 FRSLSETTLRLSLVHLPMLQSLHLQMNFINQAQLSIFGAFPGRLRYVDLSDNRISGAMELAAATGEVDGGERVRLPS  
 GDALGPPGTPSSEGFMPGCKTLNFTLDLSRNNLVTIQPEMFARLSRLQCLLSRNSISQAVNGSQFMPLTSLQV  
 LDLSHNKLDLYHGRSFTELPRLEALDLSYNSQPFMSQGVGHNLFSVAQLPALRYLSLAHNDIHSRVSQQLCSASL  
 RALDFSGNALSRMWAEGDLYLHFFRGLRSLVRLDLSQNLRLHTLLPRTLDNLPKSLRLRLRDLNYLAFFNWSSLV  
 LPRLEALDLAGNQLKALSNGSLPNGTQLQRLDLSNSISFVASSFFALATRLRELNLNANALKTVEPSWFGSLAG  
 25 TLKVLVDVTGNPLHCACGAAFVDFLLEVQAAPGLPGHVKCGSPGQLQGRSIFAQDLRLCLDEALSWDGFLSLLT

## SEQ ID NO:27 (Feline TLR9)

agggctctgcgagctccaggcattcttctctgcatcgctgccagctctgccatccagaccctctggagaagcccc  
 cactccctgtcatgggccccctgcatggcgccccctgcacccccctgtctctcctgggtgcaggetgccgcgctggccg  
 30 tggccctggcccaggccaccctgcctgcctttctgcccgtgtgagctccagcgccacggcctgggtaattgcgact  
 ggctgttctcctcaagtcctgccccacttctcgccgagcagccccctggtaacgtcaccagcctttccctgtact  
 ccaaccgcatccaccacctccagcactccgactttgtccacctgtccagcctgcggcgtctcaacctcaaattgga  
 actgcccacccgccagcctcagccccatgcacttccccctgtcacatgaccattgagccccacaccttccctggccg  
 tgcccacccctggaggagctgaacctgagctacaacagcatcacgacagtaccgccttgcaggttccctcgctgt  
 35 cctgtccttgagccgtaccaacatcctgggtgctggaccctgccaacctcgagggctgcactccctgcgctttc  
 tgttccctggatggcaactgctactacaagaacctgccccgagccctgcaggtggccccggcgcctctcttg  
 gcctgggcaaccttacgcacctgtcactcaagtaacaacctactgcgggtgccccggcgcctgccccccagcc  
 tggagtagctgctattgtcctacaaccacatcatcacctggcacctgaggacctggccaacctgaccgcctgc  
 gtgtgctcgatgtgggtgggaactgccgtcgctgtgaccacgcccgaacctgtatggagtgccccagggt  
 40 tcccgacacctgacaccttcagccacctgaaccacctcgaaggcctgggtgtgaaggacagctctctct  
 acaacctgaacccagatgggtccatgccccgggaacctcatgggtgctggacctgagtgaacttccatata  
 actgcatcaccaaaaccacagccttccaggccctggccacgtgcgcagactcaactgtctttcaattaccaca  
 agaaggtgtcctttgcccacctgcatctggcgccctccttcgggagcctgctctccctgcagcagctggacatgc  
 atggcatcttctccgctcgctcagcgagaccagctccggctcgctgggtccacctgcccagctccagagctgc  
 45 acctgcagatgaacttcatcaatcaggcccagctcagcatcttcggggccttccctggcctgcgatacgtggacc  
 tgtcagacaaccgcataagtggagccatggagctggcggtgccacgggggaggtggatgggtggggagagagtc  
 ggctgccatctggggacctagctctggggccaccgggacccccctagctccgagggcttcatgccaggtgcaaga  
 cctcaacttcaacttgacctgtcacggaacaacctagtgaacatccagccagagatgtttgccccggtctcgc  
 gctccagctgctgctcctgagccgaacagcatctcgcaggcagtcacacgggtcacaatttatgcccgtgacca  
 50 gctgcagggtgctggacctgtccataaagctggacctgtaccatgggcgctcttccagggagctgcgcggc  
 tggaggccctggacctcagctacaacagccagccctcagcatgcaggcgctgggtcacaacctcagctttgtg  
 cacagctgcggccctgcgctatctcagcctggcgcaaacgacatccacagcctgtgtcccagcagctctgca  
 gcgctcgctgcgggcttggactcagcggaatgccttgagccggatgtgggcccaggggagacctgtatctcc  
 acttcttccgagggcctgaggagcctgggtccggttgatctgtcccagaatcgccctgcataacctcttgccacgca  
 55 cctggacaacctccccagagcctggggctgtgcgctctccgtgacaattatctggctttcttcaactggagca



- 23 -

gcctggctcctcctccccaggtggaagccctggacctggcgggaaaccagctgaaggccctgagcaacggcagct  
 tgcctaattggaaccagctccagaggctggacctcagcagcaacagtatcagcttcgtggcctccagcttttttg  
 ctctggccaccaggtgcgagagctcaacctcagtgccaacgccctcaagacggtggagccctcctgggtcggtt  
 ctctagcgggcaccctgaaagtccatagatgtgactggcaacccctgcactgcgcctgtggggcgccctcgtgg  
 5 acttcttctgctggaggtgcaggtgcagtgccccggcctgccaggccacgtcaagtgtggcagtcacaggtcagctcc  
 agggccgcagcatctttgcgaggatctgcgccctctgcctggatgaggccctctcctgggactgttttgccctct  
 cgctgctgacctggccctgggctggccgtgcccattgctgcaccacctctgtggctgggacctctggtactgct  
 tccacctgtgctggcctggctgccccggcgggggcgggcgggcgggcgggatgcccctgacctacgatgaccttg  
 10 tggctctcgacaaggcacagagcgcggtggcgactgggtgtacaacagagctgcgggtacggctagaggagcgcc  
 gtggacgcccagagcgtccgctgtgcctggaggaaactgactggctaccggtaaaacgctctttgagaacctgt  
 gggcctcagtttacagcagccgcaagatgctgtttgtgctggccacacagacagggtcagcgccctcttgcgcg  
 ccagctttctgctggcccagcagcgccctgctggaggaccgcaaggacgttgtggtgctgggtgatcctgcgccccg  
 acgcccaccgctccccgtatgtgcggtgcgcccagcgccctctgcccagagcgtcctcctctggccccaccagc  
 ccagtggccagcgagctctggggccagctgggcacggccctgaccagggacaaccagcacttctataaccaga  
 15 acttctgcccggggccccacgacggcagagtgaaccgcccagcaccccaagcctcctacaccttgccctgtctgctg  
 ggatgccggg

## SEQ ID NO:28 (Feline TLR9)

atggggccctgccatggcgccctgcacccctgtctctcctgggtgcaggtgcgcgctggcctggccctggcc  
 20 cagggcaccctgcctgacctttctgacctgtgagctccagcgccacggcctgggtgaattgcgactggctgttctc  
 aagtccgtgccccacttctcgccggcagcgccccgtggtaacgtcaccagcctttccctgtactccaaccgcatc  
 caccacctccacgactccgactttgtccacctgtccagcctgcggcgtctcaacctcaaatggaactgccaccc  
 gccagcctcagccccatgcaacttccctgtcacatgaccattgagccccacaccttccctggcctgccccacctg  
 25 gaggagctgaacctgacctgacatacaacagcatcagcagctaccgcccctgcccagttccctcgtgtccctgtccttg  
 agccgtaccaacatcctgggtgctggacctgccaacctcgacgggctgcaactccctgcgctttctgttctctggat  
 ggcaactgctactacaagaacccctgcccgcaggccctgcaggtggccccggcgccctccttggcctgggcaac  
 cttacgcacctgtcactcaagtacaacaacctcactgcgggtgccccgcggcctgccccccagcctggagtacctg  
 ctattgtcctacaaccacatcatcacctggcacctgaggacctggccaacctgaccgcccctgcgtgtgctcgat  
 gtgggtgggaactgcccgtcgctgtgaccacgcccgaacccctgtatggagtggcccaagggtctcccgacactg  
 30 caccctgacaccttcagccacctgaaccacctcgaaggcctgggtgtgaaggacagctctctctacaacctgaac  
 ccagatgggttccctgacctgggcaacctcagtgctggacctgagtgagaacttccatatactgcatcacc  
 aaaaccacagccttccagggcctggcccagctgcgcagactcaacttgctcttcaattaccacaagaagggtgtcc  
 tttgcccacctgcatctggcgccctccttcgggagcctgctctccctgcagcagctggacatgcatggcatcttc  
 35 ttccgctcgctcagcgagaccacgctccggtcgctgggtccacctgcccattgctccagagctctgcacctgcagatg  
 aacttcatcaatcagggccagctcagcatcttcggggccttccctggcctgcgatacgtggacctgtcagacaac  
 cgcataagtggagccatggagctggcggtgcccacgggggaggtggatgggtggggagagagtcggctgccatct  
 ggggacctagctctggggccaccgggcacccctagctccgagggcttcatgccaggctgcaagacctcaacttc  
 40 accttggacctgtcaggaacaacctagtgaacaatccagccagagatgtttgcccggctctcgcgcctccagtg  
 ctgctcctgagccgaacagcatctcgaggcagtcacggctcacaatttatgccgctgaccagcctgcaggtg  
 ctggacctgtcccataacaagctggacctgtaccatggcgctctttcacggagctgcccggcctggaggccctg  
 gacctcagctacaacagccaccttcagcatgcaggcggtgggtcacaacctcagctttgtggcacagctgccg  
 gccctgcgctatctcagcctggcgacacacagcagctgtgtccagcagctctgcagcgccctcgctg  
 45 cgggccttggacttcagcggaatgccttgagccggatgtggggcgaggagacctgtatctccacttcttccga  
 ggctgaggagcctgggtccggttggatctgtcccagaatcgccctgcataacctcttgccacgcacctggacaac  
 ctccccagagcctgcggctgtgctctccgtgacaattatctggctttcttcaactggagcagcctggctcctc  
 ctccccaggtggaagccctggacctggcgggaaaccagctgaaggccctgagcaacggcagcttgccataatgga  
 acccagctccagaggctggacctcagcagcaacagtatcagcttcgtggcctccagcttttttgcctctggccacc  
 50 aggtgcgagagctcaacctcagtgccaacgcccctcaagacgggtggagccctcctgggttcgggtctctagcgggc  
 acctgaaagtccatagatgtgactggcaacccctgcactgcgcctgtggggcgccctcctggacttcttgcctg  
 gaggtgcaggctgcagtgcccggcctgccaggccacgtcaagtgtggcagtcagggtcagctccaggggccgcagc  
 atctttgcgaggatctcgccctctgacctggatgaggccctctcctgggactgttttggc

Complete nucleotide and amino acid sequences for murine and human TLR9 are publicly available. For example, an amino acid sequence of murine TLR9 is available as

- 24 -

GenBank accession no. AAK29625, provided as SEQ ID NO:29. Amino acids numbered 1-821 of SEQ ID NO:29 presumptively include the entire extracellular domain and correspond to SEQ ID NO:30. SEQ ID NO:31 corresponds to GenBank accession number AF348140, which is a nucleotide sequence of murine TLR9 cDNA. SEQ ID NO:32 is a nucleotide  
 5 sequence of murine cDNA encoding amino acids 1-821 of SEQ ID NO:29.

An amino acid sequence of human TLR9 is available as GenBank accession no. AAF78037, provided as SEQ ID NO:33. Amino acids numbered 1-820 of SEQ ID NO:33 presumptively include the entire extracellular domain and correspond to SEQ ID NO:34. SEQ ID NO:35 corresponds to GenBank accession number AF245704, which is a nucleotide  
 10 sequence of human TLR9 cDNA. SEQ ID NO:36 is a nucleotide sequence of human cDNA encoding amino acids 1-820 of SEQ ID NO:33.

#### SEQ ID NO:29 (Murine TLR9)

15 MVLRRRTLHPLSLLVQAAVLAETLALGTLPAFLPCELKPHGLVDCNWLFLKSVPRFSAAASCSNITRLSLISNRI  
 HHLHNSDFVHLSNLRQLNLKWNCPPTGLSPLHFSCMTIEPRTFLAMRTLEELNLSYNGITTVPRLPSSLVNLSL  
 SHTNIVLDANSLAGLYSLRVLFMDGNCYYKNPCTGAVKVTPGALLGLSNLTHLSLKYNNTKVPRLPPSLEYL  
 LVSYNLIVKLGPEDLANLTSLRVLDVGGNCRRCDHAPNPCIIECGQKSLHLHPETFHHLSHLEGLVLKDSLSLHTLN  
 SSWFQGLVNLSVLDLSENFLYESINHTNAFQNLTRLRKLNLNLSFNRYRKKVSFARLHLASSFKNLVSLQELNMNGIF  
 20 FRSLNKYTLRWLADLPKLHTLHLQMNFINQAQLSIFGTFRALRFVDLSDNRISGPSTLSEATPEEADDAEQEELL  
 SADPHAPLSTPASKNFMDRCKNFKFTMDLSRNNLVTIKPEMFVNLSRLQCLSLSHNSIAQAVNGSQFLPLTNLQ  
 VLDLSHNKLDLYHWKSFSELPQLQALDLSYNSQPFMSKGIGHNFSFVAHLSMLHSLSLAHNDIHTRVSSHLSNSNS  
 VRFLDFSGNGMGRMWDEGGLYLHFFQGLSGLLKLDLSQNNLHILRPQNLNLPKSLKLLSLRDNYLSFFNWTSL  
 FLPNLEVLDLAGNQLKALTNGTLPNGTLLQKLDVSSNSISVSVPAFFALAVELKEVNLSHNILKTVDRSWFGPIV  
 25 MNLTVDVRSNPLHCACGAADFVLLLEVQTKVPGLANGVKCGSPGQLQGRSIFAQDLRLCLDEVLSWDCFGLSLL  
 AVAVGMVVPILHHLCCGWDVWYCFHLCLAWLPLARSRRSAQALPYDAFVVFDAQSAVADWVYNELRVRLERREG  
 RRALRLCLEDRDWLPGQTLFENLWASIYGSRKTLFVLAHTDRVSGLLRTSFLLAQQRLLEDKDVVVLVILRPDA  
 HRSRYVRLRQLCRQSVLFWPQQPNGQGFWAQLSTALTRDNRHFYNQNFRCRGPTAE

#### SEQ ID NO:30 (Murine TLR9)

30 MVLRRRTLHPLSLLVQAAVLAETLALGTLPAFLPCELKPHGLVDCNWLFLKSVPRFSAAASCSNITRLSLISNRI  
 HHLHNSDFVHLSNLRQLNLKWNCPPTGLSPLHFSCMTIEPRTFLAMRTLEELNLSYNGITTVPRLPSSLVNLSL  
 SHTNIVLDANSLAGLYSLRVLFMDGNCYYKNPCTGAVKVTPGALLGLSNLTHLSLKYNNTKVPRLPPSLEYL  
 LVSYNLIVKLGPEDLANLTSLRVLDVGGNCRRCDHAPNPCIIECGQKSLHLHPETFHHLSHLEGLVLKDSLSLHTLN  
 35 SSWFQGLVNLSVLDLSENFLYESINHTNAFQNLTRLRKLNLNLSFNRYRKKVSFARLHLASSFKNLVSLQELNMNGIF  
 FRSLNKYTLRWLADLPKLHTLHLQMNFINQAQLSIFGTFRALRFVDLSDNRISGPSTLSEATPEEADDAEQEELL  
 SADPHAPLSTPASKNFMDRCKNFKFTMDLSRNNLVTIKPEMFVNLSRLQCLSLSHNSIAQAVNGSQFLPLTNLQ  
 VLDLSHNKLDLYHWKSFSELPQLQALDLSYNSQPFMSKGIGHNFSFVAHLSMLHSLSLAHNDIHTRVSSHLSNSNS  
 VRFLDFSGNGMGRMWDEGGLYLHFFQGLSGLLKLDLSQNNLHILRPQNLNLPKSLKLLSLRDNYLSFFNWTSL  
 40 FLPNLEVLDLAGNQLKALTNGTLPNGTLLQKLDVSSNSISVSVPAFFALAVELKEVNLSHNILKTVDRSWFGPIV  
 MNLTVDVRSNPLHCACGAADFVLLLEVQTKVPGLANGVKCGSPGQLQGRSIFAQDLRLCLDEVLSWDCFG

#### SEQ ID NO:31 (Murine TLR9)

tgtcagagggagcctcgggagaatcctccatctcccaacatggttctccgtcgaaggactctgcaccccttgccc  
 ctctcgtgacaggtgcagtgctggctgagactctggccctgggtaccctgcctgccttccctaccctgtgagctg

- 25 -

aagcctcatggcctggaggactgcaattggctgttctgaagtctgtaccccggttctctgcggcagcatcctgc  
tccaacatcacccgctctccttgatctccaacgctatccaccacctgcacaactccgacttcgtccacctgtcc  
aacctgcggcagctgaacctcaagtggaaactgtccacccactggccttagcccccctgcacttctcttgccacatg  
accattgagcccagaaccttctctggctatgctgacactggaggagctgaacctgagctataatggatcaccact  
5 gtgccccgactgcccagctccctgggtgaatctgagcctgagccacaccaacatcctgggtcttagatgctaacagc  
ctcgccggcctatacagcctgcgcttctcttcatggacgggaactgctactacaagaacccctgcacaggagcg  
gtgaaggtagccccaggcgccctcctgggctgagcaatctcacccatctgtctctgaagtataacaacctcaca  
aagggtgccccgcaactgccccccagcctggagtacctcctgggtgtcctataacctcattgtcaagctggggcct  
gaagacctggccaatctgacctcccttcgagtacttgatgtgggtgggaattgccgtcgctgagccatgcccc  
10 aatccctgtatagaatgtggccaaaagtccctccacctgcaccctgagacctccatcacctgagccatctggaa  
ggcctgggtgctgaaggacagctctctccatacactgaactcttctgggttccaaggctgtggtaacctctcggtg  
ctggacctaaagcgagaacttctctatgaaagcatcaaccacaccaatgccttccagaacctaacccgctgcg  
aagctcaacctgtcttcaattaccgcaagaaggatcttcttgcgcctccacctggcaagttcttcaagaac  
ctgggtgctactgcaggagctgaacatgaacggcatcttcttccgctcgctcaacaagtacacgctcagatggctg  
15 gccgatctgcccacactccacactctgcatcttcaaatgaacttcatcaaccaggcacagctcagcatcttgggt  
accttccgagcccttcgcttctgtggactgtcagacaatcgcatcagtgggccttcaacgctgtcagaagccacc  
cctgaagaggcagatgatgcagagcaggaggagctgttgtctgcggtacctcaccagctccactgagcaccct  
gcttctaaagaacttcatggacaggtgtaagaacttcaagttcacctgagacctgtctcggaacaacctgggtgact  
atcaagccagagatgttgtcaatctctcacgctccagtgctttagcctgagccacaactccattgcacaggct  
20 gtcaatggctctcagttcctgctgactaactctgagctgtgagacctgtccataaacaactggactgtgtac  
cactggaaatcggttcagtgagctaccacactgtgcaggccctggacctgagctacaacagccagcctttagctg  
aagggtataggccacaatttcagtttctgtggccatctgtccatgctacacagccttagcctggcacacaatgac  
attcatacccgctgtgtcctcacatctcaacagcaactcagtgaggttcttctgacttcagcggcaacgggtatgggc  
cgcatgtgggatgaggggggcttcttctccatttcttccaaggcctgagtggtgctgaagctggacctgtct  
25 caaaataacctgcatactcctccggcccccagaaccttgacaacctccccaaagagcctgaagctgctgagcctccga  
gacaactacctatcttctttaaactggaccagtctgtccttccctgccccacctggaagctcctagacctggcagggc  
aacagcctaaaggcctgaccaatggcaccctgcctccttaattggcaccctcctccagaactggatgtcagcagcaac  
agtatcgtctctgtggtcccagccttcttccgctctggcggtcgagctgaaagaggtcaacctcagccacaacatt  
ctcaagacgggtggatcgctcctgggttgggcccattgtgatgaacctgacagttctagacgtgagaagcaacctt  
30 ctgactgtgctgtggggcagccttcctagacttactgttggagggtgcagaccaagggtgctggcctggctaat  
gggtgtgaagtgtggcagccccggccagctgcagggcgctagcatcttcgcacaggacctgcggtgtgcttgat  
gaggtcctctcttgggactgcttggccttctactcttgggtgtggcggtgggcatgggtggctatctgacac  
catctctgcggtgggacgtctggtactgttctcatctgtgctggcatggctaccttggctggcccgagccga  
cgcagcgcccaagctctccctatgatgccttcgtgggtgttcgataaggcagagcgcagttgaggactgggtg  
35 tataacgagctgcgggtgcggtggaggagcgcgcggtccgagccctacgcttgtgtctggaggacggat  
tgggtgctggccagagcctcttcgagaacctctgggcttccatctatgggagccgcaagactcttctgtgctg  
gcccacagggaccgctcagtggtcctctgcgcaccagcttctgctggctcagcagcgctgttgaagaccgc  
aaggacgtgggtgggttgggtgatcctgctccggatgcccaccgctcccgctatgtgagactgcgccagcgtctc  
tgccgcagagtggtctcttctggccccagcagcccaacgggcaggggggcttctggggccagctgagtaagcc  
40 ctgactagggacaaccgccaacttctataaccagaacttctgccccgggacctacagcagaatagctcagagcaaca  
gctggaaacagctgcatcttcatgctgggtcccaggtgctctgctgc

## SEQ ID NO:31 (Murine TLR9)

atgggtctcctcgctgaaggactctgcaccccttgctcctcctgggtacaggctgcagtgctgggtgagactctggcc  
45 ctgggtaccctgcctgccttctaccctgtgagctgaagcctcatggcctgggtgagctgcaattggctgttctg  
aagctctgtaccccggttctctgcggcagcatcctgtcccaacatcacccgctctccttgatctccaaccgtatc  
caccacctgcacaactccgacttcgtccacctgtccaacctgcggcagctgaacctcaagtggaaactgtccacc  
actggccttagcccccctgcacttctcttgccacatgaccattgagcccagaaccttctgggtatgctgactg  
gaggagctgaacctgagctataatggatcaccactgtgcccagctgcccagctccctgggtgaatctgagcctg  
50 agccacaccaacatcctgggtcttagatgctaacagcctcgccggcctatacagcctgcgcgttctctcatggac  
gggaactgctactacaagaacccctgcacaggagcgggtgaagggtgaccccaggcgccctcctgggctgagcaat  
ctcaccatctgtctctgaagtataacaacctcacaagggtgccccgccaactgccccccagcctggagtacctc  
ctgggtgtcctataacctcattgtcaagctggggcctgaagacctggccaatctgacctcctctgagtaactgtat  
gtgggtgggaattgccgtcgctgagacctgcccccaatccctgtatagaatgtggccaaaagtccctccacctg  
55 caccctgagaccttccatcacctgagccatctggaaggcctgggtgctgaaggacagctctctccatacactgaac  
tcttctggttccaaggctgtggtaacctctcggtgctggacctaaagcgagaacttctctatgaaagcatcaac  
cacaccaatgccttccagaacctaacccgctgcgcaagctcaacctgtccttcaattaccgcaagaaggtatcc

- 26 -

tttgccgcctccacctggcaagttccttcaagaacctggtgtcactgcaggagctgaacatgaacggcatcttc  
 tccgctcgctcaacaagtacacgctcagatggctggccgatctgcccactccacactctgcatcttcaaatg  
 aacttcatcaaccaggcacagctcagcatcttttggtaccttccgagcccttcgctttgtggacttgtcagacaat  
 5 cgcatcagtgggccttcaacgctgtcagaagccacctgaagaggcagatgatgcagagcaggaggagctgttg  
 tctgcggatcctcaccagctccactgagcaccctgcttctaagaacttcatggacaggtgtaagaacttcaag  
 ttcaccatggagctgtctcggaacaacctggtgactatcaagccagagatggttgtcaatctctcacgcctccag  
 tgtcttagctgagccacactccattgcacaggtgtcaatggctctcagttcctgcccgtgactaatctgcag  
 gtgctggacctgtccataacaaactggactgtgaccactggaaatcgctcagtgagctaccacaggtgcaggcc  
 ctggacctgagctacaacagccagccctttagcatgaagggtataggccacaatttcagttttgtggcccatctg  
 10 tccatgctacacagccttagcctggcacacaatgacattcataccctgtgtcctcacatctcaacagcaactca  
 gtgaggtttcttgacttcagcggcaacgggtatgggcccgatgtgggatgaggggggctttatctccatttcttc  
 caaggcctgagtgccctgctgaagctggacctgtctcaaaataacctgcatactcctccgccccagaaccttgac  
 aacctccccaaagagcctgaagctgctgagcctccgagacaactacctaacttttcttaactggaccagctgtgctc  
 ttctgcccacactggaaagtcctagacctggcaggcaaccagctaaaggccctgaccaatggcaccctgccta  
 15 ggcaccctcctccagaaactggatgtcagcagcaacagtatcgctctctgtggtcccagccttctctcgctctggcg  
 gtcgagctgaaagaggtcaacctcagccacaacattctcaagacgggtggatcgctcctggtttgggcccattgtg  
 atgaacctgacagttctagacgtgagaagcaacctctgcactgtgctgtggggcagccttcgtagacttactg  
 ttggaggtgcagaccaaggtgcctggcctggtgaatggtgtgaagtgtggcagccccggccagctgcaggccgt  
 agcatcttcgcacaggacctgcggctgtgctggtgaggtcctctcttgggactgctttggc  
 20

## SEQ ID NO:33 (Human TLR9)

MGFCRSALHPLSLVQAIMLAMTLALGTLPAFLPCELQPHGLVNCNWFLKSVPHFSMAAPRGNVTSLSLSSNRI  
 HHLHDSDFAHLPRLRLNLKWNCPVGLSPMHFPCHMTIEPSTFLAVPTLEELNLSYNNIMTVPALPKSLISLSL  
 SHTNILMLDSASLAGLHALRFLFMDGNCYKNPCRQALEVAPGALLGLGNLTHLSLKYNNTVVPRLPSSLEYL  
 25 LLSYNRIVKLAPEDLANLTALRVLDVGGNCRCDHAPNCPMECPRHFPQLHPDTFSHLRLEGLVLKDSLSLWLN  
 ASWFRGLGNLRVLDLSENFLYKCITKTKAFQGLTQLRKLNLNFNYQKRVSAHLSLAPSFGSLVALKELDMHGIF  
 FRSLDETTLRPLARLPMLQTLRLQMNFINQAQLGIFRAFPGLRYVDLSNRI SGASELTATMGADGGEKVLQ  
 GD LAPAPVDTPSSEDFRPNCTLNFTLDLSRNNTVTVQPEMFAQLSHLQCLRLSHNCISQAVNGSQFLPLTGLQV  
 LDLSRNKLDLYHEHSFTELPRLEALDLSYNSQPFMGQVGHNFSAHLRTRLRLSLAHNNIHSQVSQQLCSTSL  
 30 RALDFSGNALGHMWAEGDLYLHFFQGLSGLIWLDSLQNLRLHTLLPQTLRLNPKSLQVLRRLDNYLAFFKWWSLHF  
 LPKLEVLDLAGNRLKALTNGSLPAGTRLRLRDVSCNSISFVAPGFFSKAKELRELNLNLSANALKTVDHWSFGPLAS  
 ALQILDVSNPLHCACGAAMDFLLEVQAAPVGLPSRVKCGSPGQLQGLSIFAQDLRLCLDEALSWDCA  
 VALGLGVPMLHHLGWDLWYCFHLCLAWLPWRGRQSGRDEDALPYDAFVVDKTSQSAVADWVYNELRGQLEECRG  
 RWALRLCLEERDWPGLKTLFENLWASVYGSRKTLFVLAHTDRVSGLLRASFLLAQQRLLDRKDVVVLVILSPDG  
 35 RRSRYVRLRQLRCRQSVLLWPHQPSGQRSFWAQLGMALTRDNHNFYNNRNCQGPAT

## SEQ ID NO:34 (Human TLR9)

MGFCRSALHPLSLVQAIMLAMTLALGTLPAFLPCELQPHGLVNCNWFLKSVPHFSMAAPRGNVTSLSLSSNRI  
 HHLHDSDFAHLPRLRLNLKWNCPVGLSPMHFPCHMTIEPSTFLAVPTLEELNLSYNNIMTVPALPKSLISLSL  
 40 SHTNILMLDSASLAGLHALRFLFMDGNCYKNPCRQALEVAPGALLGLGNLTHLSLKYNNTVVPRLPSSLEYL  
 LLSYNRIVKLAPEDLANLTALRVLDVGGNCRCDHAPNCPMECPRHFPQLHPDTFSHLRLEGLVLKDSLSLWLN  
 ASWFRGLGNLRVLDLSENFLYKCITKTKAFQGLTQLRKLNLNFNYQKRVSAHLSLAPSFGSLVALKELDMHGIF  
 FRSLDETTLRPLARLPMLQTLRLQMNFINQAQLGIFRAFPGLRYVDLSNRI SGASELTATMGADGGEKVLQ  
 GD LAPAPVDTPSSEDFRPNCTLNFTLDLSRNNTVTVQPEMFAQLSHLQCLRLSHNCISQAVNGSQFLPLTGLQV  
 45 LDLSRNKLDLYHEHSFTELPRLEALDLSYNSQPFMGQVGHNFSAHLRTRLRLSLAHNNIHSQVSQQLCSTSL  
 RALDFSGNALGHMWAEGDLYLHFFQGLSGLIWLDSLQNLRLHTLLPQTLRLNPKSLQVLRRLDNYLAFFKWWSLHF  
 LPKLEVLDLAGNRLKALTNGSLPAGTRLRLRDVSCNSISFVAPGFFSKAKELRELNLNLSANALKTVDHWSFGPLAS  
 ALQILDVSNPLHCACGAAMDFLLEVQAAPVGLPSRVKCGSPGQLQGLSIFAQDLRLCLDEALSWDCA

## 50 SEQ ID NO:35 (Human TLR9)

aggtggtataaaatcttacttctctattctctgagccgctgctgcccctgtgggaaggagacctcgagtgtga  
 agcatccttccctgtagctgctgtccagctctgcccgcagacctctggagaagccctgccccagcatgggt  
 ttctgcccgcagcgcctgcacccgctgtctctcctggtgcaggccatcatgctggccatgacctggccctgggt

- 27 -

acettgctgccttccctaccctgtgagctccagccccacggcctgggtgaactgcaactggctgttccctgaagtct  
 gtgccccacttctccatggcagcaccctgggcaatgtcaccagccttccctgtcctccaaccgcatccaccac  
 ctccatgattctgactttgccacactgcccagcctgcgccatctcaacctcaagtggaaactgcccgcgggtggc  
 ctacgccccatgcacttccctgcccacatgaccatcgagcccagcaccttcttggtgtgcccacccctggaagag  
 5 ctaaacctgagctacaacaacatcatgactgtgcctgcgctgccc aaatccctcatatccctgtccctcagccat  
 accaacatcctgatgctagactctgccagcctgcgcggcctgcatgccctgcgcttccatcttggaacggcaac  
 tgttattacaagaacccttgaggcagcactggagggtggccccgggtgccctccttgccctgggcaacctcacc  
 cacctgtcactcaagtacaacaacctcactgtgggtgcccgc aaacctgccttccagcctggagtatctgctgttg  
 tctacaaccgcatcgtcaaacctgggcctgaggacctggccaatctgaccgcccctgcgtgtgctcgatgtgggc  
 10 ggaaattgcccgcgctgcgaccacgctcccaaccctgcatggagtgcctcgtcacttccccagctacatccc  
 gataccttcagccacctgagccgtcttgaggcctgggtgttgaggacagttctctctcctggctgaatgccagt  
 tgggtccgtgggtgggaaacctccgagtgtggtgacctgagtggaaacttccctctacaaatgcatcactaaaacc  
 aaggccttccagggcctaacacagctgcgcaagcttaacctgtccttcaattacaaaagaggggtgtcctttgccc  
 cactgtctctggccccttccctcgggagcctggtgcgcctgaaggagctggacatgcaacggcactcttctcgcg  
 15 tccatcgatgagaccacgctccggccactggccgcctgccatgctccagactctgcgtctgcagatgaaacttc  
 atcaaccagggccagctcgccatcttcagggccttccctggcctgcgctacgtggacctgtcggaacccgcatc  
 agcggagcttcggagctgacagccaccatgggggaggcagatggaggggagaaggctcgtgctgcagcctggggac  
 cttgtcccgccccagtgagcactcccagctctgaagacttcaggcccaactgcagcaccctcaacttcaccttg  
 gatctgtcacggaacaacctgggtgacctgcagccggagatgtttgccagctctcgcacctgcagtgcctgcgc  
 20 ctgagccacaactgcatctcgcaggcagtc aatggctcccagttcctgcccctgaccggtctgcaggtgctagac  
 ctgtcccgaataagctggacctctaccacgagcactcattcacggagctaccgcgactggaggccctggacctc  
 agctacaacagccagcccttggcatgcaggcgtggggcccaacttcagcttctgtggctcacctgcgcacctg  
 cgccacctcagcctggcccacaacaacatccacagccaaagtgtcccagcagctctgcagtacgtcgtcggggcc  
 ctggacttcagcggcaatgcactggggccatagtggggcggaggagacctctatctgcacttcttccaaggcctg  
 25 agcggtttgatctggctggacttgtcccagaaccgcctgcacaccctcctgccccaaacctgcgcaacctcccc  
 aagagcctacaggtgctgcgtctccgtgacaattacctggccttctttaagtggtggagcctccacttccctgccc  
 aaactggaagtccctgcacctggcaggaaaccggtgaaggccctgaccaatggcagcctgcctgctggcaccgcg  
 ctccggaggctggatgtcagctgcaacagcatcagcttctgtggccccggccttcttttccaaggccaaggagctg  
 cgagactcaaccttagcgccaacgcctcaagacagtgaggaccactcctgggttggggccctggtgcctgcgctg  
 30 caaatactagatgtaagcgccaacctctgcactgcgcctgtggggcgccctttatggacttccctgctggagggtg  
 caggctgcctgcccggctgtcccagccgggtgaagtgtggcagtcggggccagctccagggcctcagcatcttt  
 gcacaggacctgcgcctctgcctggatgaggccctctcctgggactgtttcgccctctcgtgctggctgtggct  
 ctgggctgggtgtgcccacatgctgcatcacctctgtggctgggacctctggtactgcttccacctgtgcctggcc  
 tggcttccctggcgggggcggaagtgggcgagatgaggatgcctgccctacgatgccttctggtgtcttcgac  
 35 aaaacgcagagcgcagtggcagactgggtgtacaacgagcttcgggggcagctggaggagtgcctggtggcgctgg  
 gcatcgcctgtgctggaggaaacgcgacttgcctggcga aaacctctttgagaacctggtgcctgcgctc  
 tatggcagccgcaagacgctgtttgtgctggcccacacggaccgggtcagtggtctcttgccgcgcagcttccctg  
 ctggcccagcagcgcctgctggaggaccgcaaggacgtcgtggtgctggtgatcctgagccctgacggccgcgc  
 tcccgtacgtgcggtgcgccagcgcctctgcgcagagtgctcctccttgggccccaccagccagtggtcag  
 40 cgcagcttctggggccagctgggcatggcctgaccagggacaaccaccacttctataaccggaacttctgccag  
 ggacccacggccgaatagccgtgagccggaatcctgcacggtgccacctccacactcacctcacctctgctgcc  
 tggctgaccctccctgctgcctccctcacccacacctgacacagaca

## SEQ ID NO:36 (Human TLR9)

atgggtttctgcccagcgccttgcacccgctgtctctcctgggtgcaggccatcatgctggccatgacctggcc  
 ctgggtaccttgccctgccttccctaccctgtgagctccagccccacggcctgggtgaactgcaactggctgttccctg  
 aagtctgtgccccacttctccatggcagcaccctgggcaatgtcaccagccttccctgtcctccaaccgcatc  
 caccacctccatgattctgactttgccacactgcccagcctgcgccatctcaacctcaagtggaaactgcccgcg  
 gttggcctcagccccatgcacttccctgccacatgaccatcgagcccagcaccttcttggtgtgcccacccctg  
 50 gaagagctaaacctgagctacaacaacatcatgactgtgcctgcgctgccc aaatccctcatatccctgtccctc  
 agccataccaacatcctgatgctagactctgccagcctgcgcggcctgcatgccctgcgcttccatctatggac  
 ggcaactgttattacaagaaccctgcaggcaggcactggagggtggccccgggtgccctccttgccctgggcaac  
 ctacccacctgtcactcaagtacaacaacctcactgtgggtgcccgc aaacctgccttccagcctggagtatctg  
 ctgttgcctacaaccgcatcgtcaaacctggcgctgaggacctggccaatctgaccgcccctgcgtgtgctcgat  
 55 gtggggggaaattgcccgcgctgcgaccacgctcccaaccctgcatggagtgcctcgtcacttccccagcta  
 catcccgataccttcagccacctgagccgtcttgaggcctgggtgttgaggacagttctctctcctggctgaat  
 gccagttgggtccgtgggctgggaaacctccgagtgtgacctgagtggaaacttccctctacaaatgcatcact

- 28 -

5 aaaaccaaggccttccagggcctaacacagctgcgcaagcttaacctgtccttcaattaccaaagagggtgtcc  
 tttgcccacctgtctctggcccttccctcgggagcctggtcgccctgaaggagctggacatgcacggcatcttc  
 ttccgctcactcgatgagaccagctccggccactggcccgctgcccatgtccagactctgcgtctgcagatg  
 aacttcatcaaccaggccagctcggcatcttcagggccttccctggcctgcgctacgtggacctgtcggacaac  
 10 cgcacagcggagcttcggagctgacagccaccatgggggagggagatggaggggagaaggtctggctgcagcct  
 ggggaccttgcctcggcccccagtggaactcccagctctgaagacttcaggcccaactgcagcacccctcaacttc  
 acctggatctgtcacggaacaacctggtgacctgcagccggagatgtttgccagctctcgcacctgcagtgc  
 ctgcgcttgagccacaactgcacatctcgaggcagtcattggtccagttcctgcgctgaccggtctgcaggtg  
 ctagacctgtcccgcaataagctggacctctaccacgagcactcattcacggagctaccgcgactggaggccctg  
 15 gacctcagctacaacagccagccctttggcatgcagggcgtgggccacaacttcagcttcgtggctcacctgcgc  
 accctgcgccacctcagctggcccaacaacatccacagccaagtgtcccagcagctctgcagtacgtcgtg  
 cgggaccttgacttcagcggcaatgcactggcccatatgtggccgagggagacctctatctgcacttcttccaa  
 ggctgagcgggttgatctggtgacttgcctcagaaccgcctgcacacctcctgccccaaacctgcgcaac  
 ctccccaaagagcctacaggtgctgctcctcgtagacaattacctggccttctttaagtggtggagcctccacttc  
 20 ctgcccactggaagtctcgacctggcaggaaccggctgaaggccctgaccaatggcagcctgctgctggc  
 accggctccggaggctggatgtcagctgcaacagcatcagcttcgtggccccggcttctttccaaggccaag  
 gagctgcgagagctcaaccttagcgccaacgcctcaagacagtggaacctcctgggttggggccctgtgctg  
 gccctgcaataactagatgtaagcgccaacctctgcactgcgcctgtggggcgccctttatggacttctgctg  
 gaggtgcaggctgcctgccccggctgcccagccgggtgaagtgtggcagtcggggccagctccagggcctcagc  
 atctttgcacaggacctgcgcctctgcctggatgaggccctctcctgggactgtttcgcc

In addition to the foregoing native rat, porcine, bovine, equine, and ovine TLR9  
 polypeptides and nucleic acid molecules encoding them, chimeric TLR9 polypeptides and  
 nucleic acid molecules encoding them are provided by the invention. The chimeric  
 25 polypeptides include at least one amino acid substitution based on a comparison of  
 conserved and non-conserved amino acids among at least two of rat, murine, porcine, bovine,  
 equine, ovine, canine, feline, and human TLR9. The information contained in a multiple  
 sequence alignment of these various TLR9 polypeptide sequences, provided for example in  
 Figure 1, can be used to identify and select individual amino acid positions and even  
 30 individual amino acids to substitute in designing a chimeric TLR9. The substitution or  
 substitutions can be effected using methods known to those of ordinary skill in molecular  
 biology. Nucleic acids encoding the native or chimeric polypeptides of the invention can be  
 inserted into an expression vector and used to express TLR9 polypeptide.

A conservative amino acid substitution shall refer to a substitution of a first amino  
 35 acid for a second amino acid, wherein side chains of the first amino acid and the second  
 amino acid share similar features in terms of hydrophobicity, size, aromaticity, or tendency to  
 alter conformation. For example, conservative amino acid substitutions generally may be  
 made between members within each of the following groups: hydrophobic (A, I, L, M, V),  
 neutral (C, S, T), acidic (D, E), basic (H, K, N, Q, R), and aromatic (F, W, Y). A non-  
 40 conservative amino acid substitution refers to any other amino acid substitution.

- 29 -

An expression vector for TLR9 will include at least a nucleotide sequence coding for a TLR9, or a fragment thereof coding for a functional TLR9 polypeptide, operably linked to a gene expression sequence which can direct the expression of the TLR9 nucleic acid within a eukaryotic or prokaryotic cell. A "gene expression sequence" is any regulatory nucleotide sequence, such as a promoter sequence or promoter-enhancer combination, which facilitates the efficient transcription and translation of the nucleic acid to which it is operably linked. With respect to TLR9 nucleic acid, the "gene expression sequence" is any regulatory nucleotide sequence, such as a promoter sequence or promoter-enhancer combination, which facilitates the efficient transcription and translation of the TLR9 nucleic acid to which it is operably linked. The gene expression sequence may, for example, be a mammalian or viral promoter, such as a constitutive or inducible promoter. Constitutive mammalian promoters include, but are not limited to, the promoters for the following genes: hypoxanthine phosphoribosyl transferase (HPRT), adenosine deaminase, pyruvate kinase,  $\beta$ -actin promoter, and other constitutive promoters. Exemplary viral promoters which function constitutively in eukaryotic cells include, for example, promoters from the simian virus (e.g., SV40), papillomavirus, adenovirus, human immunodeficiency virus (HIV), Rous sarcoma virus (RSV), cytomegalovirus (CMV), the long terminal repeats (LTR) of Moloney murine leukemia virus and other retroviruses, and the thymidine kinase (TK) promoter of herpes simplex virus. Other constitutive promoters are known to those of ordinary skill in the art. The promoters useful as gene expression sequences of the invention also include inducible promoters. Inducible promoters are expressed in the presence of an inducing agent. For example, the metallothionein (MT) promoter is induced to promote transcription and translation in the presence of certain metal ions. Other inducible promoters are known to those of ordinary skill in the art.

In general, the gene expression sequence shall include, as necessary, 5' non-transcribing and 5' non-translating sequences involved with the initiation of transcription and translation, respectively, such as a TATA box, capping sequence, CAAT sequence, and the like. Especially, such 5' non-transcribing sequences will include a promoter region which includes a promoter sequence for transcriptional control of the operably joined nucleic acid coding sequence for a TLR9 polypeptide. The gene expression sequences optionally include enhancer sequences or upstream activator sequences as desired.

- 30 -

Generally a nucleic acid coding sequence and a gene expression sequence are said to be “operably linked” when they are covalently linked in such a way as to place the transcription and/or translation of the nucleic acid coding sequence under the influence or control of the gene expression sequence. Thus the TLR9 nucleic acid coding sequence and the gene expression sequence are said to be “operably linked” when they are covalently linked in such a way as to place the transcription and/or translation of the TLR9 nucleic acid coding sequence under the influence or control of the gene expression sequence. If it is desired that the TLR9 sequence be translated into a functional protein, two DNA sequences are said to be operably linked if induction of a promoter in the 5' gene expression sequence results in the transcription of the TLR9 sequence and if the nature of the linkage between the two DNA sequences does not (1) result in the introduction of a frame-shift mutation, (2) interfere with the ability of the promoter region to direct the transcription of the TLR9 sequence, or (3) interfere with the ability of the corresponding RNA transcript to be translated into a protein. Thus, a gene expression sequence would be operably linked to a TLR9 nucleic acid sequence if the gene expression sequence were capable of effecting transcription of that TLR9 nucleic acid sequence such that the resulting transcript might be translated into the desired TLR9 protein or polypeptide.

A “TLR9 ligand” as used herein refers to a molecule that specifically binds a TLR9 polypeptide. In one embodiment the TLR9 ligand specifically binds a TLR9 polypeptide corresponding to at least a ligand-binding portion of the extracellular domain of TLR9. In most instances a TLR9 ligand will also induce TLR9 signaling when contacted with TLR9 under suitable conditions. TLR9 signaling refers to TLR/IL-1R signal transduction mediated through the TLR9, as described in further detail elsewhere herein. As mentioned above, CpG nucleic acids have been reported to be TLR9 ligands, but TLR9 ligands may include other entities as well, including, for example, small molecules. As also previously mentioned, there appears to be a species-specific preference for at least certain TLR9s and certain CpG motifs. As used herein, a species-preferred CpG DNA refers to a particular CpG DNA that is optimized for signal induction by a TLR9 of a particular species. A CpG DNA that is optimized for signal induction by a TLR9 of a particular species refers to a CpG DNA having a sequence that preferentially binds to and/or induces signaling by TLR9 of that species. For example, a human-preferred CpG DNA shall refer to a CpG DNA that optimally stimulates human TLR9 to signal through its TIR domain. Likewise, a murine-preferred CpG DNA



- 31 -

shall refer to a CpG DNA that optimally stimulates murine TLR9 to signal through its TIR domain. Examples of human-preferred and murine-preferred CpG DNA are ODN 2006 (SEQ ID NO:58) and 1668 (SEQ ID NO:60), respectively.

The binding and species specificity of TLR9s are believed to be influenced by key amino acids present in the extracellular domain of TLR9. Key amino acids in a TLR9 as used herein refer to those amino acids which contribute significantly to ligand binding and ligand specificity of a particular TLR9 polypeptide.

A "CpG nucleic acid" or a "CpG immunostimulatory nucleic acid" as used herein is a nucleic acid containing at least one unmethylated CpG dinucleotide (cytosine-guanine dinucleotide sequence, i.e., "CpG DNA" or DNA containing a 5' cytosine followed by 3' guanine and linked by a phosphate bond) which activates a component of the immune system. The entire CpG nucleic acid can be unmethylated or portions may be unmethylated but at least the C of the 5' CG 3' must be unmethylated.

In one embodiment a CpG nucleic acid is represented by at least the formula:

5'-N<sub>1</sub>X<sub>1</sub>CGX<sub>2</sub>N<sub>2</sub>-3'

wherein X<sub>1</sub> and X<sub>2</sub> are nucleotides, N is any nucleotide, and N<sub>1</sub> and N<sub>2</sub> are nucleic acid sequences composed of from about 0-25 N's each. In some embodiments X<sub>1</sub> is adenine, guanine, or thymine and/or X<sub>2</sub> is cytosine, adenine, or thymine. In other embodiments X<sub>1</sub> is cytosine and/or X<sub>2</sub> is guanine.

Nucleic acids having modified backbones, such as phosphorothioate backbones, also fall within the class of immunostimulatory nucleic acids. U.S. Pat. Nos. 5,723,335 and 5,663,153 issued to Hutcherson, et al. and related PCT publication WO95/26204 describe immune stimulation using phosphorothioate oligonucleotide analogues. These patents describe the ability of the phosphorothioate backbone to stimulate an immune response in a non-sequence specific manner.

An immunostimulatory nucleic acid molecule, including for example a CpG DNA, may be double-stranded or single-stranded. Generally, double-stranded molecules may be more stable *in vivo*, while single-stranded molecules may have increased activity. The terms "nucleic acid" and "oligonucleotide" refer to multiple nucleotides (i.e., molecules comprising a sugar (e.g., ribose or deoxyribose) linked to a phosphate group and to an exchangeable organic base, which is either a substituted pyrimidine (e.g., cytosine (C), thymine (T) or uracil (U)) or a substituted purine (e.g., adenine (A) or guanine (G)) or a modified base. As

- 32 -

used herein, the terms "nucleic acid" and "oligonucleotide" refer to oligoribonucleotides as well as oligodeoxyribonucleotides. The terms shall also include polynucleosides (i.e., a polynucleotide minus the phosphate) and any other organic base-containing polymer. The terms "nucleic acid" and "oligonucleotide" also encompass nucleic acids or oligonucleotides with a covalently modified base and/or sugar. For example, they include nucleic acids having backbone sugars which are covalently attached to low molecular weight organic groups other than a hydroxyl group at the 2' position and other than a phosphate group at the 5' position. Thus modified nucleic acids may include a 2'-O-alkylated ribose group. In addition, modified nucleic acids may include sugars such as arabinose instead of ribose. Thus the nucleic acids may be heterogeneous in backbone composition thereby containing any possible combination of polymer units linked together such as peptide-nucleic acids (which have amino acid backbone with nucleic acid bases). In some embodiments the nucleic acids are homogeneous in backbone composition.

The substituted purines and pyrimidines of the immunostimulatory nucleic acids include standard purines and pyrimidines such as cytosine as well as base analogs such as C-5 propyne substituted bases. Wagner RW et al. (1996) *Nat Biotechnol* 14:840-4. Purines and pyrimidines include but are not limited to adenine, cytosine, guanine, thymine, 5-methylcytosine, 2-aminopurine, 2-amino-6-chloropurine, 2,6-diaminopurine, hypoxanthine, and other naturally and non-naturally occurring nucleobases, substituted and unsubstituted aromatic moieties.

The immunostimulatory nucleic acid is a linked polymer of bases or nucleotides. As used herein with respect to linked units of a nucleic acid, "linked" or "linkage" means two entities are bound to one another by any physicochemical means. Any linkage known to those of ordinary skill in the art, covalent or non-covalent, is embraced. Such linkages are well known to those of ordinary skill in the art. Natural linkages, which are those ordinarily found in nature connecting the individual units of a nucleic acid, are most common. The individual units of a nucleic acid may be linked, however, by synthetic or modified linkages.

Whenever a nucleic acid is represented by a sequence of letters it will be understood that the nucleotides are in 5' to 3' (or equivalent) order from left to right and that "A" denotes adenine, "C" denotes cytosine, "G" denotes guanine, "T" denotes thymidine, and "U" denotes uracil unless otherwise noted.

- 33 -

Immunostimulatory nucleic acid molecules useful according to the invention can be obtained from natural nucleic acid sources (e.g., genomic nuclear or mitochondrial DNA or cDNA), or are synthetic (e.g., produced by oligonucleotide synthesis). Nucleic acids isolated from existing nucleic acid sources are referred to herein as native, natural, or isolated nucleic acids. The nucleic acids useful according to the invention may be isolated from any source, including eukaryotic sources, prokaryotic sources, nuclear DNA, mitochondrial DNA, etc. Thus, the term nucleic acid encompasses both synthetic and isolated nucleic acids.

The immunostimulatory nucleic acids can be produced on a large scale in plasmids, (see *Molecular Cloning: A Laboratory Manual*, J. Sambrook, et al., eds., Second Edition, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York, 1989) and separated into smaller pieces or administered whole. After being administered to a subject the plasmid can be degraded into oligonucleotides. One skilled in the art can purify viral, bacterial, eukaryotic, etc. nucleic acids using standard techniques, such as those employing restriction enzymes, exonucleases or endonucleases.

For use in the instant invention, the immunostimulatory nucleic acids can be synthesized *de novo* using any of a number of procedures well known in the art. For example, the  $\beta$ -cyanoethyl phosphoramidite method (Beaucage SL and Caruthers MH, *Tetrahedron Let* 22:1859 (1981)); nucleoside H-phosphonate method (Garegg et al., *Tetrahedron Let* 27:4051-4054 (1986); Froehler et al., *Nucl Acid Res* 14:5399-5407 (1986); Garegg et al., *Tetrahedron Let* 27:4055-4058 (1986); Gaffney et al., *Tetrahedron Let* 29:2619-2622 (1988)). These chemistries can be performed by a variety of automated oligonucleotide synthesizers available in the market.

The immunostimulatory nucleic acid may be any size of at least 6 nucleotides but in some embodiments are in the range of between 6 and 100 or in some embodiments between 8 and 35 nucleotides in size. Immunostimulatory nucleic acids can be produced on a large scale in plasmids. These may be administered in plasmid form or alternatively they can be degraded into oligonucleotides before administration.

A "stabilized immunostimulatory nucleic acid" shall mean a nucleic acid molecule that is relatively resistant to *in vivo* degradation (e.g., via an exo- or endo-nuclease).

Stabilization can be a function of length or secondary structure. Nucleic acids that are tens to hundreds of kbs long are relatively resistant to *in vivo* degradation. For shorter nucleic acids, secondary structure can stabilize and increase their effect. For example, if the 3' end of an

- 34 -

oligonucleotide has self-complementarity to an upstream region, so that it can fold back and form a sort of stem loop structure, then the oligonucleotide becomes stabilized and therefore exhibits more activity.

Some stabilized immunostimulatory nucleic acids have a modified backbone. It has  
5 been demonstrated that modification of the oligonucleotide backbone provides enhanced activity of the immunostimulatory nucleic acids when administered *in vivo*. Nucleic acids, including at least two phosphorothioate linkages at the 5' end of the oligonucleotide and multiple phosphorothioate linkages at the 3' end, preferably 5, may provide maximal activity and protect the oligonucleotide from degradation by intracellular exo- and endo-nucleases.  
10 Other modified oligonucleotides include phosphodiester modified oligonucleotide, combinations of phosphodiester and phosphorothioate oligonucleotide, methylphosphonate, methylphosphorothioate, phosphorodithioate, and combinations thereof. Each of these combinations and their particular effects on immune cells is discussed in more detail in U.S. Pat. Nos. 6,194,388 and 6,207,646, the entire contents of which are incorporated herein by  
15 reference. It is believed that these modified oligonucleotides may show more stimulatory activity due to enhanced nuclease resistance, increased cellular uptake, increased protein binding, and/or altered intracellular localization. Both phosphorothioate and phosphodiester nucleic acids are active in immune cells.

Other stabilized immunostimulatory nucleic acids include: nonionic DNA analogs,  
20 such as alkyl- and aryl-phosphates (in which the charged phosphonate oxygen is replaced by an alkyl or aryl group), phosphodiester and alkylphosphotriesters, in which the charged oxygen moiety is alkylated. Oligonucleotides which contain diol, such as tetraethyleneglycol or hexaethyleneglycol, at either or both termini have also been shown to be substantially resistant to nuclease degradation.

25 Phosphorothioate nucleic acid molecules may be synthesized using automated techniques employing either phosphoramidate or H-phosphonate chemistries. Aryl- and alkyl-phosphonates can be made, e.g., as described in U.S. Pat. No. 4,469,863; and alkylphosphotriesters (in which the charged oxygen moiety is alkylated as described in U.S. Pat. No. 5,023,243 and European Patent No. 092,574) can be prepared by automated solid  
30 phase synthesis using commercially available reagents. Methods for making other DNA backbone modifications and substitutions have been described. Uhlmann E and Peyman A (1990) *Chem Rev* 90:544; Goodchild J (1990) *Bioconjugate Chem* 1:165.

- 35 -

Other sources of immunostimulatory nucleic acids useful according to the invention include standard viral and bacterial vectors, many of which are commercially available. In its broadest sense, a "vector" is any nucleic acid material which is ordinarily used to deliver and facilitate the transfer of nucleic acids to cells. The vector as used herein may be an empty  
 5 vector or a vector carrying a gene which can be expressed. In the case when the vector is carrying a gene the vector generally transports the gene to the target cells with reduced degradation relative to the extent of degradation that would result in the absence of the vector. In this case the vector optionally includes gene expression sequences to enhance expression of the gene in target cells such as immune cells, but it is not required that the gene  
 10 be expressed in the cell.

Nucleic acid-binding fragments of TLRs are believed to include the extracytoplasmic (extracellular) domain or subportions thereof, such as those which include at least an MBD motif, a CXXC motif, or both an MBD motif and a CXXC motif.

Both mouse and human TLR9 have an N-terminal extension of approximately 180  
 15 amino acids compared to other TLRs. An insertion also occurs at amino acids 253-268, which is not found in TLRs 1-6 but is present in human TLR7 and human TLR8. This insert has two CXXC motifs which participate in forming a CXXC domain. The CXXC domain resembles a zinc finger motif and is found in DNA-binding proteins and in certain specific CpG binding proteins, e.g., methyl-CpG binding protein-1 (MBD-1). Fujita N et al. (2000)  
 20 *Mol Cell Biol* 20:5107-18. Both human and mouse TLR9 CXXC domains occur at aa 253-268:

CXXC motif:	GNCXXCXXXXXXCXXC	SEQ ID NO:62
Human TLR9:	GNCRRCDHAPNPCMEC	SEQ ID NO:63
25 Murine TLR9:	GNCRRCDHAPNPCMIC	SEQ ID NO:64

An additional motif believed to be involved in CpG binding is the MBD motif, also found in MBD-1, listed below as SEQ ID NO:53. Fujita, N et al.(2000) *Mol Cell Biol* 20:5107-18; Ohki I et al. (1999) *EMBO J* 18:6653-61. Amino acids 524-554 of hTLR9 and  
 30 aa 525-555 of mTLR9 correspond to the MBD motif of MBD-1 as shown:

MBD motif:

- 36 -

	MBD-1	R-XXXXXXX-R-X-D-X-Y-XXXXXXXXX-R-S-XXXXXX-Y	SEQ ID NO:65
	hTLR9	Q-XXXXXXX-K-X-D-X-Y-XXXXXXXXX-R-L-XXXXXX-Y	SEQ ID NO:66
	mTLR9	Q-XXXXXXX-K-X-D-X-Y-XXXXXXXXX-Q-L-XXXXXX-Y	SEQ ID NO:67
5	hTLR9	Q-VLDLSRN-K-L-D-L-Y-HEHSFTELP-R-L-EALDLS-Y	SEQ ID NO:68
	mTLR9	Q-VLDLSHN-K-L-D-L-Y-HWKSFSLEP-Q-L-QALDLS-Y	SEQ ID NO:69

Although the signaling functions of MBD-1 and TLR9 are quite different, the core D-X-Y is conserved and is believed to be involved in CpG binding.

10 According to another aspect of the invention, a screening method is provided for identifying an immunostimulatory compound. The method according to this aspect of the invention involves contacting a functional TLR9 with a test compound; detecting presence or absence of a response mediated by a TLR9 signal transduction pathway in the presence of the test compound arising as a result of an interaction between the functional TLR9 and the test  
15 compound; and determining the test compound is an immunostimulatory compound when the presence of a response mediated by the TLR9 signal transduction pathway is detected.

An immunostimulatory compound is a natural or synthetic compound that is capable of inducing an immune response when contacted with an immune cell. A TLR9 ligand that is an immunostimulatory compound is a natural or synthetic compound that is capable of  
20 inducing an immune response when contacted with an immune cell that expresses TLR9. A TLR9 ligand that is an immunostimulatory compound is also a natural or synthetic compound that is capable of inducing a TLR/IL-1R signal transduction pathway when contacted with a TLR9. Immunostimulatory compounds include but are not limited to immunostimulatory nucleic acids. The immunostimulatory compound can be, for example, a nucleic acid  
25 molecule, polynucleotide or oligonucleotide, a polypeptide or oligopeptide, a lipid or lipopolysaccharide, a small molecule.

A basis for certain of the screening assays is the presence of a functional TLR9 in a cell. The functional TLR9 in some instances is naturally expressed by a cell. In other instances, expression of the functional TLR9 can involve introduction or reconstitution of  
30 species-specific TLR9 into a cell or cell line that otherwise lacks the TLR9 or lacks responsiveness to immunostimulatory nucleic acid, resulting in a cell or cell line capable of activating the TLR/IL-1R signaling pathway in response to contact with an

- 37 -

immunostimulatory nucleic acid. In yet other instances, expression of the functional TLR9 can involve introduction of a chimeric or modified TLR9 into a cell or cell line that otherwise lacks the TLR9 or lacks responsiveness to immunostimulatory nucleic acid, resulting in a cell or cell line capable of activating the TLR/IL-1R signaling pathway in response to contact  
5 with an immunostimulatory nucleic acid. Examples of cell lines lacking TLR9 or immunostimulatory nucleic acid responsiveness include, but are not limited to, 293 fibroblasts (ATCC CRL-1573), MonoMac-6, THP-1, U937, CHO, and any TLR9 knock-out. The introduction of the species-specific, chimeric or modified TLR9 into the cell or cell line is preferably accomplished by transient or stable transfection of the cell or cell line with a  
10 TLR9-encoding nucleic acid sequence operatively linked to a gene expression sequence (as described above). Methods for transient and for stable transfection of a cell are well known in the art.

The screening assays can have any of a number of possible readout systems based upon either TLR/IL-1R signaling pathway or other assays useful for assessing response to  
15 immunostimulatory nucleic acids. It has been reported that immune cell activation by CpG immunostimulatory sequences is dependent in some way on endosomal processing.

In certain embodiments, the readout for the screening assay is based on the use of native genes or, alternatively, cotransfected or otherwise co-introduced reporter gene constructs which are responsive to the TLR/IL-1R signal transduction pathway involving  
20 MyD88, TRAF, p38, and/or ERK. Häcker H et al. (1999) *EMBO J* 18:6973-6982. These pathways activate kinases including  $\kappa$ B kinase complex and c-Jun N-terminal kinases. Thus reporter genes and reporter gene constructs particularly useful for the assays can include a reporter gene operatively linked to a promoter sensitive to NF- $\kappa$ B. Examples of such promoters include, without limitation, those for NF- $\kappa$ B, IL-1 $\beta$ , IL-6, IL-8, IL-12 p40, CD80,  
25 CD86, and TNF- $\alpha$ . The reporter gene operatively linked to the TLR-sensitive promoter can include, without limitation, an enzyme (e.g., luciferase, alkaline phosphatase,  $\beta$ -galactosidase, chloramphenicol acetyltransferase (CAT), etc.), a bioluminescence marker (e.g., green-fluorescent protein (GFP, U.S. Pat. No. 5,491,084), blue fluorescent protein, etc.), a surface-expressed molecule (e.g., CD25), and a secreted molecule (e.g., IL-8, IL-12 p40, TNF- $\alpha$ ). In  
30 certain embodiments the reporter is selected from IL-8, TNF- $\alpha$ , NF- $\kappa$ B-luciferase (NF- $\kappa$ B-luc; Häcker H et al. (1999) *EMBO J* 18:6973-6982), IL-12 p40-luc (Murphy TL et al. (1995)

- 38 -

*Mol Cell Biol* 15:5258-5267), and TNF-luc (Häcker H et al. (1999) *EMBO J* 18:6973-6982). At least one of these reporter constructs (NF- $\kappa$ B-luc) is commercially available (Stratagene, La Jolla, CA). In assays relying on enzyme activity readout, substrate can be supplied as part of the assay, and detection can involve measurement of chemiluminescence, fluorescence, color development, incorporation of radioactive label, drug resistance, or other marker of enzyme activity. For assays relying on surface expression of a molecule, detection can be accomplished using FACS analysis or functional assays. Secreted molecules can be assayed using enzyme-linked immunosorbent assay (ELISA) or bioassays. Many such readout systems are well known in the art and are commercially available.

10 According to one embodiment of this method, comparison can be made to a reference immunostimulatory nucleic acid. The reference immunostimulatory nucleic acid may be any suitably selected immunostimulatory nucleic acid, including a CpG nucleic acid. In certain embodiments the screening method is performed using a plurality of test nucleic acids. In certain embodiments comparison of test and reference responses is based on comparison of quantitative measurements of responses in each instance.

15 In another aspect the invention provides a screening method for identifying species specificity of an immunostimulatory nucleic acid. The method involves contacting a TLR9 of a first species with a test immunostimulatory nucleic acid; contacting a TLR9 of a second species with the test immunostimulatory nucleic acid; measuring a response mediated by a TLR signal transduction pathway associated with the contacting the TLR9 of the first species with the test immunostimulatory nucleic acid; measuring a response mediated by the TLR signal transduction pathway associated with the contacting the TLR9 of the second species with the test immunostimulatory nucleic acid; and comparing the two responses. The TLR9 may be expressed by a cell or it may be part of a cell-free system. The TLR9 may be part of a complex, with either another TLR or with another protein, e.g., MyD88, IRAK, TRAF, I $\kappa$ B, NF- $\kappa$ B, or functional homologues and derivatives thereof. Thus for example a given ODN can be tested against a panel of human fibroblast 293 fibroblast cells transfected with TLR9 from various species and optionally cotransfected with a reporter construct sensitive to TLR/IL-1R activation pathways. Thus in another aspect, the invention provides a method for screening species selectivity with respect to a given nucleic acid sequence.

30 Test compounds can include but are not limited to peptide nucleic acids (PNAs), antibodies, polypeptides, carbohydrates, lipids, hormones, and small molecules. Test



- 39 -

compounds can further include variants of a reference immunostimulatory nucleic acid incorporating any one or combination of the substitutions described above. Test compounds can be generated as members of a combinatorial library of compounds.

In preferred embodiments, the screening methods can be performed on a large scale and with high throughput by incorporating, e.g., an array-based assay system and at least one automated or semi-automated step. For example, the assays can be set up using multiple-well plates in which cells are dispensed in individual wells and reagents are added in a systematic manner using a multiwell delivery device suited to the geometry of the multiwell plate. Manual and robotic multiwell delivery devices suitable for use in a high throughput screening assay are well known by those skilled in the art. Each well or array element can be mapped in a one-to-one manner to a particular test condition, such as the test compound. Readouts can also be performed in this multiwell array, preferably using a multiwell plate reader device or the like. Examples of such devices are well known in the art and are available through commercial sources. Sample and reagent handling can be automated to further enhance the throughput capacity of the screening assay, such that dozens, hundreds, thousands, or even millions of parallel assays can be performed in a day or in a week. Fully robotic systems are known in the art for applications such as generation and analysis of combinatorial libraries of synthetic compounds. See, for example, U.S. Pat. Nos. 5,443,791 and 5,708,158.

The following examples are provided for illustrative purposes and are not meant to be limiting in any way.

### Examples

Example 1. Cloning and Sequencing of Rat, Porcine, Bovine, Equine, Ovine, Canine, and Feline TLR9

*Cells and Tissues.* Lymphoid tissues, primarily spleen or blood mononuclear cells (PBMC) from five mammalian species were collected: mouse, pig, bovine, rat and horse. Spleen samples were collected in RNeasy<sup>TM</sup> (Ambion<sup>®</sup>, Austin, TX, USA), stabilized at 4°C overnight and stored at -70°C. Blood samples were centrifuged at 500 x g for 25 min at room temperature and the buffy coat, containing enriched PBMC, was then removed and stored at -70°C. The mouse specimen was used as a comparative positive control.

- 40 -

*First-strand cDNA synthesis.* Total RNA from the spleen and PBMC samples was isolated using a monophasic solution of phenol and guanidine isothiocyanate: TRIzol™ reagent (GIBCO BRL®, Burlington, ON, Canada) according to the manufacturer's instructions. First-strand cDNA was synthesized from the total RNA using  
5 SUPERScript™ II reverse transcriptase (GIBCO BRL®, Burlington, ON, Canada). Approximately 3 µg of total RNA was added to 50 pmoles of oligo(dT) primer [poly T<sub>(18)</sub>]; the mixture was heated to 70°C for 10 min and subsequently chilled on ice. The following was added to the cooled reaction mixture: 1 µl of mixed dNTP stock containing 10 mM each dATP, dCTP, dGTP and dTTP (Amersham Pharmacia Biotech Inc., Baie de Urfe, Quebec) at  
10 neutral pH, 1X first strand buffer (50 mM Tris-HCl pH 8.3/ 75 mM KCl/ 3 mM MgCl<sub>2</sub>) and 2 µl of 0.1 M DTT. The mixture was subsequently heated to 42°C for 2 min, followed by addition of 200 units of SUPERScript™ II reverse transcriptase. The reaction was carried out at 42°C for 50 min, followed by 70°C for 15 min. The first-strand cDNA was used as the template for subsequent polymerase chain reaction (PCR) amplifications.

15 *PCR amplification.* TLR9 gene was PCR amplified from each of the above-mentioned species using primers designed from known mouse and human TLR9 sequence in Genbank: Accession AF314224 and AF259262, respectively. The primers were designed using the primer design software, Clone Manager 5 (Scientific and Educational Software, Durham, NC, USA). TLR9 gene-specific primers used were:  
20 forward primer 5'-ACCTTGCCTGCCTTCCTACCCTGTGA-3' (SEQ ID NO:37) and reverse primer 5'-GTCCGTGTGGGCCAGCACAAA-3' (SEQ ID NO:38).

The 2.7 Kbp fragment was PCR amplified using Advantage® 2 DNA polymerase mix (BD Biosciences Clontech, Palo Alto, CA, USA) according to the manufacturer's instructions. PCR reaction volumes of 25 µl contained 15 pmoles of each primer, 0.2 mM of dNTP mix  
25 and 1 µl of reverse transcription reaction. PCR amplification was conducted by initial denaturation at 94°C for 1 min followed by 30 cycles of 94°C denaturation (15 sec), 65°C annealing (45 sec) and 72°C extensions (2 min), with a final extension at 72°C for 5 min.

*Cloning and sequencing.* The PCR amplified fragment was treated with 500 units of T4 DNA polymerase (Amersham Pharmacia Biotech Inc., Baie de Urfe, Quebec) for 15 min  
30 at room temperature prior to cleaning the reaction with QIAquick PCR purification kit (QIAGEN Inc., Mississauga, ON, Canada). The fragment was then ligated to pZErO™ - 2

- 41 -

vector (Invitrogen™ Life Technologies, Burlington, ON, Canada), treated with *Eco RV* restriction enzyme, using T4 DNA Ligase (GIBCO BRL®, Burlington, ON, Canada). *E. coli* TOP 10 chemically competent cells (Invitrogen™ Life Technologies, Burlington, ON, Canada) were used to transform ligated products. Plasmids containing the 2.7 Kbp fragment were sequenced using an automated DNA sequencer, CEQ™ 2000XL DNA analysis system (Beckman Coulter Inc., Fullerton, CA, USA).

Sequences of the 2.7 Kbp fragment were derived from three clones of each species selected from independent PCR reactions to account for errors that may have been incurred during the PCR amplifications and to confirm the sequence data.

Nucleotide sequences of the rat, porcine, bovine, equine, ovine, canine, and feline TLR9 were extended and completed using standard 5' and 3' RACE PCR and primers designed using the sequences obtained from the 2.7 Kbp fragments.

*Results.* Nucleotide sequences of rat, porcine, bovine, equine, canine, and feline TLR9 cDNA obtained by the methods above are provided as SEQ ID NOs 3, 7, 11, 15, 19, 23, and 27, respectively. Deduced amino acid sequences are provided as SEQ ID NOs 1, 5, 9, 13, 17, 21, and 25, respectively. Deduced amino acid sequences of full-length murine and human TLR9 are provided as SEQ ID NOs 29 and 33, respectively.

#### Example 2. Comparison of Aligned Sequences for TLR9 from Various Mammalian Species.

Multiple sequence alignment of deduced amino acid sequences for feline, canine, bovine, mouse, ovine, porcine, horse, human, and rat TLR9 polypeptides was performed using Clustal W 1.82 (see, for example, [www.cmbi.kun.nl/bioinf/tools/clustalw.shtml](http://www.cmbi.kun.nl/bioinf/tools/clustalw.shtml)). In addition, paired sequence alignment of deduced amino acid sequences for murine and human TLR9 polypeptides was performed using Clustal W 1.82. The results of the multiple sequence alignment are presented in Figure 1. As will be appreciated from Figure 1, certain amino acids are highly conserved across all species examined. Similarly, certain amino acids differ only by conservative amino acid substitutions among the various species. In addition, it is evident that certain amino acids which are conserved between murine and human TLR9 are not conserved in other species. Furthermore, Figure 1 also indicates that certain amino acids are highly divergent across various species. The information provided by the comparison of multiple species adds significantly to the information available by comparison between only murine and human TLR9 sequences.

- 42 -

The putative transmembrane regions of the TLR9 polypeptides are indicated in boxes in Figure 1. Sequence upstream of each transmembrane region is extracellular domain and is believed to include sequence primarily responsible for binding to TLR9 ligands, including CpG DNA. The extracellular domains of feline, canine, bovine, mouse, ovine, porcine, horse, human, and rat TLR9 correspond to amino acids numbered 1-820, 1-822, 1-818, 1-821, 1-818, 1-819, 1-820, 1-820, and 1-821, respectively, as shown in Figure 1.

Figure 2 presents an evolutionary relatedness tree for six TLR9 polypeptides examined. The cladogram in Figure 2 was prepared using Clustal W (see above). As can be appreciated from this figure, murine and human TLR9 are nearly the most divergent TLR9s in this group. Surprisingly, human and horse TLR9 appear relatively closely related.

### Example 3. Reconstitution of TLR9 Signaling in 293 Fibroblasts.

Mouse TLR9 cDNA (SEQ ID NO:31) and human TLR9 cDNA (SEQ ID NO:35) in pT-Adv vector (from Clontech) were individually cloned into the expression vector pcDNA3.1(-) from Invitrogen using the EcoRI site. Utilizing a "gain of function" assay it was possible to reconstitute human TLR9 (hTLR9) and murine TLR9 (mTLR9) signaling in CpG-DNA non-responsive human 293 fibroblasts (ATCC, CRL-1573). The expression vectors mentioned above were transfected into 293 fibroblast cells using the calcium phosphate method.

Since NF- $\kappa$ B activation is central to the IL-1/TLR signal transduction pathway (Medzhitov R et al. (1998) *Mol Cell* 2:253-258; Muzio M et al. (1998) *J Exp Med* 187:2097-101), cells were transfected with hTLR9 or co-transfected with hTLR9 and an NF- $\kappa$ B-driven luciferase reporter construct. Human fibroblast 293 cells were transiently transfected with hTLR9 and a six-times NF- $\kappa$ B-luciferase reporter plasmid (NF- $\kappa$ B-luc) or with hTLR9 alone. After stimulus with CpG-ODN (2006, 2 $\mu$ M, TCGTCGTTTTGTCGTTTTGTCGTT, SEQ ID NO:58), GpC-ODN (2006-GC, 2 $\mu$ M, TGCTGCTTTTGTGCTTTTGTGCTT, SEQ ID NO:59), LPS (100 ng/ml) or media, NF- $\kappa$ B activation by luciferase readout (8h) or IL-8 production by ELISA (48h) were monitored. Results representative of three independent experiments showed that cells expressing hTLR9 responded to CpG-DNA but not to LPS.

Independently, human fibroblast 293 cells were transiently transfected with mTLR9 and the NF- $\kappa$ B-luc construct or with mTLR9 alone. After stimulation with CpG-ODN (1668, 2 $\mu$ M; TCCATGACGTTTCCTGATGCT, SEQ ID NO:60), GpC-ODN (1668-GC, 2 $\mu$ M;

- 43 -

TCCATGAGCTTCCTGATGCT, SEQ ID NO:61), LPS (100 ng/ml) or media, NF- $\kappa$ B activation by luciferase readout (8h) or IL-8 production by ELISA (48h) were monitored. Results showed that expression of TLR9 (human or mouse) in 293 cells results in a gain of function for CpG-DNA stimulation.

5 To generate stable clones expressing human TLR9, murine TLR9, or either TLR9 with the NF- $\kappa$ B-luc reporter plasmid, 293 cells were transfected in 10 cm plates ( $2 \times 10^6$  cells/plate) with 16  $\mu$ g of DNA and selected with 0.7 mg/ml G418 (PAA Laboratories GmbH, Cölbe, Germany). Clones were tested for TLR9 expression by RT-PCR. The clones were also screened for IL-8 production or NF- $\kappa$ B-luciferase activity after stimulation with  
10 ODN. Four different types of clones were generated.

293-hTLR9-luc:	expressing human TLR9 and 6-fold NF- $\kappa$ B-luciferase reporter
293-mTLR9-luc:	expressing murine TLR9 and 6-fold NF- $\kappa$ B-luciferase reporter
293-hTLR9:	expressing human TLR9
15 293-mTLR9:	expressing murine TLR9

Results indicated that stable clones also responded to CpG-ODN.

Example 4. Similar ODN Sequence Specificity of TLR9 of Human and Equine TLR9.

20  $3 \times 10^6$  293T cells were electroporated with 5  $\mu$ g NF- $\kappa$ B-luc plasmid and 5  $\mu$ g of either horse TLR9-pcDNA3.1 plasmid or humanTLR9-pcDNA3.1 plasmid at 200V, 975  $\mu$ F. After the electroporation the cells were plated in 96-well cell culture plates at  $2.5 \times 10^4$  cells per well and grown overnight at 37°C. The cells were stimulated with the indicated concentration of ODN for 16h, after which the supernatant was removed and the cells lysed in lysis buffer and  
25 frozen for at least 2 hours at -80°C. Luciferase activity was measured by adding Luciferase Assay substrate from Promega. Values are given as fold specific induction over non-stimulated control. Results are shown in Figure 3.

As shown in Figure 3, ODN 2006 (TCGTCGTTTTGTCGTTTTGTCGTT; SEQ ID NO:58) has a strong specificity for human TLR9. ODN 1982  
30 (TCCAGGACTTCTCTCAGGTT; SEQ ID NO:70) was the negative control ODN. ODN 5890 (TCCATGACGTTTTTGATGTT; SEQ ID NO:39) has a strong specificity for mouse

- 44 -

TLR9. This experiment demonstrates the similarity of horse TLR9 to human TLR9 in binding specificity, a result predicted by the evolutionary relatedness of horse TLR9 to human TLR9. Mouse TLR9 is more distant from horse TLR9 and human TLR9 in sequence homology, and ODN 5890 was not detected by either human or horse TLR9.

5

Example 5. Non-human, Non-murine Native Mammalian TLR9 Useful in Screening for Human-Preferred CpG DNA.

Native rat, porcine, bovine, equine, and ovine TLR9 polypeptides are screened for binding or TLR9 signaling activity when contacted with human-preferred CpG DNA (ODN 2006). Rat, porcine, bovine, equine, or ovine TLR9 polypeptides which exhibit significant TLR9 binding or TLR9 signaling activity in this assay are then used as the basis for screening for additional human-preferred CpG DNA. An expression vector containing a nucleic acid sequence encoding a selected native rat, porcine, bovine, equine, or ovine TLR9 polypeptide, and optionally a reporter construct, is introduced into cells which do not express TLR9. The cells expressing the selected native rat, porcine, bovine, equine, or ovine TLR9 polypeptide are contacted with candidate human-preferred CpG DNA. Candidate human-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as human-preferred CpG DNA.

20 Example 6. Chimeric TLR9 Useful in Screening for Human-Preferred CpG DNA.

Chimeric TLR9 polypeptides are screened for binding or TLR9 signaling activity when contacted with human-preferred CpG DNA (ODN 2006). Chimeric TLR9 polypeptides which exhibit significant TLR9 binding or TLR9 signaling activity in this assay are then used as the basis for screening for additional human-preferred CpG DNA. An expression vector containing a nucleic acid sequence encoding a selected chimeric TLR9 polypeptide, and optionally a reporter construct, is introduced into cells which do not express TLR9. The cells expressing the selected chimeric TLR9 polypeptide are contacted with candidate human-preferred CpG DNA. Candidate human-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as human-preferred CpG DNA.

30

Example 7. Chimeric TLR9 Responsive to Both Human-Preferred and Murine-Preferred CpG DNA.

- 45 -

Chimeric TLR9 polypeptides are screened for binding or TLR9 signaling activity when contacted with human-preferred CpG DNA (ODN 2006) and also screened for binding or TLR9 signaling activity when contacted with murine-preferred CpG DNA (ODN 1668). Chimeric TLR9 polypeptides which exhibit significant TLR9 binding or TLR9 signaling activity in each of these assays are then used as the basis for screening for additional human-preferred CpG DNA and for screening for additional murine-preferred CpG DNA. An expression vector containing a nucleic acid sequence encoding a selected chimeric TLR9 polypeptide, and optionally a reporter construct, is introduced into cells which do not express TLR9. The cells expressing the selected chimeric TLR9 polypeptide are contacted with candidate human-preferred CpG DNA or candidate murine-preferred CpG DNA. Candidate human-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as human-preferred CpG DNA. Candidate murine-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as murine-preferred CpG DNA.

### Equivalents

The foregoing written specification is considered to be sufficient to enable one skilled in the art to practice the invention. The present invention is not to be limited in scope by examples provided, since the examples are intended as a single illustration of one aspect of the invention and other functionally equivalent embodiments are within the scope of the invention. Various modifications of the invention in addition to those shown and described herein will become apparent to those skilled in the art from the foregoing description and fall within the scope of the appended claims. The advantages of the invention are not necessarily encompassed by each embodiment of the invention.

All references, patents and patent publications that are recited in this application are incorporated in their entirety herein by reference.

We claim:

- 46 -

### Claims

1. An isolated polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:1, SEQ ID NO:5, SEQ ID NO:9, SEQ ID NO:13, and SEQ ID NO:17.  
5
2. An isolated polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:2, SEQ ID NO:6, SEQ ID NO:10, SEQ ID NO:14, and SEQ ID NO:18.
3. An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a  
10 polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:1, SEQ ID NO:5, SEQ ID NO:9, SEQ ID NO:13, and SEQ ID NO:17.
4. An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:2, SEQ  
15 ID NO:6, SEQ ID NO:10, SEQ ID NO:14, and SEQ ID NO:18.
5. A vector comprising the nucleic acid of any of claims 3-4.
6. A cell comprising the vector of claim 5.  
20
7. An antibody or fragment thereof that binds specifically to the polypeptide of any of claims 1-2.
8. A method for identifying key amino acids in a TLR9 of a first species which  
25 confer specificity for CpG DNA optimized for TLR9 of the first species, comprising:  
aligning protein sequences of TLR9 of a first species, TLR9 of a second species, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for TLR9 of the first species rather than when contacted with a CpG DNA optimized for TLR9 of the second species;  
30 generating an initial set of candidate amino acids in the TLR9 of the first species by excluding each amino acid in the TLR9 of the first species which (a) is identical with the



- 47 -

TLR9 of the second species or (b) differs from the TLR9 of the second species only by conservative amino acid substitution;

generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in the TLR9 of the first species which (a) is identical with the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and

identifying as key amino acids in the TLR9 of the first species each amino acid in the refined set of candidate amino acids.

10 9. A method for identifying key amino acids in human TLR9 which confer specificity for CpG DNA optimized for human TLR9, comprising:

aligning protein sequences of human TLR9, murine TLR9, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for human TLR9 rather than when contacted with a CpG DNA optimized for murine TLR9;

generating an initial set of candidate amino acids in human TLR9 by excluding each amino acid in human TLR9 which (a) is identical with murine TLR9 or (b) differs from murine TLR9 only by conservative amino acid substitution;

generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in human TLR9 which (a) is identical with the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and

identifying as key amino acids in human TLR9 each amino acid in the refined set of candidate amino acids.

25

10. The method according to claim 9, performed iteratively with a plurality of TLR9s derived from different species other than human and mouse, wherein for each TLR9 the refined set of candidate amino acids is assigned a weight, said weight corresponding to a ratio equal to (responsiveness to human-preferred CpG DNA)/(responsiveness to murine-preferred CpG DNA).

30

- 48 -

11. An isolated polypeptide comprising an amino acid sequence identical to SEQ ID NO:30 except for substitution of at least one key amino acid identified according to the method of any of claims 9 or 10.

5           12. An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide according to claim 11.

13. A vector comprising the nucleic acid of claim 12.

10           14. A cell comprising the vector of claim 13.

15. An antibody that binds specifically to the polypeptide of claim 14.

16. A screening method to identify a TLR9 ligand, comprising:  
15           contacting a polypeptide according to any of claims 1, 2, or 11 with a candidate TLR9 ligand;  
              measuring a signal in response to the contacting; and  
              identifying the candidate TLR9 ligand as a TLR9 ligand when the signal in response to the contacting is consistent with TLR9 signaling.

20           17. The method of claim 16, wherein the signal comprises expression of a reporter gene responsive to TLR/IL-1R signal transduction pathway.

18. The method of claim 17, wherein the reporter gene is operatively linked to a  
25           promoter sensitive to NF- $\kappa$ B.

19. The method of claim 17, wherein the candidate TLR9 ligand is an immunostimulatory nucleic acid.

30           20. The method of claim 19, wherein the immunostimulatory nucleic acid is CpG DNA.

- 49 -

21. A screening method to identify species-specific CpG-motif preference of an isolated polypeptide of claim 2 or claim 11, comprising:

contacting an isolated polypeptide of claim 2 or claim 11 with a CpG DNA comprising a hexamer sequence selected from the group consisting of GACGTT, AACGTT, CACGTT, TACGTT, GGC GTT, GCCGTT, GTCGTT, GATGTT, GAAGTT, GAGGTT, GACATT, GACCTT, GACTTT, GACGCT, GACGAT, GACGGT, GACGTC, GACGTA, and GACGTG;

measuring a signal in response to the contacting; and

identifying a species-specific CpG-motif preference when the signal in response to the contacting is consistent with TLR9 signaling.

22. The method of claim 21, wherein the signal comprises expression of a reporter gene responsive to TLR/IL-1R signal transduction pathway.

23. The method of claim 17, wherein the reporter gene is operatively linked to a promoter sensitive to NF- $\kappa$ B.

24. The method of claim 21, wherein the CpG DNA is an oligodeoxynucleotide having a sequence selected from the group consisting of

20	TCCATGACGTTTTTTGATGTT	(SEQ ID NO:39),
	TCCATAACGTTTTTTGATGTT	(SEQ ID NO:40),
	TCCATCACGTTTTTTGATGTT	(SEQ ID NO:41),
	TCCATTACGTTTTTTGATGTT	(SEQ ID NO:42),
	TCCATGGCGTTTTTTGATGTT	(SEQ ID NO:43),
25	TCCATGCCGTTTTTTGATGTT	(SEQ ID NO:44),
	TCCATGTCGTTTTTTGATGTT	(SEQ ID NO:45),
	TCCATGATGTTTTTTGATGTT	(SEQ ID NO:46),
	TCCATGAAGTTTTTTGATGTT	(SEQ ID NO:47),
	TCCATGAGGTTTTTTGATGTT	(SEQ ID NO:48),
30	TCCATGACATTTTTGATGTT	(SEQ ID NO:49),
	TCCATGACCTTTTTGATGTT	(SEQ ID NO:50),
	TCCATGACTTTTTGATGTT	(SEQ ID NO:51),
	TCCATGACGCTTTT GATGTT	(SEQ ID NO:52),
	TCCATGACGATTTT GATGTT	(SEQ ID NO:53),
35	TCCATGACGGTTTTGATGTT	(SEQ ID NO:54),
	TCCATGACGTCTTTGATGTT	(SEQ ID NO:55),
	TCCATGACGTATTTGATGTT	(SEQ ID NO:56), and
	TCCATGACGTGTTT GATGTT	(SEQ ID NO:57).

feline	MGPCHGALHPLSLVQAAALAVALAAGGTLPAPFLPCELQPHGLVNCWDLFLKSVPHFSAAA	60
canine	MGPCHGALHPLSLVQAAALALALAAGGTLPAPFLPCELQPHGLVNCWDLFLKSVPHFSAAA	60
bovine	MGP-YCAPHPLSLVQAAALAAALAEGLTLPAPFLPCELQPHGLVNCWDLFLKSVPHFSAGA	59
mouse	MGP-YCAPHPLSLVQAAALAAALAEGLTLPAPFLPCELQPHGLVNCWDLFLKSVPHFSAGA	59
ovine	MGP-YCAPHPLSLVQAAALAAALAEGLTLPAPFLPCELQPHGLVNCWDLFLKSVPHFSAGA	59
porcine	MGP-RCTLHPLSLVQVOTALAAALAQGRTPAPFLPCELQPHGLVNCWDLFLKSVPHFSAAA	59
horse	MGPCHGALQPLSLVQAAALAVALAAGGTLPFPFLPCELQPHGLVNCWDLFLKSVPHFSAAA	60
human	MGFCRSALHPLSLVQAIMLAMTLPALGTLPAPFLPCELQPHGLVNCWDLFLKSVPHFSMAA	60
rat	MVLCRRTLHPLSLVQAAVLAELALAGTLPAPFLPCELKPHGLVNCWDLFLKSVPHFSAAE	60
	* :***** ** :*** ** :***** : * * :***** :* *	
feline	PRGNVTSLSLSYNSRIHHHLHSDSFVHLSSLRRLNLKWNCPASLSPMHFPCHMTIEPTFTL	120
canine	PRGNVTSLSLSYNSRIHHHLHDYDFVHFVHLRLNLKWNCPASLSPMHFPCHMTIEPTFTL	120
bovine	PRANVTSLSLSYNSRIHHHLHSDSFVHLNLRVLNLKWNCPAGLSPMHFPCHMTIEPTFTL	119
mouse	PRANVTSLSLSYNSRIHHHLHSDSFVHLNLRVLNLKWNCPAGLSPMHFPCHMTIEPTFTL	119
ovine	PRANVTSLSLSYNSRIHHHLHSDSFVHLNLRVLNLKWNCPAGLSPMHFPCHMTIEPTFTL	119
porcine	PRANVTSLSLSYNSRIHHHLHSDSFVHLSSLRRLNLKWNCPAGLSPMHFPCHMTIEPTFTL	119
horse	PRDNVTSLSLSYNSRIHHHLHSDSFQALSNLQKLNKWNCPAGLSPMHFPCHMTIEPTFTL	120
human	PRGNVTSLSLSYNSRIHHHLHSDSFVHLNLRVLNLKWNCPAGLSPMHFPCHMTIEPTFTL	120
rat	PRSNITSLSLIANRIHHHLHNLDFVHLNPNVRQLNLKWNCPAGLSPLHFSCHMTIEPTFTL	120
	** * :***** :***** : ** : : ***** .***.* :***** **	
feline	AVPTLEELNLSYNSITTVPALPSSIVLSLSRSTNIVLDPANLAGLSRFLFLDGNCCY	180
canine	AVPTLEELNLSYNSITTVPALPSSIVLSLSRSTNIVLDPATLAGLYALRFLFLDGNCCY	180
bovine	AVPTLEELNLSYNGITTVPALPSSIVLSLSHTSILVLGPTHFTGLHALRFLYMDGNCCY	179
mouse	AVPTLEELNLSYNGITTVPALPSSIVLSLSHTSILVLGPTHFTGLHALRFLYMDGNCCY	179
ovine	AVPTLEELNLSYNGITTVPALPSSIVLSLSHTSILVLGPTHFTGLHALRFLYMDGNCCY	179
porcine	AVPTLEELNLSYNSITTVPALPSSIVLSLSRSTNIVLDPHTLGLHALRFLYMDGNCCY	179
horse	AVPTLEELNLSYNGITTVPALPSSIVLSLSRSTNIVLQDPTSLTGLHALRFLYMDGNCCY	180
human	AVPTLEELNLSYNNIMTVPALPKSLISLSHTNIMLDSASLAGLHALRFLYMDGNCCY	180
rat	AMRMLEELNLSYNGITTVPALPSSIVLSHTNIVLDSASLAGLHALRFLYMDGNCCY	180
	* : ** :***** .* *** ** .** .* ** :* ** .* : :* :* :* :*****	
feline	KNPCPQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYLLSYNHITLAPEDL	240
canine	KNPCQQALQVAPGALLGLGNLTHLSLKYNNTVVRGLPPSLEYLLSYNHITLAPEDL	240
bovine	MNCPRALEVAPGALLGLGNLTHLSLKYNNTVEPRRLPPSLDTLLSYNHIVTLAPEDL	239
mouse	MNCPRALEVAPGALLGLGNLTHLSLKYNNTVEPRRLPPSLDTLLSYNHIVTLAPEDL	239
ovine	KNPCQQAQVAPGALLGLGNLTHLSLKYNNTVEPRRLPPSLDTLLSYNHITLAPEDL	239
porcine	KNPCQGALEVPAGALLGLGNLTHLSLKYNNTVEPRSLPPSLETLLLSYNHIVTLAPEDL	239
horse	KNPCGRALEVPAGALLGLGNLTHLSLKYNNTVPRSLPPSLEYLLSYNHIVTLAPEDL	240
human	KNPCQRALEVAPGALLGLGNLTHLSLKYNNTVPRNLPPSLEYLLSYNRIVKLAPEDL	240
rat	KNPCNGAVNVTDPAGLGLSNLTHLSLKYNNTVEPRQLPPSLEYLLSYNLIVKLGAEDL	240
	*** * :* :* .* :*** .***** ** ** :* :* :***** * :* .***	
feline	ANLTALRVLDVGGNCRCDHARNPCMECPKGFPHLHPDTFSHLNHLEGLVLKDSLSYLN	300
canine	ANLTALRVLDVGGNCRCDHARNPCRECPKGFPHLHPDTFGLSHLEGLVLKDSLSYSLD	300
bovine	ANLTALRVLDVGGNCRCDHARNPCRECPKNFPKLHPDTFSHLSRLEGLVLKDSLSYKLE	299
mouse	ANLTALRVLDVGGNCRCDHARNPCRECPKNFPKLHPDTFSHLSRLEGLVLKDSLSYKLE	299
ovine	ANLTALRVLDVGGNCRCDHARNPCRECPKNFPKLHPDTFSHLSRLEGLVLKDSLSYKLE	299
porcine	ANLTALRVLDVGGNCRCDHARNPCRECPKDPKLHSDTFSHLSRLEGLVLKDSLSYLNLD	299
horse	ANLTALRVLDVGGNCRCDHARNPCVECPKFPQLHSDTFSHLSRLEGLVLKDSLSYQLN	300
human	ANLTALRVLDVGGNCRCDHARNPCMECPKFPQLHSDTFSHLSRLEGLVLKDSLSYQLN	300
rat	ANLTSLRMLDVGGNCRCDHAPDLCTECPKQSLDLHPQTFHLSRLEGLVLKDSLSYSLN	300
	***.* :***** : * ** : .** :* ** :***** :*** *	
feline	PRWFHALGNLMVLDLSENFLYDCITKTTFQGLAQRLRLNLSFNYHKKVSFAHLHLAPSF	360
canine	PRWFHGLGNLMVLDLSENFLYDCITKTTFQGLARLRLNLSFNYHKKVSFAHLHLASSF	360
bovine	KDWFRGLGRLQVLDLSENFLYDYITKTTFENDLTQLRLNLSFNYHKKVSFAHLHLASSF	359
mouse	KDWFRGLGRLQVLDLSENFLYDYITKTTFENDLTQLRLNLSFNYHKKVSFAHLHLASSF	359
ovine	KDWFRGLGRLQVLDLSENFLYDYITKTTFIRNLTQLRLNLSFNYHKKVSFAHLQLAPSF	359
porcine	TRWFRGLDRQLQVLDLSENFLYDCITKTTFQGLARLRLNLSFNYHKKVSFAHLHLAPSF	359
horse	PRWFRGLGNLTVDLSENFLYDCITKTTFQGLAQRLRLNLSFNYHKKVSFAHLTLAPSF	360
human	ASWFRGLGNLRVLDLSENFLYKCTITKTTFQGLTQLRLNLSFNYQKRVSF AHLSLAPSF	360
rat	SKWFOGLANLSVLDLSENFLYESINKTSFQNLTRLRKLDLSFNYCKKVSFAHLHLASSF	360
	* * * ***** * * * * * .***** .***** :***** *	

[illegible]

feline	SFFALATRLRELNLSANALKTVEPSWFGSLAGTLLKVLDDVTGNPLHCACGAAFVDFLLEVQ	778
canine	SFFALAVRLRELNLSANALKTVEPSWFGSLAGALKVLDDVTANPLHCACGATFVDFLLEVQ	780
bovine	GGFVRATRLIELNLSANALKTVDPSPWFGSLAGTLLKILDVSNPLHCACGAAFVDFLLERQ	776
mouse	GGFVRATRLIELNLSANALKTVDPSPWFGSLAGTLLKILDVSNPLHCACGAAFVDFLLERQ	776
ovine	GGFVLNANRLKELNLSANALKTVDPFVWFGRLTETLNILDVSNPLHCACGAAFVDFLLEMQ	776
porcine	GFFALAKQLEELNLSANALKTVEPSWFGSMVGNLKVLDVSNPLHCACGATFVGFLLEVQ	777
horse	GFFALATRLRELNLSANALRTEEPSWFGFLAGSLEVLDVSNPLHCACGAAFVDFLQVQ	778
human	GFFSKAKELRELNLSANALKTVDSWFGPLASALQILDVSNPLHCACGAAFMDLLEVQ	778
rat	AFFALAVELKEVNLNSHNILKTVDSWFGPIVMNLTVLDDVSNPLHCACGAAFVDFLLEVQ	779
	. ** * . * * : *** * * : * : * : * : * : * : * : * : * : * : * : * : * : *	
feline	AAVPGLPGHVKCGSPGQLQGRSIFAQDLRLCLDEALSWDCFG	838
canine	AAVPGLPSPRVKCGSPGQLQGRSIFAQDLRLCLDEALSWVCF	840
bovine	EAVPGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETLSDLCFG	836
mouse	EAVPGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETLSDLCFG	836
ovine	AAVPGLSRRVTCGSPGQLQGRSIFAQDLRLCLDETLSDLCFG	836
porcine	AAVPGLPSPRVKCGSPGQLQGHISIFAQDLRLCLDETLSDNCF	837
horse	AAVPGLPSPRVKCGSPGQLQGRSIFAQDLRLCLDKSLSWDCFG	838
human	AAVPGLPSPRVKCGSPGQLQGLSIFAQDLRLCLDEALSWDCFG	838
rat	TKVPGLANGVKCGSPRQLQGRSIFAQDLRLCLDDVLSRDCFG	839
	****. * . **** * * * * : *****. ** ** : *** : * : . : * : * : *	
feline	CGWDLWYCFHLCIAWLPRRGR--RGADALPYDAFVVDKAQSAVADWVYNELRVLEER	896
canine	CGWDLWYCFHLCIAWLPRRGR--RGVDALAYDAFVVDKAQSSVADWVYNELRVQLEER	898
bovine	CGWDLWYCFHLCIAHLPRRRRQ--RGEDTLLYDAVVVFDKVQSAVADWVYNELRVQLEER	894
mouse	CGWDLWYCFHLCIAHLPRRRRQ--RGEDTLLYDAVVVFDKVQSAVADWVYNELRVQLEER	894
ovine	CGWDLWYCFHLCIAHLPRRRRQ--RGEDTLLYDAFVVDKAQSAVADWVYNELRVQLEER	894
porcine	CGWDLWYCFHLCIAWLPHRGQR--RGADALFYDAFVVDKAQSAVADWVYNELRVQLEER	895
horse	CGWDLWYCFHLCIAWLPRRGWQ--RGADALSYPDAFVVDKAQSAVADWVYNELRVLEER	896
human	CGWDLWYCFHLCIAWLPRGRQSGRDEDALPYDAFVVDKTSQSAVADWVYNELRGQLEEC	898
rat	CGWDVWYCFHLCIAWLPLLTRGR-RSAQALPYDAFVVDKAQSAVADWVYNELRVLEER	898
	***** : ***** ** ** . : : * * * . *****. * : ***** : ***	
feline	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKMLFVLAHTDRVSGLLRASFLLAQQR	956
canine	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKTLFVLARTDRVSGLLRASFLLAQQR	958
bovine	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKTMFVLDHTDRVSGLLRASFLLAQQR	954
mouse	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKTMFVLDHTDRVSGLLRASFLLAQQR	954
ovine	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKTMFVLDHTDRVSGLLRASFLLAQQR	954
porcine	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKTLFVLAHTDRVSGLLRASFLLAQQR	955
horse	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKMLFVLAHTDQVSGLLRASFLLAQQR	956
human	RGRWALRLCLEERDWPGLKTLFENLWASVYGSRKTLFVLAHTDRVSGLLRASFLLAQQR	958
rat	RGRRALRLCLEERDWPGLKTLFENLWASVYGSRKTLFVLAHTDKVSGLLRTSFLLAQQR	958
	*** ***** : *** : * : ***** : . * * * : * * : * : ***** : *****	
feline	LEDKRDVVVLVILRPDAHRSRYVRLRQLRCQSVLLWPHQPSGQSFQAQLGTALTRDNQ	1016
canine	LEDKRDVVVLVILCPDAHRSRYVRLRQLRCQSVLLWPHQPSGQSFQAQLGTALTRDNR	1018
bovine	LEDKRDVVVLVILRPAAYRSRYVRLRQLRCQSVLLWPHQPSGQSFQANLGTALTRDNR	1014
mouse	LEDKRDVVVLVILRPAAYRSRYVRLRQLRCQSVLLWPHQPSGQSFQANLGTALTRDNR	1014
ovine	LEDKRDVVVLVILRPAAYRSRYVRLRQLRCQSVLLWPHQPSGQSFQANLGTALTRDNR	1014
porcine	LEDKRDVVVLVILRPDAYRSRYVRLRQLRCQSVLLWPHQPSGQSFQAQLGTALTRDNH	1015
horse	LEDKRDVVVLVILSPDARRSRYVRLRQLRCQSVLFWPHQPSGQSFQAQLGTALTRDNH	1016
human	LEDKRDVVVLVILSPDGRRSRYVRLRQLRCQSVLLWPHQPSGQSFQAQLGTALTRDNH	1018
rat	LEDKRDVVVLVILRPDAHRSRYVRLRQLRCQSVLFWPHQPSGQSFQAQLGTALTRDNH	1018
	***** * . ***** : ***** ** ***** : . ***** :	
feline	HFYNQNFRCGPTTAE-----	1031
canine	HFYNQNFRCGPTTA-----	1032
bovine	HFYNRNFCRGPTTAE-----	1029
mouse	HFYNRNFCRGPTTAE-----	1032
ovine	HFYNRNFCRGPTTAE-----	1029
porcine	HFYNRNFCRGPTTAE-----	1030
horse	HFYNQNFRCGPTMAE-----	1031
human	HFYNRNFCQGPTAE-----	1032
rat	HFYNRNFCRGPTAE-----	1032
	***** : *****	

Figure 2





Figure 3



## SEQUENCE LISTING

<110> Coley Pharmaceutical GmbH  
University of Saskatchewan  
Qiagen GmbH

<120> TOLL-LIKE RECEPTOR 9 (TLR9) FROM VARIOUS MAMMALIAN SPECIES

<130> C1041.70040WO00

<150> US 60/412,479

<151> 2002-09-19

<160> 70

<170> PatentIn version 3.1

<210> 1

<211> 1032

<212> PRT

<213> Rattus norvegicus

<400> 1

Met Val Leu Cys Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln  
1 5 10 15

Ala Ala Val Leu Ala Glu Ala Leu Ala Leu Gly Thr Leu Pro Ala Phe  
20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu  
35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Glu Pro Arg Ser Asn  
50 55 60

Ile Thr Ser Leu Ser Leu Ile Ala Asn Arg Ile His His Leu His Asn  
65 70 75 80

Leu Asp Phe Val His Leu Pro Asn Val Arg Gln Leu Asn Leu Lys Trp  
85 90 95

Asn Cys Pro Pro Pro Gly Leu Ser Pro Leu His Phe Ser Cys Arg Met  
100 105 110

Thr Ile Glu Pro Lys Thr Phe Leu Ala Met Arg Met Leu Glu Glu Leu  
115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser  
130 135 140



Leu Thr Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala  
 145 150 155 160

Ser Ser Leu Ala Gly Leu His Ser Leu Arg Val Leu Phe Met Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Asn Gly Ala Val Asn Val Thr Pro  
 180 185 190

Asp Ala Phe Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Glu Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn Leu Ile Val Lys Leu Gly Ala Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ser Leu Arg Met Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Pro Asp Leu Cys Thr Glu Cys Arg Gln Lys Ser  
 260 265 270

Leu Asp Leu His Pro Gln Thr Phe His His Leu Ser His Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu His Ser Leu Asn Ser Lys Trp Phe  
 290 295 300

Gln Gly Leu Ala Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Glu Ser Ile Asn Lys Thr Ser Ala Phe Gln Asn Leu Thr Arg Leu  
 325 330 335

Arg Lys Leu Asp Leu Ser Phe Asn Tyr Cys Lys Lys Val Ser Phe Ala  
 340 345 350

Arg Leu His Leu Ala Ser Ser Phe Lys Ser Leu Val Ser Leu Gln Glu  
 355 360 365

Leu Asn Met Asn Gly Ile Phe Phe Arg Leu Leu Asn Lys Asn Thr Leu  
 370 375 380

Arg Trp Leu Ala Gly Leu Pro Lys Leu His Thr Leu His Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Val Phe Ser Thr Phe Arg Ala  
 405 410 415

Leu Arg Phe Val Asp Leu Ser Asn Asn Arg Ile Ser Gly Pro Pro Thr  
 420 425 430

Leu Ser Arg Val Ala Pro Glu Lys Ala Asp Glu Ala Glu Lys Gly Val  
 435 440 445

Pro Trp Pro Ala Ser Leu Thr Pro Ala Leu Pro Ser Thr Pro Val Ser  
 450 455 460

Lys Asn Phe Met Val Arg Cys Lys Asn Leu Arg Phe Thr Met Asp Leu  
 465 470 475 480

Ser Arg Asn Asn Gln Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu  
 485 490 495

Ser His Leu Gln Cys Leu Ser Leu Ser His Asn Cys Ile Ala Gln Ala  
 500 505 510

Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Lys Val Leu Asp  
 515 520 525

Leu Ser Tyr Asn Lys Leu Asp Leu Tyr His Ser Lys Ser Phe Ser Glu  
 530 535 540

Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe  
 545 550 555 560

Ser Met Gln Gly Ile Gly His Asn Phe Ser Phe Leu Ala Asn Leu Ser  
 565 570 575

Arg Leu Gln Asn Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val  
 580 585 590

Ser Ser Arg Leu Tyr Ser Thr Ser Val Glu Tyr Leu Asp Phe Ser Gly  
 595 600 605

Asn Gly Val Gly Arg Met Trp Asp Glu Glu Asp Leu Tyr Leu Tyr Phe

610	615	620
Phe Gln Asp Leu Arg Ser Leu Ile His Leu Asp Leu Ser Gln Asn Lys		
625	630	635 640
Leu His Ile Leu Arg Pro Gln Asn Leu Asn Tyr Leu Pro Lys Ser Leu		
	645	650 655
Thr Lys Leu Ser Phe Arg Asp Asn His Leu Ser Phe Phe Asn Trp Ser		
	660	665 670
Ser Leu Ala Phe Leu Pro Asn Leu Arg Asp Leu Asp Leu Ala Gly Asn		
	675	680 685
Leu Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu		
	690	695 700
Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Phe Val Val Pro Ala		
705	710	715 720
Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn		
	725	730 735
Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn		
	740	745 750
Leu Thr Val Leu Asp Val Ser Ser Asn Pro Leu His Cys Ala Cys Gly		
	755	760 765
Ala Pro Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly		
	770	775 780
Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Arg Gln Leu Gln Gly Arg		
785	790	795 800
Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Asp Val Leu Ser		
	805	810 815
Arg Asp Cys Phe Gly Leu Ser Leu Leu Ala Val Ala Val Gly Thr Val		
	820	825 830
Leu Pro Leu Leu Gln His Leu Cys Gly Trp Asp Val Trp Tyr Cys Phe		
	835	840 845

His Leu Cys Leu Ala Trp Leu Pro Leu Leu Thr Arg Gly Arg Arg Ser  
 850 855 860

Ala Gln Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln  
 865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu  
 885 890 895

Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Asp Arg Asp  
 900 905 910

Trp Leu Pro Gly Gln Thr Leu Phe Glu Asn Leu Trp Ala Ser Ile Tyr  
 915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Lys Val Ser  
 930 935 940

Gly Leu Leu Arg Thr Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu  
 945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His  
 965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val  
 980 985 990

Leu Phe Trp Pro His Gln Pro Asn Gly Gln Gly Ser Phe Trp Ala Gln  
 995 1000 1005

Leu Ser Thr Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg  
 1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Ala Glu  
 1025 1030

<210> 2  
 <211> 821  
 <212> PRT  
 <213> Rattus norvegicus

<400> 2

Met Val Leu Cys Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Val Leu Ala Glu Ala Leu Ala Leu Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Glu Pro Arg Ser Asn  
 50 55 60

Ile Thr Ser Leu Ser Leu Ile Ala Asn Arg Ile His His Leu His Asn  
 65 70 75 80

Leu Asp Phe Val His Leu Pro Asn Val Arg Gln Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Pro Gly Leu Ser Pro Leu His Phe Ser Cys Arg Met  
 100 105 110

Thr Ile Glu Pro Lys Thr Phe Leu Ala Met Arg Met Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser  
 130 135 140

Leu Thr Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala  
 145 150 155 160

Ser Ser Leu Ala Gly Leu His Ser Leu Arg Val Leu Phe Met Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Asn Gly Ala Val Asn Val Thr Pro  
 180 185 190

Asp Ala Phe Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Glu Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn Leu Ile Val Lys Leu Gly Ala Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ser Leu Arg Met Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Pro Asp Leu Cys Thr Glu Cys Arg Gln Lys Ser  
 260 265 270

Leu Asp Leu His Pro Gln Thr Phe His His Leu Ser His Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu His Ser Leu Asn Ser Lys Trp Phe  
 290 295 300

Gln Gly Leu Ala Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Glu Ser Ile Asn Lys Thr Ser Ala Phe Gln Asn Leu Thr Arg Leu  
 325 330 335

Arg Lys Leu Asp Leu Ser Phe Asn Tyr Cys Lys Lys Val Ser Phe Ala  
 340 345 350

Arg Leu His Leu Ala Ser Ser Phe Lys Ser Leu Val Ser Leu Gln Glu  
 355 360 365

Leu Asn Met Asn Gly Ile Phe Phe Arg Leu Leu Asn Lys Asn Thr Leu  
 370 375 380

Arg Trp Leu Ala Gly Leu Pro Lys Leu His Thr Leu His Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Val Phe Ser Thr Phe Arg Ala  
 405 410 415

Leu Arg Phe Val Asp Leu Ser Asn Asn Arg Ile Ser Gly Pro Pro Thr  
 420 425 430

Leu Ser Arg Val Ala Pro Glu Lys Ala Asp Glu Ala Glu Lys Gly Val  
 435 440 445

Pro Trp Pro Ala Ser Leu Thr Pro Ala Leu Pro Ser Thr Pro Val Ser  
 450 455 460

Lys Asn Phe Met Val Arg Cys Lys Asn Leu Arg Phe Thr Met Asp Leu  
 465 470 475 480

Ser Arg Asn Asn Gln Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu  
 485 490 495

Ser His Leu Gln Cys Leu Ser Leu Ser His Asn Cys Ile Ala Gln Ala  
 500 505 510

Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Lys Val Leu Asp  
 515 520 525

Leu Ser Tyr Asn Lys Leu Asp Leu Tyr His Ser Lys Ser Phe Ser Glu  
 530 535 540

Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe  
 545 550 555 560

Ser Met Gln Gly Ile Gly His Asn Phe Ser Phe Leu Ala Asn Leu Ser  
 565 570 575

Arg Leu Gln Asn Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val  
 580 585 590

Ser Ser Arg Leu Tyr Ser Thr Ser Val Glu Tyr Leu Asp Phe Ser Gly  
 595 600 605

Asn Gly Val Gly Arg Met Trp Asp Glu Glu Asp Leu Tyr Leu Tyr Phe  
 610 615 620

Phe Gln Asp Leu Arg Ser Leu Ile His Leu Asp Leu Ser Gln Asn Lys  
 625 630 635 640

Leu His Ile Leu Arg Pro Gln Asn Leu Asn Tyr Leu Pro Lys Ser Leu  
 645 650 655

Thr Lys Leu Ser Phe Arg Asp Asn His Leu Ser Phe Phe Asn Trp Ser  
 660 665 670

Ser Leu Ala Phe Leu Pro Asn Leu Arg Asp Leu Asp Leu Ala Gly Asn  
 675 680 685

Leu Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu  
 690 695 700

Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Phe Val Val Pro Ala  
 705 710 715 720

Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn

<400>	3
atggttctct gtcgcaggac cctgcacccc ttgtctctcc tggtagagc cgcagtgtgtg	60
gctgaggctc tggccctggg tacacctgcc gccttcctac cctgtgaact gaagcctcat	120
ggcctggtag actgcaactg gctcttcctg aagtctgtgc ctcaattctc tgccgcagaa	180
ccccgtcca acatcaccag cctttccttg atcgccaacc gcatcacca cctgcacaac	240
ctcgactttg tccacctgcc caacgtgcga cagctgaacc tcaagtggaa ctgtccgccc	300
cctggcctca gcccttgca cttctcctgc cgcatgacca ttgagcccaa aaccttcctg	360
gctatgcgca tgtctggaaga gctgaacctg agctataacg gtatcaccac tgtgccccgc	420
ctgcccagct ccctgacgaa tctgagccta agccacacca acatcctggg actcgatgcc	480
agcagcctcg ctggcctgca cagcctgcga gttctcttca tggacgggaa ctgctactac	540
aagaaccctt gcaacggggc ggtgaacctg accccggacg ccttcctggg cttgagcaac	600
ctcaccact tgtcccttaa gtataacaac ctcacagagg tgccccgcca actgcccccc	660
agcctggagt acctcctgct gtccataaac ctcatcgtca agctgggggc cgaagaccta	720
gccaacctga cctcccttcg aatgcttgat gtgggtggga attgccgtcg ctgtgatcac	780



gcccccgacc tctgtacaga atgccggcag aagtccttg atctgcaccc tcagactttc 840  
 catcacctga gccaccttga aggcctggtg ctgaaggaca gttctctcca ctcgctgaac 900  
 tccaagtggg tccagggctt ggcgaacctc tcgggtgctgg acctaaagcga gaactttctc 960  
 tacgagagca tcaacaaaac cagcgccttt cagaacctga cccgtctgcg caagctcgac 1020  
 ctgtccttca attactgcaa gaaggatcgc ttgcgccgcc tccacctggc aagttccttc 1080  
 aagagcctgg tgtcgctgca ggagctgaac atgaacggca tcttcttcgc cttactcaac 1140  
 aagaacacgc tcaggtggct ggctggctctg cccaagctcc acacgctgca ccttcaaattg 1200  
 aatttcatca accaggcgca gctcagcgtc tttagtacct tccgagccct tcgctttgtg 1260  
 gacctgtcca ataatcgcat cagcgggcct ccaacgctgt ccagagtcgc ccccgaaaag 1320  
 gcagacgagg cggagaaggg gggtccatgg cctgcaagtc tcaccccagc tctcccgcgc 1380  
 actcccgctc caaagaactt catggtcagg tgtaagaacc tcagattcac catggacctg 1440  
 tctcggaaca accaggtgac tatcaagcca gagatgttcg tcaacctctc ccatctccag 1500  
 tgtctgagcc tgagccacaa ctgcacgcgc caggctgtca atggctctca gttcctgcgc 1560  
 ctgaccaacc tgaagggtgt ggacctgtcc tataacaagc tggacctgta ccattcgaaa 1620  
 tcgttcagtg agctcccaca gttgcaggcc ctggacctga gctacaacag ccagccattc 1680  
 agcatgcagg ggataggcca caacttcagt tttctggcca atctgtccag gttacagaac 1740  
 cttagcctgg cacacaatga cattcacagc cgcgtgtcct cagcctcta cagcacctca 1800  
 gtggagtatc tggacttcag cggcaacggg gtggggccgc tgtgggacga ggaggacctt 1860  
 tacctctatt tcttccaaga cctgagaagc ctgattcacc tggacctgtc tcagaataag 1920  
 ctgcacatcc tccggcccca gaacctcaac tacctcccca agagcctgac gaagctgagt 1980  
 ttccgtgaca atcacctctc tttctttaac tggagcagtc tggccttcct gcccaatctg 2040  
 cgagacctgg acctggcagg caatctacta aaggccctga ccaacggcac cctgcctaatt 2100  
 ggcaogctcc tccagaaact ggatgtcagt agcaacagta tcgtctttgt ggtcccagcc 2160  
 ttctttgctc tggcggtaga gctaaaagag gtcaacctca gccataacat cctcaagact 2220  
 gtggatcgct cctggtttgg gccattgtg atgaacctga cggttctaga cgtgagcagc 2280  
 aaccctctgc attgtgcctg cgggtgcaccc tttgtagact tactgctgga agtgagacc 2340  
 aagggtgcctg gcctggctaa cgggtgtgaag tgtggcagtc cccgccagct gcagggccgc 2400  
 agcatctttg cgcaagacct gcggctgtgc ctggatgacg tctttctctg ggactgcttt 2460  
 ggctttcac tctggctgt ggccgtgggc acgggtgtgc ctttactgca gcattctctg 2520  
 ggctgggacg tctggtactg tttccatctg tgctggcat ggctacctt gctgaccctg 2580

ggccggcgca gcgccaagc tctcccttat gatgccttcg tgggtgtcga taaggcgag 2640  
 agcgcgggtg ctgactgggt gtataacgag cttcgagtgc ggctagagga gcggcgcggt 2700  
 cgccgagccc tacgcttggt tctggaggac cgagattggc tgcctggcca gacactcttc 2760  
 gagaacctct gggcctccat ctatggcagc cgcaagactc tgtttgtgct ggcccacacg 2820  
 gacaaggcca gtggcctcct gcgcaccagc ttcctgttgg ctcagcagcg cctgctggag 2880  
 gaccgcaagg acgtgggtgt gttgggtgatc ctgcgccctg atgccaccg ctcccgctac 2940  
 gtgcgactgc gccagcgctt ctgccgccag agtgtgtctt tctggcccca tcagcccaac 3000  
 gggcagggca gcttctgggc ccagctgagt acagccctga ctagggacaa ccaccacttc 3060  
 tataaccgga acttctgccg gggacctaca gcagaatag 3099

<210> 4

<211> 2463

<212> DNA

<213> Rattus norvegicus

<400> 4

atggttctct gtcgcaggac cctgcacccc ttgtctctcc tggtagaggc cgcagtgtctg 60  
 gctgaggctc tggccctggg taccctgcct gccttcctac cctgtgaact gaagcctcat 120  
 ggcctggtag actgcaactg gctcttcctg aagtctgtgc ctcacttctc tgccgcagaa 180  
 ccccggtcca acatcaccag cctttccttg atcgccaacc gcattccacca cctgcacaac 240  
 ctcgactttg tccacctgcc caacgtgcga cagctgaacc tcaagtggaa ctgtccgccc 300  
 cctggcctca gcccttgca cttctcctgc cgcattacca ttgagcccaa aaccttcctg 360  
 gctatgcgca tgctggaaga gctgaacctg agctataacg gtatcaccac tgtgccccgc 420  
 ctgccagct ccctgacgaa tctgagccta agccacacca acatcctggc actcgatgcc 480  
 agcagcctcg ctggcctgca cagcctgcga gttctcttca tggacgggaa ctgtactac 540  
 aagaaccctt gcaacggggc ggtgaacgtg accccggacg ccttcctggg cttgagcaac 600  
 ctcacccact tgtcccttaa gtataacaac ctcacagagg tgccccgcca actgcccccc 660  
 agcctggagt acctcctgct gtocataaac ctcactgtca agctgggggc cgaagacctc 720  
 gccaacctga cctcccttcg aatgcttgat gtgggtggga attgccgtcg ctgtgatcac 780  
 gccccgacc tctgtacaga atgccggcag aagtccttg atctgcaccc tcagactttc 840  
 catcacctga gccaccttga aggcctgggt ctgaaggaca gttctctcca ctgctgaac 900  
 tocaagtggc tccagggctt ggccaacctc tcggtgctgg acctaaagca gaactttctc 960  
 tacgagagca tcaacaaaac cagcgccctt cagaacctga cccgtctgcg caagctcgac 1020

```

ctgtccttca attactgcaa gaaggtatcg ttgcccgc tccacctggc aagttccttc 1080
aagagcctgg tgctgctgca ggagctgaac atgaacggca tcttcttccg cttactcaac 1140
aagaacacgc tcaggtggct ggctgggtctg cccaagctcc acacgctgca ccttcaaattg 1200
aatttcatca accaggcgca gctcagcgtc tttagtacct tccgagccct tcgctttgtg 1260
gacctgtcca ataatcgcat cagcgggcct ccaacgctgt ccagagtcgc ccccgaaaag 1320
gcagacgagg cggagaaggg gggtccatgg cctgcaagtc tcaccccagc tctcccgagc 1380
actcccgctc caaagaactt catggtcagg tgtaagaacc tcagattcac catggacctg 1440
tctcggaaca accagggtgac tatcaagcca gagatgttcg tcaacctctc ccatctccag 1500
tgtctgagcc tgagccacaa ctgcctcgcg caggctgtca atggctctca gttcctgccc 1560
ctgaccaacc tgaagggtgct ggacctgtcc tataacaagc tggacctgta ccattcgaaa 1620
tcgttcagtg agctcccaca gttgcaggcc ctggacctga gctacaacag ccagccattc 1680
agcatgcagg ggataggcca caacttcagt tttctggcca atctgtccag gttacagaac 1740
cttagcctgg cacacaatga cattcacagc cgcgtgtcct cagcctcta cagcacctca 1800
gtggagtatc tggacttcag cggcaacggt gtgggcccga tgtgggacga ggaggacctt 1860
tacctctatt tcttccaaga cctgagaagc ctgattcatc tggacctgtc tcagaataag 1920
ctgcacatcc tccggcccca gaacctcaac tacctcccca agagcctgac gaagctgagt 1980
ttccgtgaca atcacctctc tttctttaac tggagcagtc tggccttctt gcccaatctg 2040
cgagacctgg acctggcagg caatctacta aaggccctga ccaacggcac cctgcctaatt 2100
ggcacgctcc tccagaaact ggatgtcagt agcaacagta tcgtctttgt ggtcccagcc 2160
ttctttgctc tggcggtaga gctaaaagag gtcaacctca gccataacat cctcaagact 2220
gtggatcgct cctggtttgg gccattgtg atgaacctga cggttctaga cgtgagcagc 2280
aaccctctgc attgtgcctg cgggtgcacc tttgtagact tactgctgga agtgagacc 2340
aaggtgctg gcctggctaa cgggtgtgaag tgtggcagtc cccgccagct gcagggccgc 2400
agcatctttg cgcaagacct gcggctgtgc ctggatgacg tcctttctcg ggactgcttt 2460
ggc 2463

```

```

<210> 5
<211> 1030
<212> PRT
<213> Sus scrofa

<400> 5

```

Met Gly Pro Arg Cys Thr Leu His Pro Leu Ser Leu Leu Val Gln Val  
 1 5 10 15  
 Thr Ala Leu Ala Ala Ala Leu Ala Gln Gly Arg Leu Pro Ala Phe Leu  
 20 25 30  
 Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu Phe  
 35 40 45  
 Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Ala Asn Val  
 50 55 60  
 Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp Ser  
 65 70 75 80  
 Asp Phe Val His Leu Ser Ser Leu Arg Thr Leu Asn Leu Lys Trp Asn  
 85 90 95  
 Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met Thr  
 100 105 110  
 Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
 115 120 125  
 Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Asp Ser Leu  
 130 135 140  
 Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro Thr  
 145 150 155 160  
 His Leu Thr Gly Leu His Ala Leu Arg Tyr Leu Tyr Met Asp Gly Asn  
 165 170 175  
 Cys Tyr Tyr Lys Asn Pro Cys Gln Gly Ala Leu Glu Val Val Pro Gly  
 180 185 190  
 Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
 195 200 205  
 Asn Leu Thr Glu Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Thr Leu  
 210 215 220  
 Leu Leu Ser Tyr Asn His Ile Val Thr Leu Thr Pro Glu Asp Leu Ala  
 225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asp His Pro  
 260 265 270

Lys Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asp Thr Arg Trp Phe Arg  
 290 295 300

Gly Leu Asp Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr  
 305 310 315 320

Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Arg Leu Arg  
 325 330 335

Ser Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350

Leu His Leu Ala Pro Ser Phe Gly His Leu Arg Ser Leu Lys Glu Leu  
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu Gln  
 370 375 380

Pro Leu Val Gln Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met Asn  
 385 390 395 400

Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly Leu  
 405 410 415

Leu Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro  
 420 425 430

Val Ala Ile Thr Arg Glu Val Asp Gly Arg Glu Arg Val Trp Leu Pro  
 435 440 445

Ser Arg Asn Leu Ala Pro Arg Pro Leu Asp Thr Leu Arg Ser Glu Asp  
 450 455 460

Phe Met Pro Asn Cys Lys Ala Phe Ser Phe Thr Leu Asp Leu Ser Arg  
 465 470 475 480

Asn Asn Leu Val Thr Ile Gln Ser Glu Met Phe Ala Arg Leu Ser Arg  
 485 490 495

Leu Glu Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn  
 500 505 510

Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser  
 515 520 525

His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro  
 530 535 540

Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Thr Met  
 545 550 555 560

Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala Leu  
 565 570 575

Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser Gln  
 580 585 590

Gln Leu Cys Ser Ala Ser Leu Cys Ala Leu Asp Phe Ser Gly Asn Asp  
 595 600 605

Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe Gln  
 610 615 620

Gly Leu Arg Ser Leu Val Trp Leu Asp Leu Ser Gln Asn His Leu His  
 625 630 635 640

Thr Leu Leu Pro Arg Ala Leu Asp Asn Leu Pro Lys Ser Leu Lys His  
 645 650 655

Leu His Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu  
 660 665 670

Thr Leu Leu Pro Lys Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln Leu  
 675 680 685

Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Arg Arg  
 690 695 700

Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Asn Pro Gly Phe Phe

705	710	715	720
Ala Leu Ala Lys Gln Leu Glu Glu Leu Asn Leu Ser Ala Asn Ala Leu	725	730	735
Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Met Val Gly Asn Leu Lys	740	745	750
Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Thr	755	760	765
Phe Val Gly Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu Pro	770	775	780
Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly His Ser Ile	785	790	795
Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Trp Asn	805	810	815
Cys Phe Gly Ile Ser Leu Leu Ala Met Ala Leu Gly Leu Val Val Pro	820	825	830
Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His Leu	835	840	845
Cys Leu Ala Trp Leu Pro His Arg Gly Gln Arg Arg Gly Ala Asp Ala	850	855	860
Leu Phe Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala Val	865	870	875
Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu Glu Arg Arg	885	890	895
Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu Pro	900	905	910
Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser Arg	915	920	925
Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser Gly Leu Leu	930	935	940

Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg Lys  
 945 950 955 960

Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala Tyr Arg Ser Arg  
 965 970 975

Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu Trp  
 980 985 990

Pro His Gln Pro Arg Gly Gln Gly Ser Phe Trp Ala Gln Leu Gly Thr  
 995 1000 1005

Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg Asn Phe Cys  
 1010 1015 1020

Arg Gly Pro Thr Thr Ala Glu  
 1025 1030

<210> 6  
 <211> 819  
 <212> PRT  
 <213> Sus scrofa

<400> 6

Met Gly Pro Arg Cys Thr Leu His Pro Leu Ser Leu Leu Val Gln Val  
 1 5 10 15

Thr Ala Leu Ala Ala Ala Leu Ala Gln Gly Arg Leu Pro Ala Phe Leu  
 20 25 30

Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu Phe  
 35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Ala Asn Val  
 50 55 60

Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp Ser  
 65 70 75 80

Asp Phe Val His Leu Ser Ser Leu Arg Thr Leu Asn Leu Lys Trp Asn  
 85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met Thr  
 100 105 110



Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
 115 120 125

Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Asp Ser Leu  
 130 135 140

Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro Thr  
 145 150 155 160

His Leu Thr Gly Leu His Ala Leu Arg Tyr Leu Tyr Met Asp Gly Asn  
 165 170 175

Cys Tyr Tyr Lys Asn Pro Cys Gln Gly Ala Leu Glu Val Val Pro Gly  
 180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
 195 200 205

Asn Leu Thr Glu Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Thr Leu  
 210 215 220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Thr Pro Glu Asp Leu Ala  
 225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asp His Pro  
 260 265 270

Lys Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asp Thr Arg Trp Phe Arg  
 290 295 300

Gly Leu Asp Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr  
 305 310 315 320

Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Arg Leu Arg  
 325 330 335

Ser Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350

Leu His Leu Ala Pro Ser Phe Gly His Leu Arg Ser Leu Lys Glu Leu  
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu Gln  
 370 375 380

Pro Leu Val Gln Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met Asn  
 385 390 395 400

Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly Leu  
 405 410 415

Leu Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro  
 420 425 430

Val Ala Ile Thr Arg Glu Val Asp Gly Arg Glu Arg Val Trp Leu Pro  
 435 440 445

Ser Arg Asn Leu Ala Pro Arg Pro Leu Asp Thr Leu Arg Ser Glu Asp  
 450 455 460

Phe Met Pro Asn Cys Lys Ala Phe Ser Phe Thr Leu Asp Leu Ser Arg  
 465 470 475 480

Asn Asn Leu Val Thr Ile Gln Ser Glu Met Phe Ala Arg Leu Ser Arg  
 485 490 495

Leu Glu Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn  
 500 505 510

Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser  
 515 520 525

His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro  
 530 535 540

Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Thr Met  
 545 550 555 560

Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala Leu  
 565 570 575

Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser Gln  
 580 585 590

Gln Leu Cys Ser Ala Ser Leu Cys Ala Leu Asp Phe Ser Gly Asn Asp  
 595 600 605

Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe Gln  
 610 615 620

Gly Leu Arg Ser Leu Val Trp Leu Asp Leu Ser Gln Asn His Leu His  
 625 630 635 640

Thr Leu Leu Pro Arg Ala Leu Asp Asn Leu Pro Lys Ser Leu Lys His  
 645 650 655

Leu His Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu  
 660 665 670

Thr Leu Leu Pro Lys Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln Leu  
 675 680 685

Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Arg Arg  
 690 695 700

Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Asn Pro Gly Phe Phe  
 705 710 715 720

Ala Leu Ala Lys Gln Leu Glu Glu Leu Asn Leu Ser Ala Asn Ala Leu  
 725 730 735

Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Met Val Gly Asn Leu Lys  
 740 745 750

Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Thr  
 755 760 765

Phe Val Gly Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu Pro  
 770 775 780

Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly His Ser Ile  
 785 790 795 800

Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Trp Asn  
 805 810 815

Cys Phe Gly

<210> 7  
 <211> 3352  
 <212> DNA  
 <213> Sus scrofa

<400> 7  
 gagcacgaac atccttcact gtagctgctg cccggctctgc cagccagacc ctttgagaa 60  
 gacccactc cctgtcatgg gccccgctg caccctgcac cccctttctc tcctggtgca 120  
 ggtgacagcg ctggctgcgg ctctggccca gggcaggctg cctgccttcc tgccctgtga 180  
 gctccagccc cacggcctgg tgaactgcaa ctggctcttc ctgaagtccg tgccccactt 240  
 ctcggcggca ggcccccggg ccaacgtcac cagcctctcc ttactctcca accgcatcca 300  
 ccacctgcac gactccgact tcgtccacct gtccagccta cgaactctca acctcaagtg 360  
 gaactgcccg ccggctggcc tcagcccat gcacttcccc tgccacatga ccatcgagcc 420  
 caacaccttc ctggccgtgc ccacctgga ggagctgaac ctgagctaca acagcatcac 480  
 gaccgtgcct gccctgcccg actccctcgt gtccctgtcg ctgagccgca ccaacatcct 540  
 ggtgctagac cccaccacc tcactggcct acatgccctg cgctacctgt acatggatgg 600  
 caactgctac tacaagaacc cctgccaggg ggcgctggag gtggtgccgg gtgccctcct 660  
 cggcctgggc aacctcacac atctctcact caagtacaac aatctcacgg aggtgccccg 720  
 cagcctgccc ccagcctgg agacctgct gttgtcctac aaccacattg tcacctgac 780  
 gcctgaggac ctggccaatc tgactgccct gcgcgtgctt gatgtggggg ggaactgccg 840  
 ccgctgtgac catgcccgca accctgcag ggagtgccca aaggaccacc ccaagctgca 900  
 ctctgacacc ttcagccacc tgagccgcct cgaaggcctg gtgttgaaag acagtctctc 960  
 ctacaacctg gacaccaggt ggttccgagg cctggacagg ctccaagtgc tggacctgag 1020  
 tgagaacttc ctctacgact gcatcaccaa gaccacggcc ttccagggcc tggcccgaact 1080  
 gcgcagctc aacctgtcct tcaattacca caagaagggt tcctttgccc acctgcacct 1140  
 ggcacctcc tttgggcacc tccggtccct gaaggagctg gacatgcatg gcattctctt 1200  
 ccgctcgctc agtgagacca cgctccaacc tctggtccaa ctgcctatgc tccagacct 1260  
 gcgcctgcag atgaacttca ttaaccaggc ccagctcagc atctttgggg ccttccctgg 1320  
 cctgctgtac gtggacctat cggacaaccg catcagcgga gctgcaaggc cagtggccat 1380  
 tactagggag gtggatggtg gggagagggt ctggctgcct tccaggaacc tcgctccacg 1440  
 tccactggac actctccgct cagaggactt catgccaac tgcaaggcct tcagcttcac 1500

cttggacctg tctcggaaca acctggtgac aatccagtcg gagatgtttg ctgcctctc 1560  
 acgcctcgag tgcctgcgcc tgagccacaa cagcatctcc caggcggta atggctctca 1620  
 gtttgtgccg ctgaccagcc tgcgggtgct ggacctgtcc cacaacaagc tggacctgta 1680  
 tcacggggcg tcgttcacgg agctgccgag cctggaagca ctggacctca gctacaatag 1740  
 ccagcccttt accatgcagg gtgtggggca caacctcagc ttcgtggccc agctgcccgc 1800  
 cctgcgctac ctacagctgg cgcacaatga catccatagc cgagtgtccc agcagctctg 1860  
 tagcgctca ctgtgcgccc tggactttag cggcaacgat ctgagccgga tgtgggctga 1920  
 gggagacctc tatctcgcgt tcttccaagg cctaagaagc ctagtctggc tggacctgtc 1980  
 ccagaaccac ctgcacaccc tctgtccagc tgcctggagc aacctccca aaagcctgaa 2040  
 gcatctgcat ctccgtgaca ataacctggc cttcttcaac tggagcagcc tgacctcct 2100  
 gccaagctg gaaacctgg acttggtgg aaaccagctg aaggccctaa gcaatggcag 2160  
 cctgccatct ggcaccagc tgcggaggct ggacctcagt ggcaacagca tcggctttgt 2220  
 gaacctggc tcttttgccc tggccaagca gttagaagag ctcaacctca gcgccaatgc 2280  
 cctcaagaca gtggagccct cctggtttg ctcgatgggt ggcaacctga aagtcctaga 2340  
 cgtgagcgcc aacctctgc actgtgcctg tggggcgacc ttcgtgggct tctgtctgga 2400  
 ggtacaggct gccgtgcctg ggctgcccag ccgcgtcaag tgtggcagtc cggggcagct 2460  
 ccagggccat agcatctttg cgcaagacct gcgcctctgc ctggatgaga cctctctgtg 2520  
 gaactgtttt ggcattctgc tgcgggcat ggccctgggc ctggttgtgc ccatgctgca 2580  
 ccacctctgc ggctgggacc tctggtactg cttccacctg tgcctggcct ggctgcccc 2640  
 ccgagggcag cggcgggggc cagacgccct gttctatgat gccttcgtgg tctttgacaa 2700  
 agctcagagt gctgtggccg actgggtgta caacgagctg cgggtgcagc tggaggagcg 2760  
 ccgtggggcg cgcgcactgc gcctgtgcct ggaggagcga gactggttac ctggcaagac 2820  
 gctcttcgag aacctgtggg cctcagtcta cagcagccgc aagaccctgt ttgtgctggc 2880  
 ccacacggac cgtgtcagcg gcctcttgcg tgccagtttc ctgctggccc agcagcgcc 2940  
 gctggaggac cgcaaggacg ttgtagtgt ggtgatcctg cgcgccgatg cctaccgctc 3000  
 ccgctacgtg cggctgcgcc agcgctctg ccgccagagt gtcctcctct ggccccacca 3060  
 gcccgtggg cagggcagct tctgggcca gctgggcaca gccctgacca gggacaacca 3120  
 ccacttctat aaccggaact tctgccgggg cccacgaca gccgaatagc actgagtgc 3180  
 agcccagttg cccagcccc cctggatttg cctctctgcc tgggggtgcc caacctgctt 3240  
 tgctcagcca caccactgct ctgctccctg tccccaccc cccccccag cctggcatgt 3300

aacatgtgcc caataaatgc taccggaggg ccaagaaaaa aaaaaaaaaa aa 3352

<210> 8

<211> 2457

<212> DNA

<213> Sus scrofa

<400> 8

atgggcccc gctgcaccct gcacccctt tctctcctgg tgcaggtgac agcgctggct 60  
 gcggctctgg ccagggcag gctgcctgcc ttctgccct gtgagctcca gccccacggc 120  
 ctggtgaact gcaactggct cttcctgaag tccgtgcccc acttctcggc ggcagcggcc 180  
 cgggccaacg tcaccagcct ctcttactc tccaaccgca tccaccacct gcacgactcc 240  
 gacttcgtcc acctgtccag cctacgaact ctcaacctca agtggaaactg cccgccggct 300  
 ggctcagcc ccatgcactt cccctgccac atgaccatcg agcccaacac cttcctggcc 360  
 gtgcccaccc tggaggagct gaacctgagc tacaacagca tcacgaccgt gcctgccctg 420  
 cccgactccc tcgtgtccct gtgcgtgagc cgcaccaaca tcctggtgct agacccacc 480  
 cacctcactg gcctacatgc cctgcgctac ctgtacatgg atggcaactg ctactacaag 540  
 aacccctgcc agggggcgct ggagggtggtg ccgggtgccc tcctcggcct gggcaacctc 600  
 acacatctct cactcaagta caacaatctc acggaggtgc cccgcagcct gccccccagc 660  
 ctggagaccc tgctgttgct ctacaaccac attgtcacc tgacgcctga ggacctggcc 720  
 aatctgactg ccctgcgctg gcttgatgtg ggggggaact gccgccgctg tgacctgcc 780  
 cgcaaccct gcagggagtg cccaaaggac caccccaagc tgcactctga caccttcagc 840  
 cacctgagcc gcctcgaagg cctggtgttg aaagacagtt ctctctacaa cctggacacc 900  
 aggtggttcc gaggcctgga caggctccaa gtgctggacc tgagtgagaa cttcctctac 960  
 gactgcatca ccaagaccac ggccttcag ggcctggccc gactgcgag cctcaacctg 1020  
 tccttcaatt accacaagaa ggtgtccttt gccacctgc acctggcacc ctcctttggg 1080  
 cacctccggt ccctgaagga gctggacatg catggcatct tcttcgctc gctcagttag 1140  
 accacgctcc aacctctggt ccaactgcct atgtccaga ccctgcgcct gcagatgaac 1200  
 ttcattaacc aggccagct cagcatcttt ggggccttcc ctggcctgct gtacgtggac 1260  
 ctatcggaca accgcatcag cggagctgca aggccagtgg ccattactag ggagggtgat 1320  
 ggtagggaga gggctctggct gccttcagg aacctcgctc cacgtccact ggacactctc 1380  
 cgctcagagg acttcatgcc aaactgcaag gccttcagct tcaccttga cctgtctcgg 1440  
 aacaacctgg tgacaatcca gtcggagatg tttgctcgcc tctcacgcct cgagtgcctg 1500

cgcttgagcc acaacagcat ctcccaggcg gtcaatggct ctgagtttgt gccgctgacc 1560  
 agcctgcggg tgctggacct gtcccacaac aagctggacc tgtatcacgg gcgctcgttc 1620  
 acggagctgc cgcgcctgga agcactggac ctgagctaca atagccagcc ctttaccatg 1680  
 caggggtgtgg gccacaacct cagcttcgtg gccagctgc ccgccctgcg ctacctcagc 1740  
 ctggcgccaca atgacatcca tagccgagtg tcccagcagc tctgtagcgc ctactgtgc 1800  
 gccctggact ttagcggcaa cgatctgagc cggatgtggg ctgagggaga cctctatctc 1860  
 cgcttcttcc aaggcctaag aagcctagtc tggctggacc tgtcccagaa ccacctgcac 1920  
 accctcctgc cactgacct ggacaacct cccaaaagcc tgaagcatct gcatctccgt 1980  
 gacaataacc tggccttctt caactggagc agcctgacct tcctgcccac gctggaaacc 2040  
 ctggacttgg ctggaaacca gctgaaggcc ctaagcaatg gcagcctgcc atctggcacc 2100  
 cagctgcgga ggctggacct cagtggcaac agcatcggct ttgtgaacct tggcttcttt 2160  
 gccctggcca agcagttaga agagctcaac ctgagcgcca atgccctcaa gacagtggag 2220  
 ccctcctggt ttggctcgat ggtgggcaac ctgaaagtcc tagacgtgag cgccaacct 2280  
 ctgcactgtg cctgtggggc gaccttcgtg ggcttcctgc tggaggtaca ggctgccgtg 2340  
 cctgggctgc ccagccgcgt caagtgtggc agtccggggc agtccaggg ccatagcatc 2400  
 tttgcgaag acctgcgcct ctgcctggat gagacctct cgtggaactg ttttggc 2457

<210> 9  
 <211> 1029  
 <212> PRT  
 <213> Bos taurus

<400> 9

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala  
 1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Glu Gly Thr Leu Pro Ala Phe Leu  
 20 25 30

Pro Cys Glu Leu Gln Pro His Gly Gln Val Asp Cys Asn Trp Leu Phe  
 35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Gly Ala Pro Arg Ala Asn Val  
 50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser  
 65 70 75 80

Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn  
 85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr  
 100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
 115 120 125

Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu  
 130 135 140

Val Ser Leu Ser Leu Ser His Thr Ser Ile Leu Val Leu Gly Pro Thr  
 145 150 155 160

His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn  
 165 170 175

Cys Tyr Tyr Met Asn Pro Cys Pro Arg Ala Leu Glu Val Ala Pro Gly  
 180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
 195 200 205

Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu  
 210 215 220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu Ala  
 225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro  
 260 265 270

Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg  
 290 295 300

Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr



305	310	315	320
Asp Tyr Ile Thr Lys Thr Thr Ile Phe Asn Asp Leu Thr Gln Leu Arg	325	330	335
Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His	340	345	350
Leu His Leu Ala Ser Ser Phe Gly Ser Leu Val Ser Leu Glu Lys Leu	355	360	365
Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Ile Thr Leu Gln	370	375	380
Ser Leu Thr Arg Leu Pro Lys Leu Gln Ser Leu His Leu Gln Leu Asn	385	390	395
Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu	405	410	415
Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Thr Pro	420	425	430
Ala Ala Ala Leu Gly Glu Val Asp Ser Arg Val Glu Val Trp Arg Leu	435	440	445
Pro Arg Gly Leu Ala Pro Gly Pro Leu Asp Ala Val Ser Ser Lys Asp	450	455	460
Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn	465	470	475
Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu	485	490	495
Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly	500	505	510
Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser His	515	520	525
Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln	530	535	540

Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln  
 545 550 555 560

Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg  
 565 570 575

Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys  
 580 585 590

Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu  
 595 600 605

Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly  
 610 615 620

Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Glu Asn His Leu His Thr  
 625 630 635 640

Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu  
 645 650 655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr  
 660 665 670

Val Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys  
 675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Ile Arg Leu Gln Lys Leu  
 690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Ile Pro Gly Phe Phe Val  
 705 710 715 720

Arg Ala Thr Arg Leu Ile Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys  
 725 730 735

Thr Val Asp Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu Lys Ile  
 740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe  
 755 760 765

Val Asp Phe Leu Leu Glu Arg Gln Glu Ala Val Pro Gly Leu Ser Arg  
 770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe  
 785 790 795 800

Thr Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys  
 805 810 815

Phe Gly Leu Ser Leu Leu Met Val Ala Leu Gly Leu Ala Val Pro Met  
 820 825 830

Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His Leu Cys  
 835 840 845

Leu Ala His Leu Pro Arg Arg Arg Arg Gln Arg Gly Glu Asp Thr Leu  
 850 855 860

Leu Tyr Asp Ala Val Val Val Phe Asp Lys Val Gln Ser Ala Val Ala  
 865 870 875 880

Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu Glu Arg Arg Gly  
 885 890 895

Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu Pro Gly  
 900 905 910

Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser Arg Lys  
 915 920 925

Thr Met Phe Val Leu Asp His Thr Asp Arg Val Ser Gly Leu Leu Arg  
 930 935 940

Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg Lys Asp  
 945 950 955 960

Val Val Val Leu Val Ile Leu Arg Pro Ala Ala Tyr Arg Ser Arg Tyr  
 965 970 975

Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu Trp Pro  
 980 985 990

His Gln Pro Ser Gly Gln Gly Ser Phe Trp Ala Asn Leu Gly Ile Ala  
 995 1000 1005

Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Arg Asn Phe Cys Arg  
 1010 1015 1020

Gly Pro Thr Thr Ala Glu  
1025

<210> 10  
<211> 818  
<212> PRT  
<213> Bos taurus

<400> 10

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala  
1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Glu Gly Thr Leu Pro Ala Phe Leu  
20 25 30

Pro Cys Glu Leu Gln Pro His Gly Gln Val Asp Cys Asn Trp Leu Phe  
35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Gly Ala Pro Arg Ala Asn Val  
50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser  
65 70 75 80

Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn  
85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr  
100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
115 120 125

Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu  
130 135 140

Val Ser Leu Ser Leu Ser His Thr Ser Ile Leu Val Leu Gly Pro Thr  
145 150 155 160

His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn  
165 170 175

Cys Tyr Tyr Met Asn Pro Cys Pro Arg Ala Leu Glu Val Ala Pro Gly  
180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
195 200 205

Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu  
210 215 220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu Ala  
225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro  
260 265 270

Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg  
290 295 300

Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr  
305 310 315 320

Asp Tyr Ile Thr Lys Thr Thr Ile Phe Asn Asp Leu Thr Gln Leu Arg  
325 330 335

Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
340 345 350

Leu His Leu Ala Ser Ser Phe Gly Ser Leu Val Ser Leu Glu Lys Leu  
355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Ile Thr Leu Gln  
370 375 380

Ser Leu Thr Arg Leu Pro Lys Leu Gln Ser Leu His Leu Gln Leu Asn  
385 390 395 400

Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu  
405 410 415

Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Thr Pro

420	425	430
Ala Ala Ala Leu Gly Glu Val Asp Ser Arg Val Glu Val Trp Arg Leu		
435	440	445
Pro Arg Gly Leu Ala Pro Gly Pro Leu Asp Ala Val Ser Ser Lys Asp		
450	455	460
Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn		
465	470	475
Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu		
485	490	495
Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly		
500	505	510
Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser His		
515	520	525
Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln		
530	535	540
Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln		
545	550	555
Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg		
565	570	575
Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys		
580	585	590
Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu		
595	600	605
Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly		
610	615	620
Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Glu Asn His Leu His Thr		
625	630	635
Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu		
645	650	655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr  
660 665 670

Val Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys  
675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Ile Arg Leu Gln Lys Leu  
690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Ile Pro Gly Phe Phe Val  
705 710 715 720

Arg Ala Thr Arg Leu Ile Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys  
725 730 735

Thr Val Asp Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu Lys Ile  
740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe  
755 760 765

Val Asp Phe Leu Leu Glu Arg Gln Glu Ala Val Pro Gly Leu Ser Arg  
770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe  
785 790 795 800

Thr Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys  
805 810 815

Phe Gly

<210> 11

<211> 3191

<212> DNA

<213> Bos taurus

<400> 11

gggaagtggg cgccaagcat ccttcctgc agctgcctcc caacctgccc gccagaccct 60

ctggagaagc cgcattccct gtcattgggccc cctactgtgc ccgcacccc ctttctctcc 120

tggtgcaggc ggcggcactg gcagcggccc tggccgaggg caccctgect gccttctctgc 180

cctgtgagct ccagcccat ggtcagggtg actgcaactg gctgttcctg aagtctgtgc 240

cgcacttttc ggctggagcc ccccgggcca atgtcaccag cctctcctta atctccaacc 300

gcatccacca cttgcatgac tctgacttcg tccacctgtc caacctgcgg gtccctcaacc 360  
 tcaagtggaa ctgcccgcg gccggcctca gcccctatgca cttcccctgc cgtatgacca 420  
 tcgagcccaa caccttcctg gctgtgcca cctggagga gctgaacctg agctacaacg 480  
 gcatcacgac cgtgcctgcc ctgcccagtt cctcgtgtc cctgtcgtg agccacacca 540  
 gcatcctggg gctaggcccc acccacttca cgggcctgca cgcctgcgc tttctgtaca 600  
 tggacggcaa ctgctactac atgaaccctt gccgcgggc cctggaggtg gcccaggcg 660  
 cctcctcgg cctgggcaac ctacgcacc tgtcgtcaa gtacaacaac ctacggagg 720  
 tgccccgcg cctgcccccc agcctggaca cctgctgct gtccataaac cacattgtca 780  
 cctggcacc cgaggacctg gccaacctga ctgcctgcg cgtgcttgac gtgggtggga 840  
 actgcccgcg ctgcgacct gcccgcaacc cctgcaggga gtgcccagg aacttcccc 900  
 agctgcacc tgacacctt agtcacctga gccgcctcga aggcctggtg ttgaaggaca 960  
 gttctctcta caaactagag aaagattggg tccgcggcct gggcaggctc caagtgtcg 1020  
 acctgagtga gaacttcctc tatgactaca tcaccaagac caccatcttc aacgacctga 1080  
 cccagctgcg cagactcaac ctgtccttca attaccaca gaaggtgtcc ttcgcccacc 1140  
 tgcacctagc gtccctcttt gggagtctgg tgtccctgga gaagctggac atgcacggca 1200  
 tcttcttcg ctccctcacc aacatcacgc tccagtcgt gaccggctg cccaagctcc 1260  
 agagtctgca tctgcagctg aacttcac accaggcca gctcagcatc tttggggcct 1320  
 tcccagcct gctcttcgtg gacctgtcgg acaaccgcat cagcggagcc gcgacgccag 1380  
 cggccgcct gggggagggtg gacagcagg tggaagtctg gcgattgcc aggggcctcg 1440  
 ctccaggccc gctggacgcc gtcagctcaa aggacttcat gccagctgc aacctcaact 1500  
 tcaccttga cctgtcacgg aacaacctg tgacaatcca gcaagagatg tttaccgcc 1560  
 tctccgcct ccagtgcctg cgctgagcc acaacagcat ctgcaggcg gttaatggct 1620  
 cccagttcgt gccgctgacc agcctgcgag tgctcgacct gtcccacaac aagctggacc 1680  
 tgtaccatgg gcgctcattc acggagctgc cgcagctgga ggcactggac ctacagtaca 1740  
 acagccagcc cttcagcatg caggcgctgg gccacaacct cagcttcgtg gccagctgc 1800  
 cctccctgcg ctacctcagc cttgcgcaca atggcatcca cagccgcgtg tcacagaagc 1860  
 tcagcagcg ctcgttgcg gccctggact tcagcggcaa ctccctgagc cagatgtggg 1920  
 ccgagggaga cctctatctc tgctttttca aaggcttgag gaacctggtc cagctggacc 1980  
 tgtccgagaa ccatctgcac accctcctgc ctgcctacct ggacaacctg cccaagagcc 2040



tgcggcagct gcgtctccgg gacaataacc tggccttctt caactggagc agcctgaccg 2100  
 tcctgccccg gctggaagcc ctggatctgg caggaaacca gctgaaggcc ctgagcaacg 2160  
 gcagcctgcc gcctggcatc cggtccaga agctggacgt gagcagcaac agcatcggct 2220  
 tcgtgatccc cggcttcttc gtccgcgcga ctccgctgat agagcttaac ctacgcgcca 2280  
 atgccctgaa gacagtggat cctcctgggt tcggttctt agcagggacc ctgaaaatcc 2340  
 tagacgtgag cgccaacccg ctccactgcg cctgcggggc ggcctttgtg gacttctgctg 2400  
 tggagagaca ggaggccgtg cccgggctgt ccaggcgcgt cacatgtggc agtccggggc 2460  
 agctccaggg ccgcagcatc ttcacacagg acctgcgcct ctgcctggat gagaccctct 2520  
 ccttggactg ctttggcctc tctactgctaa tgggtggcgt gggcctggca gtgcccctgc 2580  
 tgcaccacct ctgtggctgg gacctctggt actgcttcca cctgtgtctg gccatttgc 2640  
 cccgacggcg gcggcagcgg ggcgaggaca cctgctcta tgatgccgtc gtggtcttcg 2700  
 acaagggtgca gagtgcagtg gctgattggg tgtacaacga gctccgcgtg cagctggagg 2760  
 agcgcggggg gcggcggggc ctccgcctct gcctggagga gcgagactgg ctccctggta 2820  
 agacgctctt cgagaacctg tgggcctcgg tctacagcag ccgcaagacc atgttcgtgc 2880  
 tggaccacac ggaccgggtc agcggcctcc tgcgcgccag ctctctgctg gccagcagc 2940  
 gcctgttggg ggaccgcaag gacgtcgtag tgctgggtgat cctgcgcccc gcgcctatc 3000  
 ggtcccgcct cgtgcggctg cgccagcgcc tctgcccga gagcgtctc ctctggcccc 3060  
 accagcccag tggccagggg agtttctggg ccaacctggg catagccctg accagggaca 3120  
 accgtcactt ctataaccgg aacttctgcc ggggccccac gacagccgaa tagcacagag 3180  
 tgactgccc g 3191

&lt;210&gt; 12

&lt;211&gt; 2454

&lt;212&gt; DNA

&lt;213&gt; Bos taurus

&lt;400&gt; 12

atgggcccct actgtgcccc gcacccctt tctctcctgg tgcaggcggc ggcactggca 60  
 gcggccctgg ccgagggcac cctgcctgcc ttctgcct gtgagctcca gcccctgggt 120  
 cagggtggact gcaactggct gttcctgaag tctgtgccgc acttttcggc tggagcccc 180  
 cgggccaatg tcaccagcct ctcttaatc tccaaccgca tccaccactt gcatgactct 240  
 gacttcgtcc acctgtccaa cctgcgggtc ctcaacctca agtggaactg ccgcggggc 300  
 ggctcagcc ccatgcactt cccctgccgt atgaccatcg agcccaacac ctctctggct 360

gtgcccaccc tggaggagct gaacctgagc tacaacggca tcacgaccgt gcctgccctg	420
cccagttccc tcgtgtccct gtcgtgagc cacaccagca tcctgggtgct agggcccacc	480
cacttcaccg gcctgcacgc cctgcgcttt ctgtacatgg acggcaactg ctactacatg	540
aacctctgcc cgcggggccct ggaggtggcc ccaggcgccc tcctcggcct gggcaacctc	600
acgcacctgt cgctcaagta caacaacctc acggaggtgc cccgccgcct gccccccagc	660
ctggacaccc tgctgctgtc ctacaaccac attgtcacc tggcacccga ggacctggcc	720
aacctgactg ccctgcgcgt gcttgacgtg ggtgggaact gccgccgctg cgaccatgcc	780
cgcaaccctt gcagggagtg cccaaagaac ttccccaagc tgcacctga caccttcagt	840
cacctgagcc gcctcgaagg cctgggtgtg aaggacagtt ctctctacaa actagagaaa	900
gattggttcc gcggcctggg caggctccaa gtgctcgacc tgagtgagaa ctctctctat	960
gactacatca ccaagaccac catcttcaac gacctgacc agctgcgcag actcaacctg	1020
tccttcaatt accacaagaa ggtgtccttc gccacctgc acctagcgtc ctcttttggg	1080
agtctggtgt ccctggagaa gctggacatg cacggcatct tcttcgcctc cctcaccaac	1140
atcacgtcc agtcgctgac cgggctgccc aagctccaga gtctgcatct gcagctgaac	1200
ttcatcaacc agggccagct cagcatcttt ggggccttcc cgagcctgct ctctgtggac	1260
ctgtcggaca accgcatcag cggagccgcg acgccagcgg ccgccctggg ggaggtggac	1320
agcaggggtg aagtctggcg attgcccagg ggcctcgctc caggcccgtt ggacgccgtc	1380
agctcaaagg acttcatgcc aagctgcaac ctcaacttca ccttggacct gtcacggaac	1440
aacctggtga caatccagca agagatgttt accgcctct cccgcctcca gtgcctgcgc	1500
ctgagccaca acagcatctc gcaggcggtt aatggctccc agttcgtgcc gctgaccagc	1560
ctgcgagtgc tcgacctgtc ccacaacaag ctggacctgt accatgggcg ctcattcacg	1620
gagctgccgc agctggaggc actggacctc agctacaaca gccagccctt cagcatgcag	1680
ggcgtggggc acaacctcag ctctgtggcc cagctgccct ccctgcgcta cctcagcctt	1740
gcgcacaatg gcatccacag ccgcgtgtca cagaagctca gcagcgctc gttgcgcgcc	1800
ctggacttca gcggcaactc cctgagccag atgtgggccc agggagacct ctatctctgc	1860
tttttcaaag gcttgaggaa cctggtccag ctggacctgt ccgagaacca tctgcacacc	1920
ctcctgcctc gtcacctgga caacctgccc aagagcctgc gccagctgcg tctccgggac	1980
aataacctgg ccttcttcaa ctggagcagc ctgaccgtcc tgccccggct ggaagccctg	2040
gatctggcag gaaaccagct gaaggccctg agcaacggca gcctgccgcc tggcatccgg	2100
ctccagaagc tggacgtgag cagcaacagc atcggcttcg tgatccccgg ctctctcgtc	2160

cgcgcgactc ggctgataga gcttaacctc agcgccaatg ccctgaagac agtggatccc 2220  
 tcttggttcg gttccttagc agggaccctg aaaatcctag acgtgagcgc caaccgcgc 2280  
 cactgcgcct gcggggcggc ctttgtggac ttcctgctgg agagacagga ggccgtgccc 2340  
 gggctgtcca ggcgcgtcac atgtggcagt ccgggccagc tccagggccg cagcatcttc 2400  
 acacaggacc tgcgcctctg cctggatgag accctctcct tggactgctt tggc 2454

<210> 13  
 <211> 1031  
 <212> PRT  
 <213> Equus caballus

<400> 13

Met Gly Pro Cys His Gly Ala Leu Gln Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Met Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Pro Phe  
 20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Asp Asn  
 50 55 60

Val Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp  
 65 70 75 80

Ser Asp Phe Ala Gln Leu Ser Asn Leu Gln Lys Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met  
 100 105 110

Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
 130 135 140

Leu Val Ser Leu Ile Leu Ser Arg Thr Asn Ile Leu Gln Leu Asp Pro  
 145 150 155 160

Thr Ser Leu Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Gly Arg Ala Leu Glu Val Ala Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Thr Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Val Glu Cys Pro His Lys Phe  
 260 265 270

Pro Gln Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Gln Leu Asn Pro Arg Trp Phe  
 290 295 300

Arg Gly Leu Gly Asn Leu Thr Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Ala Gln Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu Thr Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Gln Lys Thr Leu  
 370 375 380

Gln Pro Leu Ala Arg Leu Pro Met Leu Gln Arg Leu Tyr Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Lys Asp Phe Pro Gly  
 405 410 415

Leu Arg Tyr Ile Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Val Glu  
 420 425 430

Pro Val Ala Thr Thr Gly Glu Val Asp Gly Gly Lys Lys Val Trp Leu  
 435 440 445

Thr Ser Arg Asp Leu Thr Pro Gly Pro Leu Asp Thr Pro Ser Ser Glu  
 450 455 460

Asp Phe Met Pro Ser Cys Lys Asn Leu Ser Phe Thr Leu Asp Leu Ser  
 465 470 475 480

Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser  
 485 490 495

Arg Leu Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val  
 500 505 510

Asn Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Gln Val Leu Asp Leu  
 515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu  
 530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser  
 545 550 555 560

Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Thr  
 565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser  
 580 585 590

Gln Gln Leu Cys Ser Thr Ser Leu Trp Ala Leu Asp Phe Ser Gly Asn  
 595 600 605

Ser Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe  
 610 615 620

Gln Gly Leu Arg Ser Leu Ile Arg Leu Asp Leu Ser Gln Asn Arg Leu  
 625 630 635 640

His Thr Leu Leu Pro Cys Thr Leu Gly Asn Leu Pro Lys Ser Leu Gln  
                     645                    650                    655

Leu Leu Arg Leu Arg Asn Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser  
                     660                    665                    670

Leu Thr Leu Leu Pro Asn Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln  
                     675                    680                    685

Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Gln  
                     690                    695                    700

Arg Leu Asp Val Ser Arg Asn Ser Ile Ile Phe Val Val Pro Gly Phe  
                     705                    710                    715                    720

Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala  
                     725                    730                    735

Leu Arg Thr Glu Glu Pro Ser Trp Phe Gly Phe Leu Ala Gly Ser Leu  
                     740                    745                    750

Glu Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala  
                     755                    760                    765

Ala Phe Val Asp Phe Leu Leu Gln Val Gln Ala Ala Val Pro Gly Leu  
                     770                    775                    780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser  
                     785                    790                    795                    800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Lys Ser Leu Ser Trp  
                     805                    810                    815

Asp Cys Phe Gly Leu Ser Leu Leu Val Val Ala Leu Gly Leu Ala Met  
                     820                    825                    830

Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His  
                     835                    840                    845

Leu Gly Leu Ala Trp Leu Pro Arg Arg Gly Trp Gln Arg Gly Ala Asp  
                     850                    855                    860

Ala Leu Ser Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala

865                                      870                                      875                                      880  
 Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu Glu Arg  
    885                                      890                                      895  
 Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu  
    900                                      905                                      910  
 Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser  
    915                                      920                                      925  
 Arg Lys Met Leu Phe Val Leu Ala His Thr Asp Gln Val Ser Gly Leu  
    930                                      935                                      940  
 Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg  
    945                                      950                                      955                                      960  
 Lys Asp Val Val Val Leu Val Ile Leu Ser Pro Asp Ala Arg Arg Ser  
    965                                      970                                      975  
 Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Phe  
    980                                      985                                      990  
 Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln Leu Gly  
    995                                      1000                                      1005  
 Met Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln Asn Phe  
    1010                                      1015                                      1020  
 Cys Arg Gly Pro Thr Met Ala Glu  
    1025                                      1030  
  
 <210> 14  
 <211> 820  
 <212> PRT  
 <213> Equus caballus  
  
 <400> 14  
 Met Gly Pro Cys His Gly Ala Leu Gln Pro Leu Ser Leu Leu Val Gln  
 1                                      5                                      10                                      15  
 Ala Ala Met Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Pro Phe  
    20                                      25                                      30  
 Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu

35	40	45	
Phe	Leu	Lys	Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Asp Asn
50			55 60
Val	Thr	Ser	Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp
65			70 75 80
Ser	Asp	Phe	Ala Gln Leu Ser Asn Leu Gln Lys Leu Asn Leu Lys Trp
		85	90 95
Asn	Cys	Pro	Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met
		100	105 110
Thr	Ile	Glu	Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu
	115		120 125
Asn	Leu	Ser	Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser
	130		135 140
Leu	Val	Ser	Leu Ile Leu Ser Arg Thr Asn Ile Leu Gln Leu Asp Pro
145			150 155 160
Thr	Ser	Leu	Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly
		165	170 175
Asn	Cys	Tyr	Tyr Lys Asn Pro Cys Gly Arg Ala Leu Glu Val Ala Pro
		180	185 190
Gly	Ala	Leu	Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr
	195		200 205
Asn	Asn	Leu	Thr Thr Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Tyr
	210		215 220
Leu	Leu	Leu	Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu
225			230 235 240
Ala	Asn	Leu	Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg
		245	250 255
Arg	Cys	Asp	His Ala Arg Asn Pro Cys Val Glu Cys Pro His Lys Phe
		260	265 270



Pro Gln Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Gln Leu Asn Pro Arg Trp Phe  
 290 295 300

Arg Gly Leu Gly Asn Leu Thr Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Ala Gln Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu Thr Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Gln Lys Thr Leu  
 370 375 380

Gln Pro Leu Ala Arg Leu Pro Met Leu Gln Arg Leu Tyr Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Lys Asp Phe Pro Gly  
 405 410 415

Leu Arg Tyr Ile Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Val Glu  
 420 425 430

Pro Val Ala Thr Thr Gly Glu Val Asp Gly Gly Lys Lys Val Trp Leu  
 435 440 445

Thr Ser Arg Asp Leu Thr Pro Gly Pro Leu Asp Thr Pro Ser Ser Glu  
 450 455 460

Asp Phe Met Pro Ser Cys Lys Asn Leu Ser Phe Thr Leu Asp Leu Ser  
 465 470 475 480

Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser  
 485 490 495

Arg Leu Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val  
 500 505 510

Asn Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Gln Val Leu Asp Leu  
 515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu  
 530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser  
 545 550 555 560

Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Thr  
 565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser  
 580 585 590

Gln Gln Leu Cys Ser Thr Ser Leu Trp Ala Leu Asp Phe Ser Gly Asn  
 595 600 605

Ser Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe  
 610 615 620

Gln Gly Leu Arg Ser Leu Ile Arg Leu Asp Leu Ser Gln Asn Arg Leu  
 625 630 635 640

His Thr Leu Leu Pro Cys Thr Leu Gly Asn Leu Pro Lys Ser Leu Gln  
 645 650 655

Leu Leu Arg Leu Arg Asn Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser  
 660 665 670

Leu Thr Leu Leu Pro Asn Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln  
 675 680 685

Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Gln  
 690 695 700

Arg Leu Asp Val Ser Arg Asn Ser Ile Ile Phe Val Val Pro Gly Phe  
 705 710 715 720

Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala  
 725 730 735

Leu Arg Thr Glu Glu Pro Ser Trp Phe Gly Phe Leu Ala Gly Ser Leu  
 740 745 750

Glu Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala  
 755 760 765

Ala Phe Val Asp Phe Leu Leu Gln Val Gln Ala Ala Val Pro Gly Leu  
 770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser  
 785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Lys Ser Leu Ser Trp  
 805 810 815

Asp Cys Phe Gly  
 820

<210> 15  
 <211> 3391  
 <212> DNA  
 <213> Equus caballus

<400> 15  
 ctctgttctc tgagctgttg ccgcgtgaag ggactgcgag cacaagcat cctcctctgc 60  
 agctgctgcc cagtgtgcc gctggacct ctggatcatc tccactccc tgtcatgggc 120  
 ccttgccatg gtgccctgca gccctgtct ctctgtgtgc aggcggccat gctggcctg 180  
 gctctggccc aaggcacct gcctcccttc ctgccctgtg agctccagcc ccacggcctg 240  
 gtgaactgca actggctgtt cctgaagtcc gtgcccact tctcagcagc agcaccocgg 300  
 gacaatgtca ccagccttcc cttgtctctc aaccgcatcc accacctcca cgactccgac 360  
 tttgcccac tgtccaacct gcagaaactc aacctcaaat ggaactgccc gccagccggc 420  
 ctcagcccca tgcacttccc ctgccacatg accatcgagc ccaacacttt cctggctgta 480  
 cccaccctgg aggagctgaa cctgagctac aacggcatca cgactgtgcc tgcctgccc 540  
 agctccctcg tgtccctgat cctgagccgc accaacatcc tgcagctaga cccaccagc 600  
 ctcacggggc tgcattccct gcgcttccca tacatggatg gcaactgcta ctacaagaac 660  
 ccctgcgggc gggccctgga ggtggcccca ggcgcctcc ttggcctggg caacctcacc 720  
 cacctgtcac tcaagtacaa caacctcaca acggtgcccc gcagcctgcc ccctagcctg 780  
 gagtacctgc tgttgtccta caaccacatt gtcacctgg cacctgagga cctggccaat 840  
 ctgactgccc tgcgtgtgct cgatgtgggt ggaaactgcc gccgctgtga ccatgcacgc 900  
 aaccctgcg tggagtgcc acataaatc cccagctgc actccgacac cttcagccac 960

ctaagccgcc tagaaggcct cgtgttgaag gatagttctc tctaccagct gaaccccaaga 1020  
 tgggtccgtg gcctgggcaa cctcacagtg ctgcacctga gtgagaactt cctctacgac 1080  
 tgcataacca aaaccaaggc attccagggc ctggcccagc tgcgaagact caacttgtcc 1140  
 ttcaattacc ataagaaggt gtccttcgcc cacctgacgc tggcaccctc cttcgggagc 1200  
 ctgctctccc tgcaggaact ggacatgcat ggcactctct tccgctcact cagccagaag 1260  
 acgtccagc cactggcccg cctgcccatt ctccagcgtc tgtatctgca gatgaacttc 1320  
 atcaaccagg ccagctcgg catcttcaag gacttccctg gtctgcgcta catagacctg 1380  
 tcagacaacc gcatcagtgg agctgtggag cgggtggcca ccacagggga ggtggatggc 1440  
 gggagaagg tctggctgac atccagggac ctactccag gccactgga cccccagc 1500  
 tctgaggact tcatgccaag ctgcaagaac ctgagcttca ccttggacct gtcacggaac 1560  
 aacctggtaa cagtccagcc agagatgttt gccagctct cgcgcctcca gtgcctgcgc 1620  
 ctgagccaca acagcatctc gcaggcggtc aatggctcac agttcgtgcc actgaccagc 1680  
 ctgcaggtgc tggacctgac ccataacaaa ctggacctgt accatgggag ctcgtttacg 1740  
 gagctgccgc gactggaggc cctggacctc agctacaaca gccagccctt cagcatgcgg 1800  
 ggtgtgggcc acaacctcag ctttgtggcc cagctgcca ccttgcgcta cctcagcctg 1860  
 gcacacaatg gcatccacag ccgtgtgtcc cagcagctct gcagcacctc gctgtgggcc 1920  
 ctggacttca gcggcaattc cctgagccag atgtgggctg agggagacct ctatctccgc 1980  
 ttcttccaag gcctgagaag cctaaccgg ctagacctgt ccagaatcg tctgcatacc 2040  
 ctctgccat gcacctggg caacctccc aagagcttgc agctgctgcg tctccgtaac 2100  
 aattacctgg ccttcttcaa ttggagcagc ctgacctcc tgcacaacct ggaaacctg 2160  
 gacctggctg gaaaccagct gaaggctctg agcaatggca gcctgccttc tggcaccag 2220  
 ctccagaggc tggacgtcag caggaacagc atcatcttcg tggccctgg cttctttgct 2280  
 ctggccacga ggctgcgaga gctcaacctc agtgccaacg ccctcaggac agaggagccc 2340  
 tcctggtttg gtttcttagc aggtccctt gaagtccatg atgtgagcgc caacctctg 2400  
 cactgcgcct gtggggcagc ctttgtggac ttctgctgc aggttcaggc tgccgtgcct 2460  
 ggtctgcca gccgcgtcaa gtgtggcagt cggggccagc tccagggccg cagcatcttc 2520  
 gcacaagacc tgccctctg cctggacaag tccctctcct gggactgttt tggctctctca 2580  
 ttgctggctg tggccctggg cctggccatg cctatgttgc accacctctg cggctgggac 2640  
 ctctggtact gcttccacct gggcctggcc tggtgcccc ggccgggggtg gcagcggggc 2700

gcggatgccc tgagctatga tgcctttgtg gtcttcgaca aggcacagag cgcagtggcc 2760  
gactgggtgt acaatgaact gcgggtgcgg ctgaggagc gccgtgggag ccgggagctc 2820  
cgcctgtgtc tggaggagcg tgactggcta cctggcaaga cgctgttcga aaacctgtgg 2880  
gcctcagtct acagcagccg caagatgctg tttgtgctgg cccacacgga ccaggtcagt 2940  
ggcctcttgc gtgccagctt cctgctggcc cagcagcgtc tgctggagga ccgcaaggac 3000  
gttgtgtgtc tggtaatcct gagccctgac gcccgccgtt cccgttacgt gcggctgcgc 3060  
cagcgcctct gccgccagag tgctcctctc tggccccacc agcctagtgg ccagcgcagc 3120  
ttctgggccc agctaggcat ggccctgacc agggacaacc gccacttcta taaccagaac 3180  
ttctgccggg gcccgacgat ggctgagtag cacagagtga cagcctggca tgtacaaccc 3240  
ccagccctga ccttgccctc ctgcctatga tgcccagtct gcctcactct gtgacgcccc 3300  
tgctctgctt ccgccacct caccctggc atacagcagg cactcaataa atgccactgg 3360  
caggccaaac agccaaaaa aaaaaaaaaa a 3391

<210> 16

<211> 2460

<212> DNA

<213> Equus caballus

<400> 16

atggggcctt gccatggtgc cctgcagccc ctgtctctcc tgggtcaggc ggccatgctg 60  
gccgtggctc tggcccaagg caccctgcct ccttctctgc cctgtgagct ccagccccac 120  
ggcctggtga actgcaactg gctgttctct aagtccgtgc cccacttctc agcagcagca 180  
ccccgggaca atgtcaccag ccttctcttg ctctccaacc gcatccacca cctccacgac 240  
tcgactttg cccaactgtc caacctgcag aaactcaacc tcaaatggaa ctgcccggca 300  
gccggcctca gccccatgca cttcccctgc cacatgacca tcgagcccaa cactttctctg 360  
gctgtacca ccctggagga gctgaacctg agctacaacg gcatcacgac tgtgcctgcc 420  
ctgcccagct ccctcgtgtc cctgatcctg agccgcacca acatcctgca gctagacccc 480  
accagcctca cgggcctgca tgccctgcgc ttcctataca tggatggcaa ctgctactac 540  
aagaacctct gcgggcgggc cctggagggtg gcccagggc ccctccttgg cctgggcaac 600  
ctcaccaccc tgctactcaa gtacaacaac ctcaaacgg tgccccgcag cctgccccct 660  
agcctggagt acctgctgtt gtcctacaac cacattgtca ccctggcacc tgaggacctg 720  
gccaatctga ctgccctgcg tgtgctcgat tggggtggaa actgccgcgc ctgtgacctat 780  
gcacgcaacc cctgcgtgga gtgccacat aaattcccc agctgcactc cgacaccttc 840

agccacctaa gccgcctaga aggcctcgtg ttgaaggata gttctctcta ccagctgaac 900  
 cccagatggg tccgtggcct gggcaacctc acagtgtctg acctgagtga gaacttcctc 960  
 tacgactgca tcacaaaac caaggcatte cagggcctgg cccagctgcg aagactcaac 1020  
 ttgtccttca attaccataa gaagggtgcc ttgcgccacc tgacgctggc accctccttc 1080  
 gggagcctgc tctccctgca ggaactggac atgcatggca tcttcttccg ctcaactcagc 1140  
 cagaagacgc tccagccact ggcccgctg cccatgtctc agcgtctgta totgcagatg 1200  
 aacttcatca accaggccca gctcggcatc ttcaaggact tccctggtct gcgctacata 1260  
 gacctgtcag acaaccgcat cagtggagct gtggagccgg tggccaccac aggggaggtg 1320  
 gatgggtggga agaagggtctg gctgacatcc agggacctca ctccaggccc actggacacc 1380  
 cccagctctg aggacttcat gccaagctgc aagaacctca gcttcacctt ggacctgtca 1440  
 cggaacaacc tggtaacagt ccagccagag atgtttgccc agctctcgcg cctccagtg 1500  
 ctgcgctga gccacaacag catctcgag gcggtcaatg gctcacagtt cgtgccactg 1560  
 accagcctgc aggtgctgga cctgtcccat acaaaactgg acctgtacca tgggcgctcg 1620  
 ttacggagc tgccgcgact ggaggccctg gacctcagct acaacagcca gcccttcagc 1680  
 atgcggggtg tgggccacaa cctcagcttt gtggcccagc tgcccaccct gcgctacctc 1740  
 agcctggcac acaatggcat ccacagccgt gtgtcccagc agctctgcag cacctcgctg 1800  
 tgggccctgg acttcagcgg caattccctg agccagatgt gggctgaggg agacctctat 1860  
 ctccgcttct tccaaggcct gagaagccta atccggctag acctgtcca gaatcgctctg 1920  
 cataccctcc tgccatgcac cctgggcaac ctccccaaga gcttgagct gctgcgtctc 1980  
 cgtaacaatt acctggcctt cttcaattgg agcagcctga ccctcctgcc caacctggaa 2040  
 acctggacc tggctggaaa ccagctgaag gctctgagca atggcagcct gccttctggc 2100  
 acccagctcc agaggctgga cgtcagcagg aacagcatca tcttcgtggg ccttggcttc 2160  
 tttgctctgg ccacgaggct gcgagagctc aacctcagtg ccaacgccct caggacagag 2220  
 gagccctcct ggtttggtt cctagcaggc tcccttgaag tcctagatgt gagcgccaac 2280  
 cctctgcact gcgcctgtgg ggcagccttt gtggacttcc tgctgcaggt tcaggctgcc 2340  
 gtgcctggtc tgcccagccg cgtcaagtgt ggcagtccgg gccagctcca gggccgcagc 2400  
 atcttcgcac aagacctgcg cctctgcctg gacaagtccc tctcctggga ctgttttggg 2460

<210> 17  
 <211> 1029  
 <212> PRT  
 <213> Ovis aries

&lt;400&gt; 17

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala  
 1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe Leu  
 20 25 30

Pro Cys Glu Leu Gln Pro Arg Gly Lys Val Asn Cys Asn Trp Leu Phe  
 35 40 45

Leu Lys Ser Val Pro Arg Phe Ser Ala Gly Ala Pro Arg Ala Asn Val  
 50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser  
 65 70 75 80

Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn  
 85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr  
 100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
 115 120 125

Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu  
 130 135 140

Val Ser Leu Ser Leu Ser Arg Thr Ser Ile Leu Val Leu Gly Pro Thr  
 145 150 155 160

His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn  
 165 170 175

Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Val Glu Val Ala Pro Gly  
 180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
 195 200 205

Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu  
 210 215 220

Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu Ala  
 225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro  
 260 265 270

Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg  
 290 295 300

Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr  
 305 310 315 320

Asp Tyr Ile Thr Lys Thr Thr Ile Phe Arg Asn Leu Thr Gln Leu Arg  
 325 330 335

Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350

Leu Gln Leu Ala Pro Ser Phe Gly Gly Leu Val Ser Leu Glu Lys Leu  
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Thr Thr Leu Arg  
 370 375 380

Pro Leu Thr Gln Leu Pro Lys Leu Gln Ser Leu Ser Leu Gln Leu Asn  
 385 390 395 400

Phe Ile Asn Gln Ala Glu Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu  
 405 410 415

Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro  
 420 425 430

Val Ala Ala Leu Gly Glu Val Asp Ser Gly Val Glu Val Trp Arg Trp  
 435 440 445

Pro Arg Gly Leu Ala Pro Gly Pro Leu Ala Ala Val Ser Ala Lys Asp  
 450 455 460



Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn  
 465 470 475 480

Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu  
 485 490 495

Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly  
 500 505 510

Ser Gln Phe Val Pro Leu Thr Arg Leu Arg Val Leu Asp Leu Ser Tyr  
 515 520 525

Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln  
 530 535 540

Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln  
 545 550 555 560

Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg  
 565 570 575

Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys  
 580 585 590

Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu  
 595 600 605

Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly  
 610 615 620

Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Lys Asn His Leu His Thr  
 625 630 635 640

Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu  
 645 650 655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr  
 660 665 670

Val Leu Pro Gln Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys  
 675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Thr Arg Leu Gln Lys Leu  
 690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Thr Pro Gly Phe Phe Val  
 705 710 715 720

Leu Ala Asn Arg Leu Lys Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys  
 725 730 735

Thr Val Asp Pro Phe Trp Phe Gly Arg Leu Thr Glu Thr Leu Asn Ile  
 740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe  
 755 760 765

Val Asp Phe Leu Leu Glu Met Gln Ala Ala Val Pro Gly Leu Ser Arg  
 770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe  
 785 790 795 800

Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys  
 805 810 815

Phe Gly Phe Ser Leu Leu Met Val Ala Leu Gly Leu Ala Val Pro Met  
 820 825 830

Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His Leu Cys  
 835 840 845

Leu Ala His Leu Pro Arg Arg Arg Arg Gln Arg Gly Glu Asp Thr Leu  
 850 855 860

Leu Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala Val Ala  
 865 870 875 880

Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu Glu Arg Arg Gly  
 885 890 895

Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu Pro Gly  
 900 905 910

Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser Arg Lys  
 915 920 925

Thr Met Phe Val Leu Asp His Thr Asp Arg Val Ser Gly Leu Leu Arg

930                                      935                                      940  
 Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg Lys Asp  
 945                                      950                                      955                                      960  
 Val Val Val Leu Val Ile Leu Arg Pro Ala Ala Tyr Arg Ser Arg Tyr  
                                     965                                      970                                      975  
 Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu Trp Pro  
                                     980                                      985                                      990  
 His Gln Pro Ser Gly Gln Gly Ser Phe Trp Ala Asn Leu Gly Met Ala  
                                     995                                      1000                                      1005  
 Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Arg Asn Phe Cys Arg  
                                     1010                                      1015                                      1020  
 Gly Pro Thr Thr Ala Glu  
                                     1025  
 <210> 18  
 <211> 818  
 <212> PRT  
 <213> Ovis aries  
 <400> 18  
 Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala  
 1                                      5                                      10                                      15  
 Ala Ala Leu Ala Ala Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe Leu  
                                     20                                      25                                      30  
 Pro Cys Glu Leu Gln Pro Arg Gly Lys Val Asn Cys Asn Trp Leu Phe  
                                     35                                      40                                      45  
 Leu Lys Ser Val Pro Arg Phe Ser Ala Gly Ala Pro Arg Ala Asn Val  
                                     50                                      55                                      60  
 Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser  
 65                                      70                                      75                                      80  
 Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn  
                                     85                                      90                                      95  
 Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr

100	105	110
Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn		
115	120	125
Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu		
130	135	140
Val Ser Leu Ser Leu Ser Arg Thr Ser Ile Leu Val Leu Gly Pro Thr		
145	150	155
His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn		
165	170	175
Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Val Glu Val Ala Pro Gly		
180	185	190
Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn		
195	200	205
Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu		
210	215	220
Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu Ala		
225	230	235
Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg		
245	250	255
Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro		
260	265	270
Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu		
275	280	285
Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg		
290	295	300
Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr		
305	310	315
Asp Tyr Ile Thr Lys Thr Thr Ile Phe Arg Asn Leu Thr Gln Leu Arg		
325	330	335

Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350

Leu Gln Leu Ala Pro Ser Phe Gly Gly Leu Val Ser Leu Glu Lys Leu  
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Thr Thr Leu Arg  
 370 375 380

Pro Leu Thr Gln Leu Pro Lys Leu Gln Ser Leu Ser Leu Gln Leu Asn  
 385 390 395 400

Phe Ile Asn Gln Ala Glu Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu  
 405 410 415

Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro  
 420 425 430

Val Ala Ala Leu Gly Glu Val Asp Ser Gly Val Glu Val Trp Arg Trp  
 435 440 445

Pro Arg Gly Leu Ala Pro Gly Pro Leu Ala Ala Val Ser Ala Lys Asp  
 450 455 460

Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn  
 465 470 475 480

Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu  
 485 490 495

Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly  
 500 505 510

Ser Gln Phe Val Pro Leu Thr Arg Leu Arg Val Leu Asp Leu Ser Tyr  
 515 520 525

Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln  
 530 535 540

Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln  
 545 550 555 560

Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg  
 565 570 575

Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys  
 580 585 590

Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu  
 595 600 605

Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly  
 610 615 620

Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Lys Asn His Leu His Thr  
 625 630 635 640

Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu  
 645 650 655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr  
 660 665 670

Val Leu Pro Gln Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys  
 675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Thr Arg Leu Gln Lys Leu  
 690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Thr Pro Gly Phe Phe Val  
 705 710 715 720

Leu Ala Asn Arg Leu Lys Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys  
 725 730 735

Thr Val Asp Pro Phe Trp Phe Gly Arg Leu Thr Glu Thr Leu Asn Ile  
 740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe  
 755 760 765

Val Asp Phe Leu Leu Glu Met Gln Ala Ala Val Pro Gly Leu Ser Arg  
 770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe  
 785 790 795 800

Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys  
 805 810 815

Phe Gly

<210> 19  
 <211> 3199  
 <212> DNA  
 <213> Ovis aries

<400> 19  
 gtcggcacgg gaagtgagcg ccaagcatcc ttccctgcag ctgccgcca acttgccgc 60  
 cagaccctct ggagaagcgg cattccctgc catgggcccc tactgtgccc cgcacccct 120  
 ttctctcctg gtgcaggcgg cggcgctggc agcagccctg gccagggca ccctgcctgc 180  
 cttcctgccc tgtgagctcc agccccgggg taaggatgaac tgcaactggc tgttcctgaa 240  
 gtctgtgccc cgcttttcgg cgggagcccc cggggccaat gtcaccagcc tctccttaat 300  
 ctccaaccgc atccaccact tgcacgactc tgacttcgtc cacctgtcca acctgcccgt 360  
 cctcaacctc aagtggaaact gccgcgcggc cggcctcagc cccatgcact tcccctgccc 420  
 catgaccatc gagcccaaca ccttcctggc tgtgcccacc ctggaggagc tgaacctgag 480  
 ctacaatggc atcacgaccg tgcttgcct gccagttct ctcttatccc tgtcgtgag 540  
 ccgcaccagc atcctggtgc taggccccac ccacttcacc ggcctgcagc ccctgcgctt 600  
 tctgtacatg gacggcaact gctactataa gaacccctgc cagcaggccg tggagggtggc 660  
 cccaggcgcc ctccttggcc tgggcaacct cagcacctg tcgctcaagt acaacaacct 720  
 caggagggtg cccgcgcgcc tgccccccag cctggacacc ctgctgctgt cctacaacca 780  
 catcatcacc ctggcaccgg aggacctggc caatctgact gccctgcgtg tgcttgatgt 840  
 gggcggggaa tgccgcgcgt ggcaccacgc ccgcaacccc tgcaggaggt gcccaaagaa 900  
 cttccccaag ctgcacctg acaccttcag ccacctgagc cgcctcgaag gcctgggtgtt 960  
 gaaggacagt tctctctaca aactagagaa agactgggtc cgcggcctgg gcaggctcca 1020  
 agtgcctgac ctgagtgaga acttcctcta tgactacatc accaagacca ccatcttcag 1080  
 gaacctgacc cagctgcgca gactcaacct gtcttcaat taccacaaga aggtgtcctt 1140  
 cgcccacctg caactggcac cctcctttgg gggcctgggtg tccctggaga agctggacat 1200  
 gcacggcatc ttcttccgct ccctcacaa caccacgctc cggccgctga cccagctgcc 1260  
 caagctccag agtctgagtc tgcagctgaa cttcatcaac caggccgagc tcagcatctt 1320  
 tggggccttc ccgagcctgc tcttcgtgga cctgtcggac aaccgcatca gcggagctgc 1380  
 gaggccggtg gccgcctcgg gggagggtgga cagcggggtg gaagtctggc ggtggcccag 1440

gggcctcgct ccaggcccg cggcgccgt cagcgcaaag gacttcatgc caagctgcaa 1500  
 cctcaacttc accttggacc tgtcacggaa caacctggtg acgatccagc aggagatggt 1560  
 taccgccttc tccgcctcc agtgcctgcg cctgagccac aacagcatct cgcaggcggt 1620  
 taatggctcg cagttcgtgc cgctgaccgc cctgcgagtg ctgcacctgt cctacaacaa 1680  
 gctggacctg taccatgggc gctcgttcac ggagctgccg cagctggagg cactggacct 1740  
 cagctacaac agccagccct tcagcatgca gggcggtggc cacaacctca gcttcgtggc 1800  
 ccagctgccg tccctgcgct acctcagcct tgcgcacaac ggcatccaca gccgcgtgtc 1860  
 acagaagctc agcagcgct cgctgcgcgc cctggacttc agcggcaact ccctgagcca 1920  
 gatgtggggc gagggagacc tctatctctg cttcttcaaa ggcttgagga acctggtcca 1980  
 gctggacctg tccaagaacc acctgcacac cctcctgcct cgtcacctgg ataacctgcc 2040  
 caagagcctg cggcagctgc gtctccggga caataacctg gccttcttca actggagcag 2100  
 cctgactgtt ctgccccagc tgggaagccct ggatctggcg ggaaaccagc tgaaggccct 2160  
 gagcaacggc agcctgccac ctggcaccgc gctccagaag ctggacgtga gcagcaacag 2220  
 catcggcttt gtgaccctg gcttctttgt ccttgccaac cggctgaaag agcttaacct 2280  
 cagcgccaac gccctgaaga cagtggatcc cttctgggtc ggtcgcttaa cagagacct 2340  
 gaatatccta gacgtgagcg ccaaccgcct ccaactgtgcc tgcggggcgg cctttgtgga 2400  
 cttcctgctg gagatgcagg cgcccggtgc tgggctgtcc aggcgcgtca cgtgtggcag 2460  
 tccgggccag ctccagggcc gcagcatctt cgcacaggac ctgcgcctct gcctggatga 2520  
 gaccctctcc ttggactgct ttggcttctc gctgctaata gtggcgctgg gcctggcggt 2580  
 gccatgctg caccacctct gtggctggga cctgtggtac tgcttccacc tgtgtctggc 2640  
 ccatttgccc cgacggcggc ggcagcgggg cgaggacacc ctgctctacg atgccttcgt 2700  
 ggtcttcgac aaggcgcaga gtgcagtggc cgactgggtg tacaacgagc tccgcgtgca 2760  
 gctggaggag cgcgcgggc gccgggcgct ccgcctctgc ctggaggagc gagactggct 2820  
 ccctggcaag acgctcttcg agaacctgtg ggcctcggtc tacagcagcc gtaagaccat 2880  
 gttcgtgctg gaccacacgg accgggtcag tggcctcctg cgcgccagct tctgctggc 2940  
 ccagcagcgc ctgttgagg accgcaagga tgtcgtggtg ctggtgatcc tgcgccccgc 3000  
 cgcctaccgg tccgctacg tgcggctgcg ccagcgctc tgcgccaga gcgtcctcct 3060  
 ctggccccac cagcccagtg gccagggtag cttctgggcc aacctgggca tggccctgac 3120  
 cagggacaac cgccacttct ataaccgaa cttctgccgg ggcgccaga cagccgaata 3180



gcacagagtg actgcccag

3199

&lt;210&gt; 20

&lt;211&gt; 2454

&lt;212&gt; DNA

<213> *Ovis aries*

&lt;400&gt; 20

atggggccct actgtgcccc gcaccccctt tctctcctgg tgcaggcggc ggcgctggca 60  
 gcagccctgg cccagggcac cctgcctgcc ttcctgccct gtgagctcca gccccggggt 120  
 aaggtgaact gcaactggct gttcctgaag tctgtgccgc gcttttcggc cggagccccc 180  
 cgggccaatg tcaccagcct ctccctaate tccaaccgca tccaccactt gcacgactct 240  
 gacttcgtcc acctgtccaa cctgcgggtc ctcaacctca agtgggaactg cccgccgggc 300  
 ggctcagcc ccatgcactt cccctgcgcg atgaccatcg agcccaacac ctctcctggct 360  
 gtgcccaccc tggaggagct gaacctgagc tacaatggca tcacgaccgt gcctgccttg 420  
 cccagttctc tcgtatccct gtgcgtgagc cgcaccagca tcctggtgct agggcccacc 480  
 cacttcaccg gcctgcacgc cctgcgcttt ctgtacatgg acggcaactg ctactataag 540  
 aaccctgcc agcaggccgt ggaggtggcc ccaggcgccc tccttggcct gggcaacctc 600  
 acgcacctgt cgctcaagta caacaacctc acggaggtgc cccgccgcct gccccccagc 660  
 ctggacaccc tgctgctgtc ctacaaccac atcatcacc tggcacccga ggacctggcc 720  
 aatctgactg ccctgcgtgt gcttgatgtg ggcgggaact gccgccgctg cgaccacgcc 780  
 cgcaaccctt gcagggagtg cccaaagaac ttccccaagc tgcacctga caccttcagc 840  
 cacctgagcc gcctcgaagg cctggtgttg aaggacagtt ctctctacaa actagagaaa 900  
 gactggttcc ggggcctggg caggctccaa gtgctcgacc tgagtgagaa ctctctctat 960  
 gactacatca ccaagaccac catcttcagg aacctgacct agctgcgcag actcaacctg 1020  
 tccttcaatt accacaagaa ggtgtccttc gccacctgc aactggcacc ctcttttggg 1080  
 ggctggtgt ccctggagaa gctggacatg cacggcatct tcttcgctc cctcaccaac 1140  
 accacgtcc gcccgctgac ccagctgccc aagctccaga gtctgagtct gcagctgaac 1200  
 ttcacaaacc aggcgagct cagcatcttt ggggccttcc cgagcctgct ctctgtggac 1260  
 ctgtcggaca accgcatcag cggagctgcg aggcgggtgg ccgccctcgg ggaggtggac 1320  
 agcgggggtg aagtctggcg gtggcccagg ggcctcgctc caggcccgtt ggccgcccgc 1380  
 agcgcaaagg acttcatgcc aagctgcaac ctcaacttca ccttggaact gtcacggaac 1440  
 aacctggtga cgatccagca ggagatgttt accgcctct cccgcctcca gtgcctgcgc 1500

ctgagccaca acagcatctc gcaggcgggtt aatggctcgc agttcgtgcc gctgacccgc 1560  
 ctgcgagtgc tcgacctgtc ctacaacaag ctggacctgt accatgggcg ctcgttcacg 1620  
 gagctgccgc agctggagge actggacctc agctacaaca gccagccctt cagcatgcag 1680  
 ggcgtggggc acaacctcag cttcgtggcc cagctgccgt ccttgcgcta cctcagcctt 1740  
 gcgcacaacg gcatccacag ccgcgtgtca cagaagctca gcagcgctc gctgcgcgcc 1800  
 ctggacttca gcggcaactc cctgagccag atgtggggcg agggagacct ctatctctgc 1860  
 ttcttcaaag gcttgaggaa cctgggtccag ctggacctgt ccaagaacca cctgcacacc 1920  
 ctctgcctc gtcacctgga taacctgccc aagagcctgc ggcagctgcg tctccgggac 1980  
 aataacctgg ccttcttcaa ctggagcagc ctgactgttc tgccccagct ggaagccctg 2040  
 gatctggcgg gaaaccagct gaaggccctg agcaacggca gcctgccacc tggcaccggg 2100  
 ctccagaagc tggacgtgag cagcaacagc atcggtttg tgaccctggg cttctttgtc 2160  
 cttgccaaac ggctgaaaga gcttaacctc agcgccaacg ccctgaagac agtggatccc 2220  
 ttctggttcg gtcgcttaac agagaccctg aatatactag acgtgagcgc caaccgcctc 2280  
 cactgtgcct gcggggcggc ctttgtggac ttctgtctgg agatgcaggc ggccgtgcct 2340  
 gggctgtcca ggcgctcac gtgtggcagt ccggggccagc tccagggccg cagcatcttc 2400  
 gcacaggacc tgcgctctg cctggatgag accctctcct tggactgctt tggc 2454

<210> 21  
 <211> 1032  
 <212> PRT  
 <213> Canis familiaris

<400> 21

Met Gly Pro Cys Arg Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Ala Leu Ala Leu Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Pro Arg Gly Asn  
 50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp  
 65 70 75 80

Tyr Asp Phe Val His Phe Val His Leu Arg Arg Leu Asn Leu Lys Trp  
                             85                            90                            95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met  
                             100                            105                            110

Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Asp Leu  
                             115                            120                            125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
                             130                            135                            140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro  
                             145                            150                            155                            160

Ala Thr Leu Ala Gly Leu Tyr Ala Leu Arg Phe Leu Phe Leu Asp Gly  
                             165                            170                            175

Asn Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Leu Gln Val Ala Pro  
                             180                            185                            190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
                             195                            200                            205

Asn Asn Leu Thr Val Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr  
                             210                            215                            220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu  
                             225                            230                            235                            240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
                             245                            250                            255

Arg Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Gly Phe  
                             260                            265                            270

Pro Gln Leu His Pro Asn Thr Phe Gly His Leu Ser His Leu Glu Gly  
                             275                            280                            285

Leu Val Leu Arg Asp Ser Ser Leu Tyr Ser Leu Asp Pro Arg Trp Phe  
                             290                            295                            300

His Gly Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu  
                             305                            310                            315                            320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Tyr Gly Leu Ala Arg Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu His Leu Ala Ser Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu  
 355 360 365

Leu Asp Ile His Gly Ile Phe Phe Arg Ser Leu Ser Lys Thr Thr Leu  
 370 375 380

Gln Ser Leu Ala His Leu Pro Met Leu Gln Arg Leu His Leu Gln Leu  
 385 390 395 400

Asn Phe Ile Ser Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly  
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Glu  
 420 425 430

Pro Ala Ala Ala Thr Gly Glu Val Glu Ala Asp Cys Gly Glu Arg Val  
 435 440 445

Trp Pro Gln Ser Arg Asp Leu Ala Leu Gly Pro Leu Gly Thr Pro Gly  
 450 455 460

Ser Glu Ala Phe Met Pro Ser Cys Arg Thr Leu Asn Phe Thr Leu Asp  
 465 470 475 480

Leu Ser Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Val Arg  
 485 490 495

Leu Ala Arg Leu Gln Cys Leu Gly Leu Ser His Asn Ser Ile Ser Gln  
 500 505 510

Ala Val Asn Gly Ser Gln Phe Val Pro Leu Ser Asn Leu Arg Val Leu  
 515 520 525

Asp Leu Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr  
 530 535 540

Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro

545					550					555					560
Phe	Ser	Met	Arg	Gly	Val	Gly	His	Asn	Leu	Ser	Phe	Val	Ala	Gln	Leu
				565					570					575	
Pro	Ala	Leu	Arg	Tyr	Leu	Ser	Leu	Ala	His	Asn	Gly	Ile	His	Ser	Arg
			580					585					590		
Val	Ser	Gln	Gln	Leu	Arg	Ser	Ala	Ser	Leu	Arg	Ala	Leu	Asp	Phe	Ser
		595					600					605			
Gly	Asn	Thr	Leu	Ser	Gln	Met	Trp	Ala	Glu	Gly	Asp	Leu	Tyr	Leu	Arg
	610					615					620				
Phe	Phe	Gln	Gly	Leu	Arg	Ser	Leu	Val	Gln	Leu	Asp	Leu	Ser	Gln	Asn
625					630					635					640
Arg	Leu	His	Thr	Leu	Leu	Pro	Arg	Asn	Leu	Asp	Asn	Leu	Pro	Lys	Ser
				645					650					655	
Leu	Arg	Leu	Leu	Arg	Leu	Arg	Asp	Asn	Tyr	Leu	Ala	Phe	Phe	Asn	Trp
			660					665					670		
Ser	Ser	Leu	Ala	Leu	Leu	Pro	Lys	Leu	Glu	Ala	Leu	Asp	Leu	Ala	Gly
		675					680					685			
Asn	Gln	Leu	Lys	Ala	Leu	Ser	Asn	Gly	Ser	Leu	Pro	Asn	Gly	Thr	Gln
	690					695					700				
Leu	Gln	Arg	Leu	Asp	Leu	Ser	Gly	Asn	Ser	Ile	Gly	Phe	Val	Val	Pro
705					710					715					720
Ser	Phe	Phe	Ala	Leu	Ala	Val	Arg	Leu	Arg	Glu	Leu	Asn	Leu	Ser	Ala
				725					730					735	
Asn	Ala	Leu	Lys	Thr	Val	Glu	Pro	Ser	Trp	Phe	Gly	Ser	Leu	Ala	Gly
			740					745					750		
Ala	Leu	Lys	Val	Leu	Asp	Val	Thr	Ala	Asn	Pro	Leu	His	Cys	Ala	Cys
		755					760					765			
Gly	Ala	Thr	Phe	Val	Asp	Phe	Leu	Leu	Glu	Val	Gln	Ala	Ala	Val	Pro
	770					775					780				

Gly Leu Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly  
 785 790 795 800  
 Arg Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu  
 805 810 815  
 Ser Trp Val Cys Phe Ser Leu Ser Leu Leu Ala Val Ala Leu Ser Leu  
 820 825 830  
 Ala Val Pro Met Leu His Gln Leu Cys Gly Trp Asp Leu Trp Tyr Cys  
 835 840 845  
 Phe His Leu Cys Leu Ala Trp Leu Pro Arg Arg Gly Arg Arg Arg Gly  
 850 855 860  
 Val Asp Ala Leu Ala Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln  
 865 870 875 880  
 Ser Ser Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu  
 885 890 895  
 Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp  
 900 905 910  
 Trp Val Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr  
 915 920 925  
 Ser Ser Arg Lys Thr Leu Phe Val Leu Ala Arg Thr Asp Arg Val Ser  
 930 935 940  
 Gly Leu Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu  
 945 950 955 960  
 Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Cys Pro Asp Ala His  
 965 970 975  
 Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val  
 980 985 990  
 Leu Leu Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln  
 995 1000 1005  
 Leu Gly Thr Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln  
 1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Thr Ala  
1025 1030

<210> 22  
<211> 822  
<212> PRT  
<213> Canis familiaris

<400> 22

Met Gly Pro Cys Arg Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln  
1 5 10 15

Ala Ala Ala Leu Ala Leu Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe  
20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu  
35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Pro Arg Gly Asn  
50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp  
65 70 75 80

Tyr Asp Phe Val His Phe Val His Leu Arg Arg Leu Asn Leu Lys Trp  
85 90 95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met  
100 105 110

Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Asp Leu  
115 120 125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
130 135 140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro  
145 150 155 160

Ala Thr Leu Ala Gly Leu Tyr Ala Leu Arg Phe Leu Phe Leu Asp Gly  
165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Leu Gln Val Ala Pro  
180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205  
 Asn Asn Leu Thr Val Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220  
 Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu  
 225 230 235 240  
 Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255  
 Arg Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Gly Phe  
 260 265 270  
 Pro Gln Leu His Pro Asn Thr Phe Gly His Leu Ser His Leu Glu Gly  
 275 280 285  
 Leu Val Leu Arg Asp Ser Ser Leu Tyr Ser Leu Asp Pro Arg Trp Phe  
 290 295 300  
 His Gly Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320  
 Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Tyr Gly Leu Ala Arg Leu  
 325 330 335  
 Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350  
 His Leu His Leu Ala Ser Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu  
 355 360 365  
 Leu Asp Ile His Gly Ile Phe Phe Arg Ser Leu Ser Lys Thr Thr Leu  
 370 375 380  
 Gln Ser Leu Ala His Leu Pro Met Leu Gln Arg Leu His Leu Gln Leu  
 385 390 395 400  
 Asn Phe Ile Ser Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly  
 405 410 415  
 Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Glu  
 420 425 430



Pro Ala Ala Ala Thr Gly Glu Val Glu Ala Asp Cys Gly Glu Arg Val  
 435 440 445

Trp Pro Gln Ser Arg Asp Leu Ala Leu Gly Pro Leu Gly Thr Pro Gly  
 450 455 460

Ser Glu Ala Phe Met Pro Ser Cys Arg Thr Leu Asn Phe Thr Leu Asp  
 465 470 475 480

Leu Ser Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Val Arg  
 485 490 495

Leu Ala Arg Leu Gln Cys Leu Gly Leu Ser His Asn Ser Ile Ser Gln  
 500 505 510

Ala Val Asn Gly Ser Gln Phe Val Pro Leu Ser Asn Leu Arg Val Leu  
 515 520 525

Asp Leu Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr  
 530 535 540

Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro  
 545 550 555 560

Phe Ser Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu  
 565 570 575

Pro Ala Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg  
 580 585 590

Val Ser Gln Gln Leu Arg Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser  
 595 600 605

Gly Asn Thr Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg  
 610 615 620

Phe Phe Gln Gly Leu Arg Ser Leu Val Gln Leu Asp Leu Ser Gln Asn  
 625 630 635 640

Arg Leu His Thr Leu Leu Pro Arg Asn Leu Asp Asn Leu Pro Lys Ser  
 645 650 655

Leu Arg Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp

660                                      665                                      670  
 Ser Ser Leu Ala Leu Leu Pro Lys Leu Glu Ala Leu Asp Leu Ala Gly  
           675                                      680                                      685  
 Asn Gln Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln  
           690                                      695                                      700  
 Leu Gln Arg Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Val Pro  
 705                                      710                                      715                                      720  
 Ser Phe Phe Ala Leu Ala Val Arg Leu Arg Glu Leu Asn Leu Ser Ala  
    725                                      730                                      735  
 Asn Ala Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly  
    740                                      745                                      750  
 Ala Leu Lys Val Leu Asp Val Thr Ala Asn Pro Leu His Cys Ala Cys  
    755                                      760                                      765  
 Gly Ala Thr Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro  
    770                                      775                                      780  
 Gly Leu Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly  
 785                                      790                                      795                                      800  
 Arg Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu  
    805                                      810                                      815  
 Ser Trp Val Cys Phe Ser  
    820

<210> 23  
 <211> 3334  
 <212> DNA  
 <213> Canis familiaris

<400> 23  
 aggaaggggc tgtgagctcc aagcatcctt tcctgcagct gctgcccagc ctgccagcca 60  
 gaccctctgg agaagcccc gctccctgtc atgggccctt gccgtggcgc cctgcacccc 120  
 ctgtctctcc tgggtgcaggc tgccgcgcta gccttgccc tggcccaggg caccctgcct 180  
 gccttcctgc cctgtgagct ccagcccat ggccctgtga actgcaactg gctgttcctc 240  
 aagtcctgtc cccgcttctc ggcagctgca ccccgcggtg acgtcaccag cctttccttg 300

tactccaacc gcatccacca cctccatgac tatgactttg tccacttcgt ccacctgcgg 360  
 cgtctcaatc tcaagtggaa ctgcccgecc gccagcctca gcccacatgca ctttccctgt 420  
 cacatgacca ttgagcccaa caccttcctg gctgtgcccc ccctagagga cctgaatctg 480  
 agctataaca gcatcacgac tgtgcccgcc ctgcccagtt cgcttggtgc cctgtccctg 540  
 agccgcacca acatcctggt gctggaccct gccaccctgg caggccttta tgccctgcgc 600  
 ttctgtttcc tggatggcaa ctgctactac aagaaccctt gccagcaggg cctgcagggtg 660  
 gcccaggtg ccctcctggg cctgggcaac ctcacacacc tgtcactcaa gtacaacaac 720  
 ctcaccgtgg tgccgcgggg cctgcccccc agcctggagt acctgctctt gtccctacaac 780  
 cacatcatca ccctggcacc tgaggacctg gccaatctga ctgccctgcg tgcctctgat 840  
 gtgggtggga actgtcgccg ctgtgaccat gcccgtaacc cctgcaggga gtgccccaa 900  
 ggttcccccc agctgcaccc caacaccttc ggccacctga gccacctcga aggcctggtg 960  
 ttgagggaca gctctctcta cagcctggac ccaggtggt tccatggcct gggcaacctc 1020  
 atggtgctgg acctgagtga gaacttcctg tatgactgca tcacaaaaac caaagccttc 1080  
 tacggcctgg ccggtctgcg cagactcaac ctgtccttca attatcataa gaaggtgtcc 1140  
 tttgcccacc tgcatctggc atcctccttc gggagcctac tgtccctgca ggagctggac 1200  
 atacatggca tcttcttccg ctgctcagc aagaccacgc tccagtcgct ggcccacctg 1260  
 cccatgctcc agcgtctgca tctgcagttg aactttatca gccaggccca gctcagcatc 1320  
 ttcggcgctt tccttgact gcggtacgtg gacttgtcag acaaccgcat cagtggagct 1380  
 gcagagcccg cggtgccac aggggaggta gaggcagact gtggggagag agtctggcca 1440  
 cagtcccggt acctgtctct gggccactg ggcacccccg gctcagaggc cttcatgccc 1500  
 agctgcagga ccctcaactt caccttgga ctgtctcgga acaacctagt gactgttcag 1560  
 ccggagatgt ttgtccggtt ggcgcgcctc cagtgcctgg gcctgagcca caacagcatc 1620  
 tcgcaggcgg tcaatggctc gcagttcgtg cctctgagca acctgcgggt gctggacctg 1680  
 tcccataaca agctggacct gtaccacggg cgctcgttca cggagctgcc gcggctggag 1740  
 gccttggaac tcagctacaa cagccagccc ttcagcatgc ggggcgtggg ccacaatctc 1800  
 agctttgtgg cacagctgcc agcctgcgc tacctcagcc tggcgacaaa tggcatccac 1860  
 agccgcgtgt ccagcagct ccgcagcgcc tcgctccggg ccctggactt cagtggcaat 1920  
 accctgagcc agatgtgggc cgaggagac ctctatctcc gcttcttcca aggcctgaga 1980  
 agcctgggtc agctggacct gtcccagaat cgcctgcata ccctcctgcc acgcaacctg 2040  
 gacaacctcc ccaagagcct gcggctcctg cggctccgtg acaattacct ggctttcttc 2100

aactggagca gcttggccct cctacccaag ctggaagccc tggacctggc gggaaaccag 2160  
ctgaaggccc tgagcaatgg cagcttgccc aacggcacc agctccagag gctggacctc 2220  
agcggcaaca gcatcggtt cgtgggtcccc agcttttttg cctggccgt gaggcttcga 2280  
gagctcaacc tcagcgccaa cgccctcaag acggtggagc cctcctgggt tggttccctg 2340  
gcggtgccc tgaaagtcct agacgtgacc gccaacccct tgcattgcgc ttgcggcgca 2400  
accttcgtgg acttcttgct ggaggtgcag gctgcggtgc ccggcctgcc tagccgtgtc 2460  
aagtgcggca gccggggcca gctccagggc cgcagcatct tcgcacagga cctgcgcctc 2520  
tgcttgagc aagcgctctc ctgggtctgt ttcagcctct cgtgctggc tgtggccctg 2580  
agcctggctg tgcccatgct gcaccagctc tgtggctggg acctctggta ctgcttcac 2640  
ctgtgcctgg cctggctgcc ccggcggggg cgggcgggg gtgtggatgc cctggcctat 2700  
gacgccttcg tggctctcga caaggcgag agctcgggtg cggactgggt gtacaatgag 2760  
ctgcgggtac agctagagga ggcctgggg cgccggggcg tacgcctgtg tctggaggaa 2820  
cgtgactggg taccgggcaa aacctcttc gagaacctct gggcctcagt ttacagcagc 2880  
cgcaagacgc tgtttgtgct ggcccgacg gacagagtca gcggcctcct gcgtgccagc 2940  
ttcctgctgg cccaacagcg cctgctggag gaccgcaagg acgtcgtggt gctggtgatc 3000  
ctgtgccccg acgcccaccg ctcccgtat gtgcggctgc gccagcgct ctgccgccag 3060  
agtgtcctcc tctggcccca ccagccaggt ggccagcgca gcttctgggc ccagctgggc 3120  
acggccctga ccagggacaa ccgccacttc tacaaccaga acttctgccg gggccccacg 3180  
acagcctgat aggcagacag ccagcacct tcgcgccct acacctgcc tgtctgtctg 3240  
ggatgccga cctgctggct ctacaccgcc gctctgtctc ccctacacc agccctggca 3300  
taaagcgacc gctcaataaa tgctgctggt agac 3334

<210> 24

<211> 2466

<212> DNA

<213> *Canis familiaris*

<400> 24

atgggcccct gccgtgggc cctgcacccc ctgtctctcc tggcgcaggc tgccgcgcta 60  
gccctggccc tggcccaggg caccctgcct gccttctgc cctgtgagct ccagcccat 120  
ggcctgggtga actgcaactg gctgttctc aagtcctg gcgccttctc ggcagctgca 180  
ccccgcggtg acgtcaccag cctttccttg tactccaacc gcatccacca cctccatgac 240  
tatgactttg tccacttcgt ccacctgcgg cgtctcaate tcaagtggaa ctgcccgc 300

gccagcctca gccccatgca ctttccctgt cacatgacca ttgagcccaa caccttcctg 360  
 gctgtgcca ccctagagga cctgaatctg agctataaca gcatcacgac tgtgcccgcc 420  
 ctgcccagtt cgcttgtgtc cctgtccctg agccgcacca acatcctggt gctggaccct 480  
 gccaccctgg caggccttta tgccctgccc ttccctgttc tggatggcaa ctgctactac 540  
 aagaaccctt gccagcaggc cctgcaggtg gccccaggtg ccctcctggg cctgggcaac 600  
 ctcacacacc tgtcactcaa gtacaacaac ctcaaccgtg tgccgcgggg cctgcccccc 660  
 agcctggagt acctgctctt gtccataaac cacatcatca ccctggcacc tgaggacctg 720  
 gccaatctga ctgccctgcg tgcctcgat gtgggtggga actgtcgccg ctgtgaccat 780  
 gcccgttaacc cctgcaggga gtgccccaaag ggcttcccc agctgcaccc caacaccttc 840  
 ggccacctga gccacctga aggcctgggt ttgaggga gctctctcta cagcctggac 900  
 cccaggtggt tccatggcct gggcaacctc atggtgctgg acctgagtga gaacttcctg 960  
 tatgactgca tcacaaaac caaagccttc tacggcctgg ccgggtgcg cagactcaac 1020  
 ctgtccttca attatcataa gaaggtgtcc tttgccacc tgcatctggc atcctccttc 1080  
 gggagcctac tgtccctgca ggagctggac atacatggca tcttcttcg ctgctcagc 1140  
 aagaccaogc tccagtcgtt ggcccacctg cccatgctcc agcgtctgca tctgcagttg 1200  
 aactttatca gccaggcca gctcagcatc ttgggcgcct tccctggact gcggtacgtg 1260  
 gacttgtcag acaaccgcat cagtggagct gcagagcccg cggtgccac aggggaggtg 1320  
 gaggcagact gtggggagag agtctggcca cagtcccggt accttgctct gggcccactg 1380  
 ggcacccccg gctcagaggc cttcatgccc agctgcagga ccctcaactt caccttggac 1440  
 ctgtctcgga acaacctagt gactgttcag ccggagatgt ttgtccggct ggcgcgcctc 1500  
 cagtgcctgg gcctgagcca caacagcatc tcgcaggcgg tcaatggctc gcagttcgtg 1560  
 cctctgagca acctgcgggt gctggacctg tccataaca agctggacct gtaccacggg 1620  
 cgctcgttca cggagctgcc gcggctggag gccttgacc tcagctacaa cagccagccc 1680  
 ttcagcatgc ggggcgtggg ccacaatctc agctttgtgg cacagctgcc agccctgccc 1740  
 tacctcagcc tggcgcaaa tggcatccac agccgcgtgt cccagcagct ccgcagcgcc 1800  
 tcgtccggg ccctggactt cagtggcaat accctgagcc agatgtgggc cgaggagac 1860  
 ctctatctcc gcttcttcca aggcctgaga agcctggttc agctggacct gtcccagaat 1920  
 cgctgcata ccctcctgcc acgcaacctg gacaacctcc ccaagagcct gcggctcctg 1980  
 cggtccgtg acaattacct ggcttcttc aactggagca gcctggccct cctaccaag 2040

ctggaagccc tggacctggc gggaaaccag ctgaaggccc tgagcaatgg cagcttgccc 2100  
 aacggcaccc agctccagag gctggacctc agcggcaaca gcatcggctt cgtggtcccc 2160  
 agcttttttg ccctggccgt gaggttcga gagctcaacc tcagcgccaa cgccctcaag 2220  
 acggtggagc cctcctgggt tggttccctg gcgggtgccc tgaaagtcct agacgtgacc 2280  
 gccaacccct tgcattgcgc ttgcggcgca accttcgtgg acttcttgct ggaggtgcag 2340  
 gctgcggtgc ccggcctgcc tagccgtgtc aagtgcggca gcccgggcca gctccagggc 2400  
 cgcagcatct tcgcacagga cctgcgcctc tgcctggacg aagcgtcttc ctgggtctgt 2460  
 ttcagc 2466

<210> 25  
 <211> 1031  
 <212> PRT  
 <213> Felis catus

<400> 25

Met Gly Pro Cys His Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Ala Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Gln Arg His Gly Leu Val Asn Cys Asp Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Gly Asn  
 50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp  
 65 70 75 80

Ser Asp Phe Val His Leu Ser Ser Leu Arg Arg Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met  
 100 105 110

Thr Ile Glu Pro His Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
 130 135 140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro  
 145 150 155 160

Ala Asn Leu Ala Gly Leu His Ser Leu Arg Phe Leu Phe Leu Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Pro Gln Ala Leu Gln Val Ala Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Ala Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Met Glu Cys Pro Lys Gly Phe  
 260 265 270

Pro His Leu His Pro Asp Thr Phe Ser His Leu Asn His Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asn Pro Arg Trp Phe  
 290 295 300

His Ala Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Gln Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu His Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Gln  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu  
 370 375 380

Arg Ser Leu Val His Leu Pro Met Leu Gln Ser Leu His Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly  
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Met Glu  
 420 425 430

Leu Ala Ala Ala Thr Gly Glu Val Asp Gly Gly Glu Arg Val Arg Leu  
 435 440 445

Pro Ser Gly Asp Leu Ala Leu Gly Pro Pro Gly Thr Pro Ser Ser Glu  
 450 455 460

Gly Phe Met Pro Gly Cys Lys Thr Leu Asn Phe Thr Leu Asp Leu Ser  
 465 470 475 480

Arg Asn Asn Leu Val Thr Ile Gln Pro Glu Met Phe Ala Arg Leu Ser  
 485 490 495

Arg Leu Gln Cys Leu Leu Leu Ser Arg Asn Ser Ile Ser Gln Ala Val  
 500 505 510

Asn Gly Ser Gln Phe Met Pro Leu Thr Ser Leu Gln Val Leu Asp Leu  
 515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu  
 530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser  
 545 550 555 560

Met Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala  
 565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser  
 580 585 590

Gln Gln Leu Cys Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn  
 595 600 605

Ala Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe



610	615	620
Arg Gly Leu Arg Ser Leu Val Arg Leu Asp Leu Ser Gln Asn Arg Leu		
625	630	635 640
His Thr Leu Leu Pro Arg Thr Leu Asp Asn Leu Pro Lys Ser Leu Arg		
	645	650 655
Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser		
	660	665 670
Leu Val Leu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln		
	675	680 685
Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln Leu Gln		
	690	695 700
Arg Leu Asp Leu Ser Ser Asn Ser Ile Ser Phe Val Ala Ser Ser Phe		
	705	710 715 720
Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala		
	725	730 735
Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu		
	740	745 750
Lys Val Leu Asp Val Thr Gly Asn Pro Leu His Cys Ala Cys Gly Ala		
	755	760 765
Ala Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu		
	770	775 780
Pro Gly His Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser		
	785	790 795 800
Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp		
	805	810 815
Asp Cys Phe Gly Leu Ser Leu Leu Thr Val Ala Leu Gly Leu Ala Val		
	820	825 830
Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His		
	835	840 845

Leu Cys Leu Ala Trp Leu Pro Arg Arg Gly Arg Arg Arg Gly Ala Asp  
 850 855 860

Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala  
 865 870 875 880

Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu Glu Arg  
 885 890 895

Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu  
 900 905 910

Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser  
 915 920 925

Arg Lys Met Leu Phe Val Leu Ala His Thr Asp Arg Val Ser Gly Leu  
 930 935 940

Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg  
 945 950 955 960

Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His Arg Ser  
 965 970 975

Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu  
 980 985 990

Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln Leu Gly  
 995 1000 1005

Thr Ala Leu Thr Arg Asp Asn Gln His Phe Tyr Asn Gln Asn Phe  
 1010 1015 1020

Cys Arg Gly Pro Thr Thr Ala Glu  
 1025 1030

<210> 26

<211> 820

<212> PRT

<213> Felis catus

<400> 26

Met Gly Pro Cys His Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Ala Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Gln Arg His Gly Leu Val Asn Cys Asp Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Gly Asn  
 50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp  
 65 70 75 80

Ser Asp Phe Val His Leu Ser Ser Leu Arg Arg Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met  
 100 105 110

Thr Ile Glu Pro His Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
 130 135 140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro  
 145 150 155 160

Ala Asn Leu Ala Gly Leu His Ser Leu Arg Phe Leu Phe Leu Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Pro Gln Ala Leu Gln Val Ala Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Ala Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Met Glu Cys Pro Lys Gly Phe  
 260 265 270  
 Pro His Leu His Pro Asp Thr Phe Ser His Leu Asn His Leu Glu Gly  
 275 280 285  
 Leu Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asn Pro Arg Trp Phe  
 290 295 300  
 His Ala Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320  
 Tyr Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Gln Leu  
 325 330 335  
 Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350  
 His Leu His Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Gln  
 355 360 365  
 Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu  
 370 375 380  
 Arg Ser Leu Val His Leu Pro Met Leu Gln Ser Leu His Leu Gln Met  
 385 390 395 400  
 Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly  
 405 410 415  
 Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Met Glu  
 420 425 430  
 Leu Ala Ala Ala Thr Gly Glu Val Asp Gly Gly Glu Arg Val Arg Leu  
 435 440 445  
 Pro Ser Gly Asp Leu Ala Leu Gly Pro Pro Gly Thr Pro Ser Ser Glu  
 450 455 460  
 Gly Phe Met Pro Gly Cys Lys Thr Leu Asn Phe Thr Leu Asp Leu Ser  
 465 470 475 480  
 Arg Asn Asn Leu Val Thr Ile Gln Pro Glu Met Phe Ala Arg Leu Ser  
 485 490 495

Arg Leu Gln Cys Leu Leu Leu Ser Arg Asn Ser Ile Ser Gln Ala Val  
 500 505 510

Asn Gly Ser Gln Phe Met Pro Leu Thr Ser Leu Gln Val Leu Asp Leu  
 515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu  
 530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser  
 545 550 555 560

Met Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala  
 565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser  
 580 585 590

Gln Gln Leu Cys Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn  
 595 600 605

Ala Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe  
 610 615 620

Arg Gly Leu Arg Ser Leu Val Arg Leu Asp Leu Ser Gln Asn Arg Leu  
 625 630 635 640

His Thr Leu Leu Pro Arg Thr Leu Asp Asn Leu Pro Lys Ser Leu Arg  
 645 650 655

Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser  
 660 665 670

Leu Val Leu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln  
 675 680 685

Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln Leu Gln  
 690 695 700

Arg Leu Asp Leu Ser Ser Asn Ser Ile Ser Phe Val Ala Ser Ser Phe  
 705 710 715 720

Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala

- 79 -

tcacacacct	ggcacctgag	gacctggcca	acctgaccgc	cctgcgtgtg	ctcgatgtgg	840
gtgggaactg	ccgtcgctgt	gaccacgccc	gcaacccttg	tatggagtgc	cccaagggct	900
tcccgacact	gcacctgac	accttcagcc	acctgaacca	cctcgaaggc	ctggtgttga	960
aggacagctc	tctctacaac	ctgaacccca	gatggttcca	tgccctgggc	aacctcatgg	1020
tgctggacct	gagtgagaac	ttcctatatg	actgcatcac	caaaaccaca	gccttccagg	1080
gcctggccca	gctgcgcaga	ctcaacttgt	ctttcaatta	ccacaagaag	gtgtcctttg	1140
cccacctgca	tctggcgccc	tccttcggga	gcctgctctc	cctgcagcag	ctggacatgc	1200
atggcatctt	cttcgcgtcg	ctcagcgaga	ccacgctccg	gtcgtgtgtc	cacctgccc	1260
tgctccagag	tctgcacctg	cagatgaact	tcacaatca	ggcccagctc	agcatcttcg	1320
gggccttccc	tggcctgcga	tacgtggacc	tgtcagacaa	ccgcataagt	ggagccatgg	1380
agctggcggc	tgccacgggg	gaggtggatg	gtggggagag	agtccggctg	ccatctgggg	1440
acctagctct	ggggccaccg	ggcacccta	gctccgaggg	cttcattgcca	ggctgcaaga	1500
ccctcaactt	caccttggac	ctgtcacgga	acaacctagt	gacaatccag	ccagagatgt	1560
ttgcccggtc	ctcgcgcctc	cagtgcctgc	tcctgagccg	caacagcatc	tcgcaggcag	1620
tcaacggctc	acaatttatg	ccgctgacca	gcctgcaggt	gctggacctg	tcccataaca	1680
agctggacct	gtaccatggg	cgctctttca	cggagctgcc	gcggctggag	gccctggacc	1740
tcagctacaa	cagccagccc	ttcagcatgc	agggcggtgg	tcacaacctc	agctttgttg	1800
cacagctgcc	ggccctgcgc	tatctcagcc	tggcgacaaa	cgacatccac	agccgtgtgt	1860
cccagcagct	ctgcagcgcc	tcgctgcggg	ccttggactt	cagcggcaat	gccttgagcc	1920
ggatgtgggc	cgagggagac	ctgtatctcc	acttcttccg	aggcctgagg	agcctgggtc	1980
ggttggatct	gtcccagaat	cgctgcata	ccctcttgcc	acgcaccctg	gacaacctcc	2040
ccaagagcct	gcggtgctg	cgtctccgtg	acaattatct	ggctttcttc	aactggagca	2100
gcctggtcct	cctccccagg	ctggaagccc	tggacctggc	gggaaaccag	ctgaaggccc	2160
tgagcaacgg	cagcttgcct	aatggaaccc	agctccagag	gctggacctc	agcagcaaca	2220
gtatcagctt	cgtggcctcc	agcttttttg	ctctggccac	caggctgcga	gagctcaacc	2280
tcagtgccaa	cgcctcaag	acggtggagc	cctcctggtt	cggttctcta	gcgggcaccc	2340
tgaaagtcct	agatgtgact	ggcaaccccc	tgcactgcgc	ctgtggggcg	gccttcgtgg	2400
acttcttgct	ggaggtgcag	gctgcagtgc	ccggcctgcc	aggccacgtc	aagtgtggca	2460
gtccaggtca	gctccagggc	cgcagcatct	ttgcgcagga	tctgcgcctc	tgctggatg	2520
aggccctctc	ctgggactgt	tttggcctct	cgtctgtgac	cgtggccctg	ggcctggccg	2580

tgcccatgct gcaccacctc tgtggctggg acctctggta ctgcttcac ctgtgcctgg 2640  
 cctggctgcc ccggcggggg cgggcgggg gcgcggatgc cctgccctac gatgcctttg 2700  
 tggctcttoga caaggcacag agcgcggtgg ccgactgggt gtacaacgag ctgcgggtac 2760  
 ggctagagga gcgccgtgga cgcgcagcgc tccgcctgtg cctggaggaa cgtgactggc 2820  
 taccgggtaa aacgctcttt gagaacctgt gggcctcagt ttacagcagc cgcaagatgc 2880  
 tgtttgtgct ggccacaca gacagggta gggcctctt gcgcgccagc tttctgtggtg 2940  
 cccagcagcg cctgctggag gaccgcaagg acgttgtggt gctggtgatc ctgcgccccg 3000  
 acgcccaccg ctcccgtat gtgcggctgc gccagcgct ctgcgcagc agcgtcctcc 3060  
 tctggcccca ccagcccagt ggccagcga gcttctgggc ccagctgggc acggccctga 3120  
 ccagggacaa ccagcacttc tataaccaga acttctgccg gggcccaacg acggcagagt 3180  
 gaccgcccag caccccaagc ctctacacc ttgcctgtct gcctgggatg ccggg 3235

<210> 28

<211> 2460

<212> DNA

<213> *Felis catus*

<400> 28

atggggccct gccatggcgc cctgcacccc ctgtctctcc tggcgcaggc tgccgcgctg 60  
 gccgtggccc tggcccaggg caccctgcct gcctttctgc cctgtgagct ccagcgccac 120  
 ggcctggtga attgcgactg gctgttctc aagtcctgct cccacttctc ggcggcagcg 180  
 ccccggtgta acgtcaccag cctttccctg tactccaacc gcatccacca cctccacgac 240  
 tccgactttg tccacctgtc cagcctgcgg cgtctcaacc tcaaattggaa ctgccacccc 300  
 gccagcctca gcccacatgca ctccccctgt cacatgacca ttgagcccca caccttctctg 360  
 gccgtgcccc ccctggagga gctgaacctg agctacaaca gcatcacgac agtaccgcgc 420  
 ctgccagtt ccctcgtgtc cctgtccttg agcgtacca acatcctggt gctggaccct 480  
 gccaacctcg cagggtgca ctccctgcgc tttctgttcc tggatggcaa ctgtactac 540  
 aagaaccctt gccgcaggc cctgcagggt gcccggggcg cctccttggt cctgggcaac 600  
 cttacgcacc tgtactcaa gtacaacaac ctactgcgg tgccccgcgg cctgcccccc 660  
 agcctggagt acctgctatt gtccataaac cacatcatca ccctggcacc tgaggacctg 720  
 gccaacctga ccgcctgcg tgtgctcgat gtgggtggga actgccgtcg ctgtgaccac 780  
 gcccgcaacc cctgtatgga gtgcccgaag ggcttccgc acctgcacc tgacaccttc 840  
 agccacctga accacctga aggcctggtg ttgaaggaca gctctctcta caacctgaac 900



```

cccagatggt tccatgccct gggcaacctc atggtgctgg acctgagtga gaacttcccta 960
tatgactgca tcacaaaaac cacagccttc cagggcctgg cccagctgcg cagactcaac 1020
ttgtctttca attaccacaa gaaggtgtcc tttgccacc tgcattctggc gccctccttc 1080
gggagcctgc tctccctgca gcagctggac atgcatggca tcttcttcg ctcgctcagc 1140
gagaccacgc tccggtcgct ggtccacctg cccatgctcc agagtctgca cctgcagatg 1200
aacttcatca atcaggccca gctcagcatc ttcggggcct tccctggcct gcgatacgtg 1260
gacctgtcag acaaccgcat aagtggagcc atggagctgg cggtgccac gggggagggtg 1320
gatggtgggg agagagtccg gctgccatct ggggacctag ctctggggcc accgggcacc 1380
cctagctccg agggcttcat gccaggctgc aagaccctca acttcacctt ggacctgtca 1440
cggaacaacc tagtgacaat ccagccagag atgtttgccc ggctctcgcg cctccagtgc 1500
ctgctcctga gccgcaacag catctcgagc gcagtcaacg gctcacaatt tatgccgtg 1560
accagcctgc aggtgctgga cctgtcccat aacaagctgg acctgtacca tgggcgctct 1620
ttcacggagc tgccgcggtt ggaggccctg gacctcagct acaacagcca gcccttcagc 1680
atgcagggcg tgggtcacaa cctcagcttt gtggcacagc tgccggccct gcgctatctc 1740
agcctggcgc acaacgacat ccacagcgt gtgtcccagc agctctgcag cgctcgctg 1800
cgggccttgg acttcagcgg caatgccttg agccgatgt gggccgaggg agacctgtat 1860
ctccacttct tccgaggcct gaggagcctg gtccggttgg atctgtccca gaatcgctg 1920
cataccctct tgccacgcac cctggacaac ctccccaaga gcctgcggct gctgcgtctc 1980
cgtgacaatt atctggcttt cttcaactgg agcagcctgg tcctctctcc caggctggaa 2040
gccctggacc tggcgggaaa ccagctgaag gccctgagca acggcagctt gcctaattgga 2100
accagctcc agaggctgga cctcagcagc aacagtatca gcttcgtggc ctccagcttt 2160
tttgctctgg ccaccaggct gcgagagctc aacctcagt ccaacgccct caagacggtg 2220
gagccctcct ggttcggttc tctagcgggc accctgaaag tcctagatgt gactggcaac 2280
ccctgcact gcgctgtgg ggcggccttc gtggacttct tgctggaggt gcaggtgca 2340
gtgcccgcc tgccaggcca cgtcaagtgt ggcagtccag gtcagctcca gggccgcagc 2400
atctttgcgc aggatctcg cctctgcctg gatgaggccc tctcctggga ctgttttggc 2460

```

```

<210> 29
<211> 1032
<212> PRT
<213> Mus musculus

```

&lt;400&gt; 29

Met Val Leu Arg Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Val Leu Ala Glu Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Ser Cys Ser Asn  
 50 55 60

Ile Thr Arg Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asn  
 65 70 75 80

Ser Asp Phe Val His Leu Ser Asn Leu Arg Gln Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Thr Gly Leu Ser Pro Leu His Phe Ser Cys His Met  
 100 105 110

Thr Ile Glu Pro Arg Thr Phe Leu Ala Met Arg Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser  
 130 135 140

Leu Val Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala  
 145 150 155 160

Asn Ser Leu Ala Gly Leu Tyr Ser Leu Arg Val Leu Phe Met Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Thr Gly Ala Val Lys Val Thr Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Lys Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Val Ser Tyr Asn Leu Ile Val Lys Leu Gly Pro Glu Asp Leu

225		230		235		240
Ala Asn Leu Thr Ser	Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg					
	245		250		255	
Arg Cys Asp His Ala Pro Asn Pro Cys Ile Glu Cys Gly Gln Lys Ser						
	260		265		270	
Leu His Leu His Pro Glu Thr Phe His His Leu Ser His Leu Glu Gly						
	275		280		285	
Leu Val Leu Lys Asp Ser Ser Leu His Thr Leu Asn Ser Ser Trp Phe						
	290		295		300	
Gln Gly Leu Val Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu						
	305		310		315	320
Tyr Glu Ser Ile Asn His Thr Asn Ala Phe Gln Asn Leu Thr Arg Leu						
	325		330		335	
Arg Lys Leu Asn Leu Ser Phe Asn Tyr Arg Lys Lys Val Ser Phe Ala						
	340		345		350	
Arg Leu His Leu Ala Ser Ser Phe Lys Asn Leu Val Ser Leu Gln Glu						
	355		360		365	
Leu Asn Met Asn Gly Ile Phe Phe Arg Ser Leu Asn Lys Tyr Thr Leu						
	370		375		380	
Arg Trp Leu Ala Asp Leu Pro Lys Leu His Thr Leu His Leu Gln Met						
	385		390		395	400
Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Thr Phe Arg Ala						
	405		410		415	
Leu Arg Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Pro Ser Thr						
	420		425		430	
Leu Ser Glu Ala Thr Pro Glu Glu Ala Asp Asp Ala Glu Gln Glu Glu						
	435		440		445	
Leu Leu Ser Ala Asp Pro His Pro Ala Pro Leu Ser Thr Pro Ala Ser						
	450		455		460	

Lys Asn Phe Met Asp Arg Cys Lys Asn Phe Lys Phe Thr Met Asp Leu  
 465 470 475 480

Ser Arg Asn Asn Leu Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu  
 485 490 495

Ser Arg Leu Gln Cys Leu Ser Leu Ser His Asn Ser Ile Ala Gln Ala  
 500 505 510

Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Gln Val Leu Asp  
 515 520 525

Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys Ser Phe Ser Glu  
 530 535 540

Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe  
 545 550 555 560

Ser Met Lys Gly Ile Gly His Asn Phe Ser Phe Val Ala His Leu Ser  
 565 570 575

Met Leu His Ser Leu Ser Leu Ala His Asn Asp Ile His Thr Arg Val  
 580 585 590

Ser Ser His Leu Asn Ser Asn Ser Val Arg Phe Leu Asp Phe Ser Gly  
 595 600 605

Asn Gly Met Gly Arg Met Trp Asp Glu Gly Gly Leu Tyr Leu His Phe  
 610 615 620

Phe Gln Gly Leu Ser Gly Leu Leu Lys Leu Asp Leu Ser Gln Asn Asn  
 625 630 635 640

Leu His Ile Leu Arg Pro Gln Asn Leu Asp Asn Leu Pro Lys Ser Leu  
 645 650 655

Lys Leu Leu Ser Leu Arg Asp Asn Tyr Leu Ser Phe Phe Asn Trp Thr  
 660 665 670

Ser Leu Ser Phe Leu Pro Asn Leu Glu Val Leu Asp Leu Ala Gly Asn  
 675 680 685

Gln Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu  
 690 695 700

Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Ser Val Val Pro Ala  
 705 710 715 720

Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn  
 725 730 735

Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn  
 740 745 750

Leu Thr Val Leu Asp Val Arg Ser Asn Pro Leu His Cys Ala Cys Gly  
 755 760 765

Ala Ala Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly  
 770 775 780

Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg  
 785 790 795 800

Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Val Leu Ser  
 805 810 815

Trp Asp Cys Phe Gly Leu Ser Leu Leu Ala Val Ala Val Gly Met Val  
 820 825 830

Val Pro Ile Leu His His Leu Cys Gly Trp Asp Val Trp Tyr Cys Phe  
 835 840 845

His Leu Cys Leu Ala Trp Leu Pro Leu Leu Ala Arg Ser Arg Arg Ser  
 850 855 860

Ala Gln Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln  
 865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu  
 885 890 895

Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Asp Arg Asp  
 900 905 910

Trp Leu Pro Gly Gln Thr Leu Phe Glu Asn Leu Trp Ala Ser Ile Tyr  
 915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser  
 930 935 940

Gly Leu Leu Arg Thr Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu  
 945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His  
 965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val  
 980 985 990

Leu Phe Trp Pro Gln Gln Pro Asn Gly Gln Gly Gly Phe Trp Ala Gln  
 995 1000 1005

Leu Ser Thr Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln  
 1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Ala Glu  
 1025 1030

<210> 30  
 <211> 821  
 <212> PRT  
 <213> Mus musculus

<400> 30

Met Val Leu Arg Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Val Leu Ala Glu Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Ser Cys Ser Asn  
 50 55 60

Ile Thr Arg Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asn  
 65 70 75 80

Ser Asp Phe Val His Leu Ser Asn Leu Arg Gln Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Thr Gly Leu Ser Pro Leu His Phe Ser Cys His Met  
 100 105 110

Thr Ile Glu Pro Arg Thr Phe Leu Ala Met Arg Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser  
 130 135 140

Leu Val Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala  
 145 150 155 160

Asn Ser Leu Ala Gly Leu Tyr Ser Leu Arg Val Leu Phe Met Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Thr Gly Ala Val Lys Val Thr Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Lys Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Val Ser Tyr Asn Leu Ile Val Lys Leu Gly Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ser Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Pro Asn Pro Cys Ile Glu Cys Gly Gln Lys Ser  
 260 265 270

Leu His Leu His Pro Glu Thr Phe His His Leu Ser His Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu His Thr Leu Asn Ser Ser Trp Phe  
 290 295 300

Gln Gly Leu Val Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Glu Ser Ile Asn His Thr Asn Ala Phe Gln Asn Leu Thr Arg Leu  
 325 330 335

Arg Lys Leu Asn Leu Ser Phe Asn Tyr Arg Lys Lys Val Ser Phe Ala

340	345	350
Arg Leu His Leu Ala Ser Ser Phe Lys Asn Leu Val Ser Leu Gln Glu		
355	360	365
Leu Asn Met Asn Gly Ile Phe Phe Arg Ser Leu Asn Lys Tyr Thr Leu		
370	375	380
Arg Trp Leu Ala Asp Leu Pro Lys Leu His Thr Leu His Leu Gln Met		
385	390	400
Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Thr Phe Arg Ala		
405	410	415
Leu Arg Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Pro Ser Thr		
420	425	430
Leu Ser Glu Ala Thr Pro Glu Glu Ala Asp Asp Ala Glu Gln Glu Glu		
435	440	445
Leu Leu Ser Ala Asp Pro His Pro Ala Pro Leu Ser Thr Pro Ala Ser		
450	455	460
Lys Asn Phe Met Asp Arg Cys Lys Asn Phe Lys Phe Thr Met Asp Leu		
465	470	475
Ser Arg Asn Asn Leu Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu		
485	490	495
Ser Arg Leu Gln Cys Leu Ser Leu Ser His Asn Ser Ile Ala Gln Ala		
500	505	510
Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Gln Val Leu Asp		
515	520	525
Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys Ser Phe Ser Glu		
530	535	540
Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe		
545	550	555
Ser Met Lys Gly Ile Gly His Asn Phe Ser Phe Val Ala His Leu Ser		
565	570	575



Met Leu His Ser Leu Ser Leu Ala His Asn Asp Ile His Thr Arg Val  
580 585 590

Ser Ser His Leu Asn Ser Asn Ser Val Arg Phe Leu Asp Phe Ser Gly  
595 600 605

Asn Gly Met Gly Arg Met Trp Asp Glu Gly Gly Leu Tyr Leu His Phe  
610 615 620

Phe Gln Gly Leu Ser Gly Leu Leu Lys Leu Asp Leu Ser Gln Asn Asn  
625 630 635 640

Leu His Ile Leu Arg Pro Gln Asn Leu Asp Asn Leu Pro Lys Ser Leu  
645 650 655

Lys Leu Leu Ser Leu Arg Asp Asn Tyr Leu Ser Phe Phe Asn Trp Thr  
660 665 670

Ser Leu Ser Phe Leu Pro Asn Leu Glu Val Leu Asp Leu Ala Gly Asn  
675 680 685

Gln Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu  
690 695 700

Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Ser Val Val Pro Ala  
705 710 715 720

Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn  
725 730 735

Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn  
740 745 750

Leu Thr Val Leu Asp Val Arg Ser Asn Pro Leu His Cys Ala Cys Gly  
755 760 765

Ala Ala Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly  
770 775 780

Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg  
785 790 795 800

Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Val Leu Ser  
805 810 815

Trp Asp Cys Phe Gly  
820

<210> 31

<211> 3200

<212> DNA

<213> Mus musculus

<400> 31

```

gtgcagaggg agcctcgagg gaatcctcca tctcccaaca tggttctccg tcgaaggact    60
ctgcacccct tgtccctcct ggtacaggct gcagtgtctg ctgagactct ggccctgggt    120
accctgcctg ccttcctacc ctgtgagctg aagcctcatg gcctgggtgga ctgcaattgg    180
ctgttcctga agtctgtacc ccgtttctct gcggcagcat cctgctocaa catcacccgc    240
ctctccttga tctccaaccg tatccaccac ctgcacaact ccgacttcgt ccacctgtcc    300
aacctgcggc agctgaacct caagtggaa tgtccacca ctggccttag cccctgcac    360
ttctcttgcc acatgaccat tgagcccaga accttcctgg ctatgcgtac actggaggag    420
ctgaacctga gctataatgg tatcaccact gtgccccgac tgcccagctc cctgggtgaat    480
ctgagcctga gccacaccaa catcctgggt ctagatgcta acagcctcgc cggcctatac    540
agcctgcgcg ttctcttcat ggacgggaac tgctactaca agaaccctg cacaggagcg    600
gtgaagggtga cccagggcgc cctcctgggc ctgagcaatc tcacccatct gtctctgaag    660
tataacaacc tcacaaaggt gcccgcgcaa ctgcccccca gcctggagta cctcctgggtg    720
tcctataacc tcattgtcaa gctggggcct gaagacctgg ccaatctgac ctcccttcga    780
gtacttgatg tgggtgggaa ttgccgtcgc tgcgaccatg cccccaatcc ctgtatagaa    840
tgtggccaaa agtccctcca cctgcaccct gagaccttcc atcacctgag ccatctggaa    900
ggcctgggtgc tgaaggacag ctctctccat aactgaact cttcctgggt ccaaggctctg    960
gtcaacctct cgggtgtgga cctaagcgag aactttctct atgaaagcat caaccacacc   1020
aatgcctttc agaacctaac ccgcctgcgc aagctcaacc tgccttcaa ttaccgcaag   1080
aaggatcctt ttgccgcct ccacctggca agttccttca agaacctggg gtcaactgcag   1140
gagctgaaca tgaacggcat cttcttccgc tcgctcaaca agtacacgct cagatggctg   1200
gccgatctgc ccaaactcca cactctgcat cttcaaata acttcatcaa ccaggcacag   1260
ctcagcatct ttggtacctt ccgagccctt cgctttgtgg acttgtcaga caatcgcatc   1320
agtgggcctt caacgctgtc agaagccacc cctgaagagg cagatgatgc agagcaggag   1380
gagctgttgt ctgcggtacc tcacccagct ccactgagca cccctgcttc taagaacttc   1440

```

atggacaggt gtaagaactt caagttcacc atggacctgt ctcggaacaa cctggtgact	1500
atcaagccag agatgtttgt caatctctca cgcctccagt gtcttagcct gagccacaac	1560
tccattgcac aggctgtcaa tggctctcag ttctgcccgc tgactaatct gcagggtgctg	1620
gacctgtccc ataacaaact ggacttgtac cactggaaat cgttcagtga gctaccacag	1680
ttgcaggccc tggacctgag ctacaacagc cagcccttta gcatgaaggg tataggccac	1740
aatttcagtt ttgtggccca tctgtccatg ctacacagcc ttagcctggc acacaatgac	1800
attcataccc gtgtgtcctc acatctcaac agcaactcag tgaggtttct tgacttcagc	1860
ggcaacggta tgggccgcat gtgggatgag gggggccttt atctccattt cttccaaggc	1920
ctgagtggcc tgctgaagct ggacctgtct caaaataacc tgcatactct ccggccccag	1980
aaccttgaca acctcccaa gagcctgaag ctgctgagcc tccgagacaa ctacctatct	2040
ttctttaact ggaccagtct gtccttcctg cccaacctgg aagtcctaga cctggcaggc	2100
aaccagctaa aggccctgac caatggcacc ctgcctaata gcacctctct ccagaaactg	2160
gatgtcagca gcaacagtat cgtctctgtg gtcccagcct tcttcgctct ggcggtcgag	2220
ctgaaagagg tcaacctcag ccacaacatt ctcaagacgg tggatcgctc ctgggttggg	2280
cccattgtga tgaacctgac agttctagac gtgagaagca accctctgca ctgtgcctgt	2340
ggggcagcct tcgtagactt actgttggag gtgcagacca aggtgcctgg cctggctaata	2400
ggtgtgaagt gtggcagccc cggccagctg cagggccgta gcatcttcgc acaggacctg	2460
cggctgtgcc tggatgaggt cctctcttgg gactgctttg gcctttcact cttggctgtg	2520
gccgtgggca tgggtgtgcc tatactgcac catctctgcg gctgggacgt ctggtactgt	2580
tttcatctgt gcctggcatg gctacctttg ctggcccgca gccgacgcag cgcccaagct	2640
ctcccctatg atgccttcgt ggtgttcgat aaggcacaga gcgcagttgc ggactgggtg	2700
tataacgagc tgcgggtgcg gctggaggag cggcgcggtc gccgagccct acgcttgtgt	2760
ctggaggacc gagattggct gcctggccag acgctcttcg agaacctctg ggcttccatc	2820
tatgggagcc gcaagactct atttgtgctg gccacacgg accgcgtcag tggcctcctg	2880
cgcaccagct tcctgctggc tcagcagcgc ctgttgggaag accgcaagga cgtggtggtg	2940
ttggtgatcc tgcgtccgga tgcccaccgc tcccgtatg tgcgactgcg ccagcgtctc	3000
tgccgccaga gtgtgctctt ctggccccag cagcccaacg ggcagggggg cttctgggcc	3060
cagctgagta cagccctgac tagggacaac cgccacttct ataaccagaa cttctgccgg	3120
ggacctacag cagaatagct cagagcaaca gctggaaaca gctgcatctt catgcctggg	3180
tcccaggttg ctctgcctgc	3200

<210> 32  
 <211> 2463  
 <212> DNA  
 <213> Mus musculus

<400> 32  
 atggttctcc gtcgaaggac tctgcacccc ttgtccctcc tggtagaggc tgcagtgtcg 60  
 gctgagactc tggccctggg taccctgcct gccttcctac cctgtgagct gaagcctcat 120  
 ggccctgggtg actgcaattg gctgttcctg aagtctgtac ccggtttctc tgcggcagca 180  
 tctgtctcca acatcacccg cctctccttg atctccaacc gtatccacca cctgcacaac 240  
 tccgacttcg tccacctgtc caacctgcgg cagctgaacc tcaagtggaa ctgtccaccc 300  
 actggcctta gccccctgca cttctcttgc cacatgacca ttgagcccag aaccttcctg 360  
 gctatgcgta cactggagga gctgaacctg agctataatg gtatcaccac tgtgccccga 420  
 ctgcccagct ccctggtgaa tctgagcctg agccacacca acatcctggg tctagatgct 480  
 aacagcctcg ccggcctata cagcctgcgc gttctcttca tggacgggaa ctgctactac 540  
 aagaacccct gcacaggagc ggtgaagggtg accccaggcg ccctcctggg cctgagcaat 600  
 ctcacccatc tgtctctgaa gtataacaac ctcaaaagg tgccccgcca actgcccccc 660  
 agcctggagt acctcctggg gtccctataac ctcatgttca agctggggcc tgaagacctg 720  
 gccaatctga cctcccttcg agtacttgat gtgggtggga attgccgtcg ctgcgaccat 780  
 gcccccaatc cctgtataga atgtggccaa aagtccctcc acctgcaccc tgagaccttc 840  
 catcacctga gccatctgga aggccctggg ctgaaggaca gctctctcca tacactgaac 900  
 tcttctcgtg tccaagggtc ggtcaacctc tcggtgctgg acctaaagca gaactttctc 960  
 tatgaaagca tcaaccacac caatgccttt cagaacctaa ccgcctgcg caagctcaac 1020  
 ctgtccttca attaccgcaa gaaggatatc tttgcccgc tccacctggc aagttccttc 1080  
 aagaacctgg tgtcactgca ggagctgaac atgaacggca tcttcttccg ctgctcaac 1140  
 aagtacacgc tcagatggct ggccgatctg cccaaactcc aactctgca tcttcaaattg 1200  
 aacttcatca accaggcaca gtcagcatc tttgggtacct tccgagccct tcgctttgtg 1260  
 gacttgtcag acaatcgcat cagtgggcct tcaacgctgt cagaagccac ccctgaagag 1320  
 gcagatgatg cagagcagga ggagctgttg tctgcggatc ctacccagc tccactgagc 1380  
 acccctgctt ctaagaactt catggacagg tgtaagaact tcaagttcac catggacctg 1440  
 tctcggaaca acctgggtgac tatcaagcca gagatgtttg tcaatctctc acgcctccag 1500  
 tgtcttagcc tgagccacaa ctccattgca caggctgtca atggctctca gttcctgccc 1560

```

ctgactaatc tgcagggtgct ggacctgtcc cataacaaac tggacttgta ccaactggaaa 1620
tcgttcagtg agctaccaca gttgcaggcc ctggacctga gctacaacag ccagcccttt 1680
agcatgaagg gtataggcca caatttcagt tttgtggccc atctgtccat gctacacagc 1740
cttagcctgg cacacaatga cattcatacc cgtgtgtcct cacatctcaa cagcaactca 1800
gtgaggtttc ttgacttcag cggcaacggt atgggccgca tgtgggatga ggggggcctt 1860
tatctccatt tcttccaagg cctgagtggc ctgctgaagc tggacctgtc tcaaaataac 1920
ctgcatatcc tccggcccca gaaccttgac aacctcccca agagcctgaa gctgctgagc 1980
ctccgagaca actacctatc tttctttaac tggaccagtc tgtccttcct gcccaacctg 2040
gaagtccctag acctggcagg caaccagcta aaggccctga ccaatggcac cctgcctaatt 2100
ggcacccctcc tccagaaact ggatgtcagc agcaacagta tcgtctctgt ggtcccagcc 2160
ttcttcgctc tggcggtcga gctgaaagag gtcaacctca gccacaacat tctcaagacg 2220
gtggatcgct cctgggttgg gccattgtg atgaacctga cagttctaga cgtgagaagc 2280
aaccctctgc actgtgcctg tggggcagcc ttcgtagact tactgttgga ggtgcagacc 2340
aagggtgcctg gcctggctaa tgggtgtgaag tgtggcagcc ccggccagct gcagggccgt 2400
agcatcttcg cacaggacct gcggctgtgc ctggatgagg tcctctcttg ggactgcttt 2460
ggc 2463

```

```

<210> 33
<211> 1032
<212> PRT
<213> Homo sapiens

```

```

<400> 33

```

```

Met Gly Phe Cys Arg Ser Ala Leu His Pro Leu Ser Leu Leu Val Gln
1           5           10           15

```

```

Ala Ile Met Leu Ala Met Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe
20           25           30

```

```

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu
35           40           45

```

```

Phe Leu Lys Ser Val Pro His Phe Ser Met Ala Ala Pro Arg Gly Asn
50           55           60

```

```

Val Thr Ser Leu Ser Leu Ser Ser Asn Arg Ile His His Leu His Asp
65           70           75           80

```

Ser Asp Phe Ala His Leu Pro Ser Leu Arg His Leu Asn Leu Lys Trp  
                                     85                                    90                                    95

Asn Cys Pro Pro Val Gly Leu Ser Pro Met His Phe Pro Cys His Met  
                                     100                                    105                                    110

Thr Ile Glu Pro Ser Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
                                     115                                    120                                    125

Asn Leu Ser Tyr Asn Asn Ile Met Thr Val Pro Ala Leu Pro Lys Ser  
                                     130                                    135                                    140

Leu Ile Ser Leu Ser Leu Ser His Thr Asn Ile Leu Met Leu Asp Ser  
                                     145                                    150                                    155                                    160

Ala Ser Leu Ala Gly Leu His Ala Leu Arg Phe Leu Phe Met Asp Gly  
                                     165                                    170                                    175

Asn Cys Tyr Tyr Lys Asn Pro Cys Arg Gln Ala Leu Glu Val Ala Pro  
                                     180                                    185                                    190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
                                     195                                    200                                    205

Asn Asn Leu Thr Val Val Pro Arg Asn Leu Pro Ser Ser Leu Glu Tyr  
                                     210                                    215                                    220

Leu Leu Leu Ser Tyr Asn Arg Ile Val Lys Leu Ala Pro Glu Asp Leu  
                                     225                                    230                                    235                                    240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
                                     245                                    250                                    255

Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys Pro Arg His Phe  
                                     260                                    265                                    270

Pro Gln Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly  
                                     275                                    280                                    285

Leu Val Leu Lys Asp Ser Ser Leu Ser Trp Leu Asn Ala Ser Trp Phe  
                                     290                                    295                                    300

Arg Gly Leu Gly Asn Leu Arg Val Leu Asp Leu Ser Glu Asn Phe Leu

305                                      310                                      315                                      320  
 Tyr Lys Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Thr Gln Leu  
    325                                      330                                      335  
 Arg Lys Leu Asn Leu Ser Phe Asn Tyr Gln Lys Arg Val Ser Phe Ala  
    340                                      345                                      350  
 His Leu Ser Leu Ala Pro Ser Phe Gly Ser Leu Val Ala Leu Lys Glu  
    355                                      360                                      365  
 Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Asp Glu Thr Thr Leu  
    370                                      375                                      380  
 Arg Pro Leu Ala Arg Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met  
    385                                      390                                      395                                      400  
 Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Arg Ala Phe Pro Gly  
    405                                      410                                      415  
 Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ser Glu  
    420                                      425                                      430  
 Leu Thr Ala Thr Met Gly Glu Ala Asp Gly Gly Glu Lys Val Trp Leu  
    435                                      440                                      445  
 Gln Pro Gly Asp Leu Ala Pro Ala Pro Val Asp Thr Pro Ser Ser Glu  
    450                                      455                                      460  
 Asp Phe Arg Pro Asn Cys Ser Thr Leu Asn Phe Thr Leu Asp Leu Ser  
    465                                      470                                      475                                      480  
 Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser  
    485                                      490                                      495  
 His Leu Gln Cys Leu Arg Leu Ser His Asn Cys Ile Ser Gln Ala Val  
    500                                      505                                      510  
 Asn Gly Ser Gln Phe Leu Pro Leu Thr Gly Leu Gln Val Leu Asp Leu  
    515                                      520                                      525  
 Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His Ser Phe Thr Glu Leu  
    530                                      535                                      540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Gly  
 545 550 555 560

Met Gln Gly Val Gly His Asn Phe Ser Phe Val Ala His Leu Arg Thr  
 565 570 575

Leu Arg His Leu Ser Leu Ala His Asn Asn Ile His Ser Gln Val Ser  
 580 585 590

Gln Gln Leu Cys Ser Thr Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn  
 595 600 605

Ala Leu Gly His Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe  
 610 615 620

Gln Gly Leu Ser Gly Leu Ile Trp Leu Asp Leu Ser Gln Asn Arg Leu  
 625 630 635 640

His Thr Leu Leu Pro Gln Thr Leu Arg Asn Leu Pro Lys Ser Leu Gln  
 645 650 655

Val Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Lys Trp Trp Ser  
 660 665 670

Leu His Phe Leu Pro Lys Leu Glu Val Leu Asp Leu Ala Gly Asn Arg  
 675 680 685

Leu Lys Ala Leu Thr Asn Gly Ser Leu Pro Ala Gly Thr Arg Leu Arg  
 690 695 700

Arg Leu Asp Val Ser Cys Asn Ser Ile Ser Phe Val Ala Pro Gly Phe  
 705 710 715 720

Phe Ser Lys Ala Lys Glu Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala  
 725 730 735

Leu Lys Thr Val Asp His Ser Trp Phe Gly Pro Leu Ala Ser Ala Leu  
 740 745 750

Gln Ile Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala  
 755 760 765

Ala Phe Met Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu  
 770 775 780



Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Leu Ser  
785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp  
805 810 815

Asp Cys Phe Ala Leu Ser Leu Leu Ala Val Ala Leu Gly Leu Gly Val  
820 825 830

Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His  
835 840 845

Leu Cys Leu Ala Trp Leu Pro Trp Arg Gly Arg Gln Ser Gly Arg Asp  
850 855 860

Glu Asp Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Thr Gln  
865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Gly Gln Leu Glu  
885 890 895

Glu Cys Arg Gly Arg Trp Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp  
900 905 910

Trp Leu Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr  
915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser  
930 935 940

Gly Leu Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu  
945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Ser Pro Asp Gly Arg  
965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val  
980 985 990

Leu Leu Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln  
995 1000 1005

Leu Gly Met Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg  
1010 1015 1020

Asn Phe Cys Gln Gly Pro Thr Ala Glu  
 1025 1030

<210> 34  
 <211> 820  
 <212> PRT  
 <213> Homo sapiens

<400> 34

Met Gly Phe Cys Arg Ser Ala Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ile Met Leu Ala Met Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Met Ala Ala Pro Arg Gly Asn  
 50 55 60

Val Thr Ser Leu Ser Leu Ser Ser Asn Arg Ile His His Leu His Asp  
 65 70 75 80

Ser Asp Phe Ala His Leu Pro Ser Leu Arg His Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Val Gly Leu Ser Pro Met His Phe Pro Cys His Met  
 100 105 110

Thr Ile Glu Pro Ser Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Asn Ile Met Thr Val Pro Ala Leu Pro Lys Ser  
 130 135 140

Leu Ile Ser Leu Ser Leu Ser His Thr Asn Ile Leu Met Leu Asp Ser  
 145 150 155 160

Ala Ser Leu Ala Gly Leu His Ala Leu Arg Phe Leu Phe Met Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Arg Gln Ala Leu Glu Val Ala Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Val Val Pro Arg Asn Leu Pro Ser Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn Arg Ile Val Lys Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys Pro Arg His Phe  
 260 265 270

Pro Gln Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Ser Trp Leu Asn Ala Ser Trp Phe  
 290 295 300

Arg Gly Leu Gly Asn Leu Arg Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Lys Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Thr Gln Leu  
 325 330 335

Arg Lys Leu Asn Leu Ser Phe Asn Tyr Gln Lys Arg Val Ser Phe Ala  
 340 345 350

His Leu Ser Leu Ala Pro Ser Phe Gly Ser Leu Val Ala Leu Lys Glu  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Asp Glu Thr Thr Leu  
 370 375 380

Arg Pro Leu Ala Arg Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Arg Ala Phe Pro Gly  
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ser Glu

420	425	430
Leu Thr Ala Thr Met Gly Glu Ala Asp Gly Gly Glu Lys Val Trp Leu		
435	440	445
Gln Pro Gly Asp Leu Ala Pro Ala Pro Val Asp Thr Pro Ser Ser Glu		
450	455	460
Asp Phe Arg Pro Asn Cys Ser Thr Leu Asn Phe Thr Leu Asp Leu Ser		
465	470	475
		480
Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser		
485	490	495
His Leu Gln Cys Leu Arg Leu Ser His Asn Cys Ile Ser Gln Ala Val		
500	505	510
Asn Gly Ser Gln Phe Leu Pro Leu Thr Gly Leu Gln Val Leu Asp Leu		
515	520	525
Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His Ser Phe Thr Glu Leu		
530	535	540
Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Gly		
545	550	555
		560
Met Gln Gly Val Gly His Asn Phe Ser Phe Val Ala His Leu Arg Thr		
565	570	575
Leu Arg His Leu Ser Leu Ala His Asn Asn Ile His Ser Gln Val Ser		
580	585	590
Gln Gln Leu Cys Ser Thr Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn		
595	600	605
Ala Leu Gly His Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe		
610	615	620
Gln Gly Leu Ser Gly Leu Ile Trp Leu Asp Leu Ser Gln Asn Arg Leu		
625	630	635
		640
His Thr Leu Leu Pro Gln Thr Leu Arg Asn Leu Pro Lys Ser Leu Gln		
645	650	655

Val Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Lys Trp Trp Ser  
660 665 670

Leu His Phe Leu Pro Lys Leu Glu Val Leu Asp Leu Ala Gly Asn Arg  
675 680 685

Leu Lys Ala Leu Thr Asn Gly Ser Leu Pro Ala Gly Thr Arg Leu Arg  
690 695 700

Arg Leu Asp Val Ser Cys Asn Ser Ile Ser Phe Val Ala Pro Gly Phe  
705 710 715 720

Phe Ser Lys Ala Lys Glu Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala  
725 730 735

Leu Lys Thr Val Asp His Ser Trp Phe Gly Pro Leu Ala Ser Ala Leu  
740 745 750

Gln Ile Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala  
755 760 765

Ala Phe Met Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu  
770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Leu Ser  
785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp  
805 810 815

Asp Cys Phe Ala  
820

<210> 35  
<211> 3352  
<212> DNA  
<213> Homo sapiens

<400> 35  
aggctggtat aaaaatctta cttcctctat tctctgagcc gctgctgccc ctgtgggaag 60  
ggacctcgag tgtgaagcat ccttcctgt agctgctgtc cagtctgccc gccagacctt 120  
ctggagaagc ccttgccccc cagcatgggt ttctgccgca gcgcctgca cccgctgtct 180  
ctcctggtgc aggccatcat gctggccatg accctggccc tgggtacctt gcctgccttc 240  
ctaccctgtg agctccagcc ccacggcctg gtgaactgca actggctgtt cctgaagtct 300

```

gtgccccact tctccatggc agcaccccggt ggcaatgtca ccagcctttc cttgtcctcc 360
aaccgcatcc accacctcca tgattctgac tttgccacc tgcccagcct gcggcatctc 420
aacctcaagt ggaactgccc gccgggtggc ctcagcccca tgcacttccc ctgccacatg 480
accatcgagc ccagcacctt cttggctgtg cccaccctgg aagagctaaa cctgagctac 540
aacaacatca tgactgtgcc tgcgctgccc aaatccctca tatccctgtc cctcagccat 600
accaacatcc tgatgctaga ctctgccagc ctgcgggcc tgcctgccct gcgcttccta 660
ttcatggacg gcaactgtta ttacaagaac ccctgcaggc aggcactgga ggtggccccg 720
ggtgccctcc ttggcctggg caacctcacc cacctgtcac tcaagtacaa caacctcact 780
gtggtgcccc gcaacctgcc ttccagcctg gagtatctgc tgttgtccta caaccgcatc 840
gtcaaaactgg cgctgagga cctggccaat ctgaccgccc tgcgtgtgct cgatgtgggc 900
ggaaattgcc gccgctgcga ccacgctccc aaccctgca tggagtggcc tcgtcacttc 960
ccccagctac atcccgatac cttcagccac ctgagccgtc ttgaaggcct ggtgttgaag 1020
gacagttctc tctcctggct gaatgccagt tggttccgtg ggctgggaaa cctccgagtg 1080
ctggacctga gtgagaactt cctctacaaa tgcactacta aaaccaaggc cttccagggc 1140
ctaacacagc tgcgcaagct taacctgtcc ttcaattacc aaaagagggt gtcctttgcc 1200
cacctgtctc tggccccctc cttcgggagc ctggtcgccc tgaaggagct ggacatgcac 1260
ggcatcttct tccgctcact cgatgagacc acgctccggc cactggcccc cctgcccattg 1320
ctccagactc tgcgtctgca gatgaacttc atcaaccagg cccagctcgg catcttcagg 1380
gccttccttg gcctgcgcta cgtggacctg tcggacaacc gcatcagcgg agcttcggag 1440
ctgacagcca ccatggggga ggcagatgga ggggagaagg tctggctgca gcctggggac 1500
cttgctccgg cccagtgga cactcccagc tctgaagact tcaggcccaa ctgcagcacc 1560
ctcaacttca ccttgatct gtcacggaac aacctggtga ccgtgcagcc ggagatgttt 1620
gccagctct cgcaacctgca gtgcctgcgc ctgagccaca actgcatctc gcaggcagtc 1680
aatggctccc agttcctgcc gctgaccggt ctgcagggtc tagacctgtc ccgcaataag 1740
ctggacctct accacgagca ctcatcacg gagctaccgc gactggaggc cctggacctc 1800
agctacaaca gccagccctt tggcatgcag gccgtgggcc acaacttcag cttcgtggct 1860
cacctgcgca ccctgcgcca cctcagcctg gccacaaca acatccacag ccaagtgtcc 1920
cagcagctct gcagtacgtc gctgcgggcc ctggacttca gcggcaatgc actgggccat 1980
atgtgggccc agggagacct ctatctgcac ttcttccaag gcctgagcgg tttgatctgg 2040

```

ctggacttgt cccagaaccg cctgcacacc ctctgcccc aaaccctgcg caacctcccc 2100  
 aagagcctac aggtgctgcg tctccgtgac aattacctgg cttctcttaa gtggtggagc 2160  
 ctccacttcc tgcccaaact ggaagtcctc gacctggcag gaaaccggct gaaggccctg 2220  
 accaatggca gcctgcctgc tggcaccggt ctccggaggc tggatgtcag ctgcaacagc 2280  
 atcagcttcg tggcccccg cttcttttcc aaggccaagg agctgcgaga gctcaacctt 2340  
 agcgccaacg ccctcaagac agtggaccac tcttggtttg gggccctggc gaggccctg 2400  
 caaatactag atgtaagcgc caacctctg cactgcgcct gtggggcggc ctttatggac 2460  
 ttctgctgg aggtgcaggc tgccgtgccc ggtctgccc gccgggtgaa gtgtggcagt 2520  
 ccgggccagc tccaggccct cagcatcttt gcacaggacc tgcgcctctg cctggatgag 2580  
 gccctctcct gggactgttt cgccctctcg ctgctggctg tggctctggg cctgggtgtg 2640  
 cccatgctgc atcacctctg tggctgggac ctctgggtact gcttcacct gtgcctggcc 2700  
 tggcttccct ggcgggggcg gcaaagtggg cgagatgagg atgccctgcc ctacgatgcc 2760  
 ttctgtgtct tcgacaaaac gcagagcgca gtggcagact ggggtgacaa cgagcttcgg 2820  
 gggcagctgg aggagtgccg tgggcgctgg gactccgcc tgtgcctgga ggaacgcgac 2880  
 tggctgcctg gaaaaacct ctttgagaac ctgtgggcct cggctctatg cagccgcaag 2940  
 acgctgtttg tctggccca cacggaccgg gtcagtggtc tcttgcgcg cagcttctg 3000  
 ctggcccagc agcgctgct ggaggaccgc aaggacgtcg tgggtgctgt gatcctgagc 3060  
 cctgacggcc gccgtcccg ctacgtgcgg ctgcgccagc gcctctgccg ccagagtgtc 3120  
 ctctctggc cccaccagcc cagtggtcag cgcagcttct gggcccagct gggcatggcc 3180  
 ctgaccaggg acaaccacca cttctataac cggaacttct gccagggacc cacggccgaa 3240  
 tagccgtgag ccggaatcct gcacggtgcc acctccacac tcacctcacc tctgcctgcc 3300  
 tggcttgacc ctcccctgct cgctccctc accccacacc tgacacagag ca 3352

&lt;210&gt; 36

&lt;211&gt; 2460

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 36

atgggtttct gccgcagcgc cctgcaccgg ctgtctctcc tgggtgcaggc catcatgctg 60  
 gccatgaccc tggccctggg taccttgccg gccttcctac cctgtgagct ccagccccac 120  
 ggctgtgta actgcaactg gctgttctcg aagtctgtgc cccacttctc catggcagca 180  
 cccgtggca atgtcaccag ctttctctg tctccaacc gcatccacca cctccatgat 240

tctgacttttg cccacctgcc cagcctgcgg catctcaacc tcaagtggaa ctgcccgcg	300
gttggcctca gcccacatgca cttcccctgc cacatgacca tcgagcccag caccttcttg	360
gctgtgcca ccttgaaga gctaaacctg agctacaaca acatcatgac tgtgcctgcg	420
ctgcccacaaat ccctcatatc cctgtccctc agccatacca acatcctgat gctagactct	480
gccagcctcg cgggcctgca tgccctgcgc ttcctattca tggacggcaa ctgttattac	540
aagaaccct gcaggcaggc actggagggtg gcccgggtg ccctccttgg cctgggcaac	600
ctcaccacc tgtcactcaa gtacaacaac ctactgttg tgcccgcga cctgccttcc	660
agcctggagt atctgctgtt gtctacaac cgcctgtca aactggcgcc tgaggacctg	720
gccaatctga ccgcctgcg tgtgctcgat gtgggcggaa attgccgcg ctgcgaccac	780
gtcccaacc cctgcatgga gtgcctcgt cacttcccc agctacatcc cgataccttc	840
agccacctga gccgtcttga aggcctggtg ttgaaggaca gtctctctc ctggctgaat	900
gccagttggt tccgtgggt gggaaacctc cgagtgttg acctgagtga gaacttcctc	960
tacaaatgca tcaactaaaac caaggccttc cagggcctaa cacagctgcg caagcttaac	1020
ctgtccttca attacaaaa gaggggtgtcc tttgccacc tgtctctggc cccttccttc	1080
gggagcctgg tcgccctgaa ggagctggac atgcacggca tcttcttccg ctactcgat	1140
gagaccacgc tccggccact ggccgcctg cccatgctcc agactctgcg tctgcagatg	1200
aacttcacat accaggccca gctcggcatc ttcagggcct tcctggcct gcgctacgtg	1260
gacctgtcgg acaaccgcat cagcggagct tcggagctga cagccaccat gggggaggca	1320
gatggagggg agaaggtctg gctgcagcct ggggaccttg ctccggcccc agtggacact	1380
cccagctctg aagacttcag gcccactgc agcaccctca acttcacctt ggatctgtca	1440
cggaacaacc tgggtgacct gcagccggag atgtttgcc agctctcgca cctgcagtgc	1500
ctgcgcctga gccacaactg catctcgag gcagtcaatg gctcccagtt cctgccgtg	1560
accggtctgc aggtgctaga cctgtccgc aataagctgg acctctacca cgagcactca	1620
ttcacggagc tacgcgact ggaggccctg gacctcagct acaacagcca gccctttggc	1680
atgcagggcg tgggccacaa cttcagcttc gtggctcacc tgcgaccct gcgccacctc	1740
agcctggccc acaacaacat ccacagccaa gtgtccagc agctctgcag tacgtcgctg	1800
cgggcccctg acttcagcg caatgcactg ggccatatgt gggccgagg agacctctat	1860
ctgcacttct tccaaggcct gagcggtttg atctggctgg acttgtcca gaaccgcctg	1920
cacaccctcc tgcccaaac cctgcgcaac ctcccaaga gcctacaggt gctgcgtctc	1980
cgtgacaatt acctggcctt ctttaagtgg tggagcctcc acttctgcc caaactggaa	2040



gtcctcgacc tggcaggaaa ccggctgaag gccctgacca atggcagcct gcctgctggc 2100  
 acccggctcc ggaggctgga tgtcagctgc aacagcatca gcttcgtggc ccccggttc 2160  
 tttccaagg ccaaggagct gcgagagctc aaccttagcg ccaacgccct caagacagtg 2220  
 gaccactcct ggtttgggcc cctggcgagt gccctgcaaa tactagatgt aagcgccaac 2280  
 cctctgcact gcgcctgtgg ggcggccttt atggacttcc tgetggaggt gcaggctgcc 2340  
 gtgcccggtc tgcccagccg ggtgaagtgt ggcagtcgg gccagctcca gggcctcagc 2400  
 atctttgcac aggacctgcg cctctgcctg gatgaggccc tctcctggga ctgtttcgcc 2460

<210> 37

<211> 26

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 37

accttgctg ccttctacc ctgtga

26

<210> 38

<211> 21

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 38

gtccgtgtgg gccagcaca a

21

<210> 39

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 39

tccatgacgt ttttgatgtt

20

<210> 40

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 40  
tccataacgt ttttgatggt 20

<210> 41  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 41  
tccatcacgt ttttgatggt 20

<210> 42  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 42  
tccattacgt ttttgatggt 20

<210> 43  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 43  
tccatggcgt ttttgatggt 20

<210> 44  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 44  
tccatgccgt ttttgatggt 20

<210> 45  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 45

tccatgtcgt ttttgatggt

20

<210> 46

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 46

tccatgatgt ttttgatggt

20

<210> 47

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 47

tccatgaagt ttttgatggt

20

<210> 48

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 48

tccatgaggt ttttgatggt

20

<210> 49

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 49

tccatgacat ttttgatggt

20

<210> 50

<211> 20

<212> DNA

<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 50  
tccatgacct ttttgatggt 20

<210> 51  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 51  
tccatgactt ttttgatggt 20

<210> 52  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 52  
tccatgacgc ttttgatggt 20

<210> 53  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 53  
tccatgacga ttttgatggt 20

<210> 54  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 54  
tccatgacgg ttttgatggt 20

<210> 55  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 55  
tccatgacgt ctttgatggt 20

<210> 56  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 56  
tccatgacgt atttgatggt 20

<210> 57  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 57  
tccatgacgt gtttgatggt 20

<210> 58  
<211> 24  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 58  
tcgctgctttt gtcgcttttgt cggt 24

<210> 59  
<211> 24  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 59  
tgctgctttt gtgcttttgt gctt 24

<210> 60  
<211> 20  
<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 60

tccatgacgt tcctgatgct

20

<210> 61

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 61

tccatgagct tcctgatgct

20

<210> 62

<211> 16

<212> PRT

<213> Artificial sequence

<220>

<223> Consensus oligopeptide

<220>

<221> MISC\_FEATURE

<222> (4)..(5)

<223> Any amino acid

<220>

<221> MISC\_FEATURE

<222> (7)..(12)

<223> Any amino acid

<220>

<221> MISC\_FEATURE

<222> (14)..(15)

<223> Any amino acid

<400> 62

Gly Asn Cys Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Cys  
1 5 10 15

<210> 63

<211> 16

<212> PRT

<213> Homo sapiens

<400> 63

Gly Asn Cys Arg Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys  
 1 5 10 15

<210> 64  
 <211> 16  
 <212> PRT  
 <213> Mus musculus

<400> 64

Gly Asn Cys Arg Arg Cys Asp His Ala Pro Asn Pro Cys Met Ile Cys  
 1 5 10 15

<210> 65  
 <211> 31  
 <212> PRT  
 <213> Artificial sequence

<220>  
 <223> Consensus oligopeptide

<220>  
 <221> MISC\_FEATURE  
 <222> (2)..(8)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (14)..(22)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (25)..(30)  
 <223> Any amino acid

<400> 65

Arg Xaa Xaa Xaa Xaa Xaa Xaa Xaa Arg Xaa Asp Xaa Tyr Xaa Xaa Xaa  
 1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Arg Ser Xaa Xaa Xaa Xaa Xaa Xaa Tyr  
                   20                                  25                                  30

<210> 66  
 <211> 31  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> MISC\_FEATURE  
 <222> (2)..(8)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (14)..(22)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (25)..(30)  
 <223> Any amino acid

<400> 66

Gln Xaa Xaa Xaa Xaa Xaa Xaa Xaa Lys Xaa Asp Xaa Tyr Xaa Xaa Xaa  
 1                  5                                  10                                  15

Xaa Xaa Xaa Xaa Xaa Xaa Arg Leu Xaa Xaa Xaa Xaa Xaa Tyr  
                   20                                  25                                  30

<210> 67  
 <211> 31  
 <212> PRT  
 <213> Mus musculus

<220>  
 <221> MISC\_FEATURE  
 <222> (2)..(8)  
 <223> Any amino acid



<220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (14)..(22)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (25)..(30)  
 <223> Any amino acid

<400> 67

Gln Xaa Xaa Xaa Xaa Xaa Xaa Xaa Lys Xaa Asp Xaa Tyr Xaa Xaa Xaa  
 1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Gln Leu Xaa Xaa Xaa Xaa Xaa Xaa Tyr  
 20 25 30

<210> 68  
 <211> 31  
 <212> PRT  
 <213> Homo sapiens

<400> 68

Gln Val Leu Asp Leu Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His  
 1 5 10 15

Ser Phe Thr Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr  
 20 25 30

<210> 69  
 <211> 31  
 <212> PRT  
 <213> Mus musculus

<400> 69

Gln Val Leu Asp Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys

1                      5                      10                      15

Ser Phe Ser Glu Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr  
                    20                      25                      30

<210> 70

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 70

tccaggactt ctctcaggtt

20